



Storage/SAN Compatibility Guide

Last Updated: June 26, 2020

[For more information go to vmware.com.](http://www.vmware.com)

Introduction

VMware ESX software has been tested and deployed in a variety of storage network environments. This guide describes the storage devices currently tested by VMware and its storage partners.

ESX, ESXi Embedded and ESXi Installable are equivalent products from a storage compatibility perspective. In this guide we only explicitly list ESX compatibility information. If a product is listed as supported for ESX, the product is also supported for ESXi Embedded and ESXi Installable corresponding versions.

Note: ESXi does not support Boot From SAN (Fiber Channel or iSCSI), for all products.

If you are having a technical issue with 3rd party HW/SW and it is not found on this list, please refer to our 3rd Party HW/SW support policy at <http://www.vmware.com/support/policies/ThirdParty.html>.

VMware works closely with each of its OEMs to drive towards mutual support of ESX at the time of announcement. Due to different product release cycles, levels of testing, and OEM agreements, not all OEM devices will be supported at the general availability date of a new version of ESX. We recommend contacting the OEM vendor for the best information on when their device is planned to be certified with Virtual Infrastructure.

For further details about array firmware, storage product configurations and best practices, please contact the storage vendor.

NOTE: The use of an external enclosure, or JBOD connected to a supported SAS/SCSI controller in a supported server is supported, as long as there is no disk sharing among multiple servers or SAS/SCSI cards.

There are several items on the ESX 2.5.x SAN Compatibility Guide (http://www.vmware.com/pdf/esx_SAN_guide.pdf) that are not on this 3.x list. Please contact your storage vendors for plans regarding these items.

Windows Clustering (MSCS) with ESX 3.0.x

Windows Clustering refers Cluster Services in Windows 2003 and 2000 in a shared disk configuration between two virtual machines or a virtual machine and a physical system. Such clustering is certified only with a subset of arrays listed in this guide.

Windows Clustering (MSCS) with ESX 3.5.x

MSCS is supported with ESX 3.5 with both 32 bit and 64 bit VMs running Windows 2003. Only 4Gb HBAs are supported with MSCS and ESX 3.5. Before installing VMware ESX 3.5 software with your storage array, please examine the lists on the following pages to find out whether your array and configuration are supported. Please refer to your storage vendor for more information and configuration details. a subset of arrays listed in this guide. It is supported with ESX 3.5 with both 32 bit and 64 bit VMs running Windows 2003. Only 4Gb HBAs are supported with MSCS and ESX 3.5. Before installing VMware ESX 3.5 software with your storage array, please examine the lists on the following pages to find out whether your array and configuration are supported. Please refer to your storage vendor for more information and configuration details.

Fibre Channel SANs

For Fibre Channel SANs, if listed, VMware supports the following configuration, unless footnoted otherwise:

- * **Basic Connectivity** - The ability of ESX 3.x hosts to recognize and interoperate with the storage array. This configuration does not allow for multipathing or any type of failover.
- * **Multipathing** - The ability of ESX 3.x hosts to handle multiple paths to the same storage device.
- * **HBA Failover** - In this configuration, the ESX 3.x host is equipped with multiple HBAs connecting to one or more SAN switches. The server is robust to HBA and switch failure only.
- * **Storage Port Failover** - In this configuration, the ESX 3.x host is attached to multiple storage ports and is robust to storage port failures.
- * **Boot from SAN** - In this configuration, the ESX 3.x host boots from a LUN stored on the SAN rather than a local disk.
- * **Direct Connect** - In this configuration, the ESX 3.x host is directly connected to the array (that is, no switch between HBA and the array). Clustering is not supported in this configuration.

NOTE: Windows Clustering (MSCS) support applies to Windows 2000 SP4, Windows 2003 RTM, SP 1, R2 and SP 2. For ESX version requirements for these operating systems in cluster environment, please refer to <http://kb.vmware.com/kb/2021>. Clustering is supported only with a limited set of HBAs; please refer to the I/O Compatibility Guide (http://www.vmware.com/pdf/vi3_io_guide.pdf) for the list of HBAs not supported with Windows Clustering.

NOTE: MSCS is not supported, unless footnoted.

NOTE: MSCS is not supported for Direct Connect.

NOTE: Only footnoted storage arrays are supported with Brocade 415 and 425 HBAs.

NOTE: Unless otherwise footnoted, all fibre channel arrays are supported with both 2Gb and 4Gb FC HBAs on ESX

NOTE: For ESX 3.5 U2 onwards unless otherwise footnoted, all fibre channel arrays are supported with 2Gb, 4Gb and 8Gb FC HBAs on ESX.

NOTE: For devices with external SAN storage support, please refer to Storage Virtualization Device (SVD).

NOTE: Unless otherwise noted, all fibre channel storage products are supported in a boot from SAN configuration.

Storage Virtualization Device (SVD)

VMware supports Storage Virtualization Devices (SVD) with ESX 3.0.2 or later.

- * Backend storage arrays must be listed on both the ESX 3.x Storage/SAN Compatibility Guide and the SVD Vendor supported list.
- * Do not share the same LUN of the backend storage array between SVD and any other host.
- * Only devices that are listed with Array Type SVD are allowed to connect to external Fibre Channel SAN storages.
- * Only Fibre Channel protocol from SVD device to ESX is supported.

Storage Arrays supported with FCoE CNAs

Fibre Channel Over Ethernet Converged (FCoE) Network Adapters (CNAs) can be concurrently connected to Fibre Channel Fabrics and Ethernet networks, through FCoE capable switches. Certified Fibre Channel arrays will be listed soon. Only the Fibre Channel arrays that will be listed with this array type are certified to work and supported with FCoE CNAs. CNAs are not yet supported to connect with iSCSI and NFS storage arrays.

Network Attached Storage

The following Linux distributions support network attached storage when used with ESX 3.x software:

- * Red Hat Enterprise Linux 5 NFS Server (Update 2).
- * Red Hat Enterprise Linux 3 NFS Server (Update 5).
- * Fedora Core 4 NFS Server (2.6.12-1.1456_FC4.9550smp).
- * Fedora Core 6 NFS Server (2.6.18-1.2798.fc6 #1 SMP) for ESX 3.5 only.

NOTE: Windows Clustering (MSCS) is not supported with NAS.

iSCSI

VMware supports connections to iSCSI arrays using either the software initiator in the kernel or a hardware initiator (iSCSI HBA). Please refer to the I/O Compatibility Guide for a list of hardware initiators that can be used with ESX.

The following maximums are in place when using iSCSI arrays with ESX hosts:

- * Number of HBAs - software (1); hardware (1 dual port or 2 single port)
- * Maximum number of targets - both software and hardware initiator (64)
- * Number of LUNs both software and hardware initiator (254)
- * Number of paths to storage - software (4); hardware (8)

For iSCSI storage with the software initiator over a supported NIC, if listed, VMware supports the following configuration, unless footnoted otherwise:

- * iSCSI Base Connectivity - The ability of an ESX host to recognize the target and interoperate with it.
- * SP failover - In this configuration the ESX host is attached to multiple ports and is robust to storage port failover
- * NIC failover for software initiator - If the Ethernet adapters are teamed and one fails, the other one takes over. Both adapters must be connected to the same physical switch and be on the same subnet (both NICs and iSCSI storage ports).

For iSCSI storage with hardware initiators, if listed, VMware supports the following configuration, unless footnoted otherwise:

- * iSCSI Base Connectivity - The ability of an ESX host to recognize the target over an iSCSI HBA and interoperate with it.
- * SP failover - In this configuration, ESX host is attached to multiple ports over an iSCSI HBA and is robust to storage port failover.
- * Boot from iSCSI - In this configuration, ESX hosts boot from the target iSCSI array rather than from a local disk.
- * iSCSI hardware initiator failover - The ESX host is equipped with multiple hardware initiators and is robust to hardware initiator failover.

NOTE: Windows Clustering is not supported with iSCSI.

NOTE: Software initiated iSCSI is supported fully in ESX 3.0 and later releases. Hardware initiated iSCSI is supported in experimental mode only in ESX 3.0. It is supported fully in ESX 3.0.1 with iSCSI arrays that have been qualified/certified for use with the hardware initiators.

SAS Arrays

For SAS Arrays, if listed, VMware supports the following configuration, unless footnoted otherwise:

- * Basic Connectivity - The ability of ESX 3.5 hosts to recognize and interoperate with the storage array. This configuration does not allow for multipathing, any type of failover, or sharing of LUNs between multiple hosts.
- * Direct Connect - In this configuration, the ESX 3.x host is directly connected to the array (that is, no switch between HBA and the array). Windows Clustering is not supported in this configuration.
- * LUN sharing - The ability of multiple ESX 3.x hosts to share the same LUN.
- * Multipathing - The ability of ESX 3.x hosts to handle multiple paths to the same storage device.
- * HBA Failover - In this configuration, the ESX 3.x host is equipped with multiple HBAs connecting directly to the array. The server is robust to HBA failure only.
- * Storage Port Failover - In this configuration, the ESX 3.x host is attached to multiple storage ports on the same array and is robust to storage port failures.

Maximum Storage Specifications Supported

The following system and virtual machine maximums are supported for ESX hosts:

Maximum LUNs per system: 256 (128 during install)

Maximum HBAs per system: 16 ports (4 quad port cards, 8 dual port cards, etc.)

Maximum virtual HBAs per virtual machine: 4

Maximum targets per virtual HBA: 15

Maximum virtual disks per Windows virtual machine: 60

Maximum virtual disks per Linux virtual machine: 60

Maximum number of VMFS file systems per server: 256

Maximum disk space per VMFS: 2TB * # of extents

Maximum file size per VMFS-3 file: Default max file size for VMFS 3 is 256GB (block size of 1MB). This can be configured to a block size of 8MB which will allow a 2TB file.

Maximum number of files per VMFS-3: Supports enough files to hold the maximum number of VMs per VMFS volume supported by ESX 3.0 (typically greater than 30,000 files)

Maximum number of paths per LUN: 32

Maximum number of total paths: 1024

Maximum number of targets per HBA: 15

Minimum VMFS 3 volume size: 1.1 GB

Third-Party Software

Third party backup, replication, and snapshot software is certified and supported by the providers of the software. The ESX 2.5 guide at http://www.vmware.com/pdf/esx25_san_cfg.pdf shows the list of software that was supported with ESX 2.5. Please contact your SAN vendors regarding their plans to support ESX 3.x. As vendors certify software, we will create a list of certified software for ESX 3.x.

Storage Array Device and Model Information

ESX, ESXi Embedded and ESXi Installable are equivalent products from a storage compatibility perspective. In this guide we only explicitly list ESX compatibility information. If a product is listed as supported for ESX, the product is also supported for ESXi Embedded and ESXi Installable corresponding versions.

The detailed lists show actual vendor devices that are either physically tested or are similar to the devices tested by VMware or VMware partners. VMware provides support only for the devices that are listed in this document

Fibre Channel Array (FC)

Aberdeen LLC

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
XDAS GX22m	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_4000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.5x, 6.61H.08	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	IFT

AC&NC

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
JetStor SAS 724iFD	NMP	VMW_SATP_ALUA	VMW_PSP_RR	JetStor SAS 724iFD
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.2.0	qlnativefc ver. 1.1.14.0	16G FC Switch	ACNC

AccelStor Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
NeoSapphire 3605 ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 1.0.0	VMW_SATP_DEFAULT_AA lpfc ver. 11.1.145.18, qlnativefc ver. 2.1.50.0-1	VMW_PSP_RR 16G FC Switch	NeoSapphire 3600 AStor
NeoSapphire 3611 ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 1.0.0	VMW_SATP_DEFAULT_AA lpfc ver. 11.1.145.18, qlnativefc ver. 2.1.50.0-1	VMW_PSP_RR 16G FC Switch	NeoSapphire 3600 AStor
NeoSapphire H series ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.2.0, 4.0.0	VMW_SATP_ALUA lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	VMW_PSP_RR 16G FC Switch	NeoSapphire H series AStor
NeoSapphire P310 ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.1.0	VMW_SATP_DEFAULT_AA lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	VMW_PSP_FIXED 16G FC Switch	NeoSapphire P310 AStor
NeoSapphire P710 ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.1.0	VMW_SATP_ALUA lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	VMW_PSP_RR 16G FC Switch	NeoSapphire P710 AStor

Acer Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Acer AMS2100 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 08C3/E and above	VMW_SATP_DEFAULT_AA lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_FIXED 8G FC Switch	N/A N/A
Acer AMS2300 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 08C3/E and above	VMW_SATP_DEFAULT_AA lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_FIXED 8G FC Switch	N/A N/A
Acer AS2040 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 08C3/E and above	VMW_SATP_DEFAULT_AA lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_FIXED 8G FC Switch	N/A N/A

Gateway AMS2100	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08C3/E and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A
Gateway AMS2300	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08C3/E and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A
Gateway GS2040	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08C3/E and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A

Areca

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
ARC-8667 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V1.51 2013-08-14	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 8G FC Switch	ARC-8667 ARECA
ARC-8681 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V1.52-2015-11-20	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 16G FC Switch	ARC-8681 ARECA
ARC-9212FD-DR2 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V1.52-2015-11-20	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 16G FC Switch	ARC-8681 ARECA

ARC-9212FD-QR2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-9212FD-QR2
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	ARECA
ARC-9212FS-DR2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-9212FS-DR2
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	ARECA
ARC-9212FS-QR2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-9212FS-QR2
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	ARECA
ARC-9216FD-DR3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-9216FD-DR3
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	ARECA

ARC-9216FD-QR3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-9216FD-QR3
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	ARECA
ARC-9216FS-DR3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-9216FS-DR3
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Areca Technology, Inc.
ARC-9216FS-QR3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-9216FS-QR3
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Areca Technology, Inc.
ARC-9224FD-DR2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-9224FD-DR2
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	ARECA

ARC-9224FD-DR4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-9224FD-DR4
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	ARECA
ARC-9224FD-QR2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-9224FD-QR2
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	ARECA
ARC-9224FD-QR4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-9224FD-QR4
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	ARECA
ARC-9224FS-DR2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-9224FS-DR2
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	ARECA

ARC-9224FS-DR4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-9224FS-DR4
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	ARECA
ARC-9224FS-QR2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-9224FS-QR2
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	ARECA
ARC-9224FS-QR4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-9224FS-QR4
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	ARECA

ATTO Technology, Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
FCBR-7500-DPS	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XstreamCORE FC 7500
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.00	celerity16fc ver. 1.06	16G FC Switch	ATTO
XstreamCORE 7550	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XstreamCORE 7550
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.00	celerity16fc ver. 1.08	16G FC Direct Attach	ATT
XstreamCORE 7600	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XstreamCORE 7600
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.00	celerity16fc ver. 2.10	32G FC Direct Attach	ATT

Bull S.A.S

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Bull Optima1600 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	VMW_SATP_ALUA lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	VMW_PSP_MRU 8G FC Switch	DISK ARRAY NEC
Bull Optima2000 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	VMW_SATP_DEFAULT_AA lpfc ver. 10.0.100.0-1vmw	VMW_PSP_FIXED 8G FC Switch	iStorage 1000 NEC
Bull Optima2600 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	VMW_SATP_ALUA lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	VMW_PSP_MRU 8G FC Switch	DISK ARRAY NEC

Bull Optima3600	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NEC

Cisco Systems, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
UCS Invicta C3124A Appliance	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	Appliance
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0.1.2	fnic ver. 1.6.0.12	HW FCoE Switch	Cisco
UCS Invicta Scaling System	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	INVICTA
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0.1.3	fnic ver. 1.6.0.12b	HW FCoE Switch	CISCO

Compellent Technologies

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Storage Center	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	Vol
ESXi 5.5 (EOL Date: 2020-09-19) ^{5,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁶	5.6, 6.3, 6.4, 6.5, 6.6, 6.7, 7.0, 7.1, 7.2, 7.3, 7.4	lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.2.455.0, qlnativefc ver. 1.1.41.0-1, lpfc ver. 10.6.126.0, qlnativefc ver. 1.1.55.0-1, qlnativefc ver. 2.1.43.0-1, qlnativefc ver. 1.1.70.0-1, lpfc ver. 11.1.145.18, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	Compellent

Cybernetics

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
iSAN 1000 Series ESXi 5.5 (EOL Date: 2020-09-19) ⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 5.87	VMW_SATP_ALUA qlnativefc ver. 1.1.41.0-1	VMW_PSP_MRU 16G FC Switch	iSAN 1000 Series Cybernet
iSAN 2000 Series ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 5.90	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 8G FC Switch	iSAN 2000 Series Cybernet
iSAN 3000 Series ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 5.90	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 8G FC Switch	iSAN 3000 Series Cybernet

iSAN 5000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.07	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	N/A

Data Fault Tolerance System CO., LTD

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
ES3390-D	NMP	VMW_SATP_DEFAULT_AP	VMW_PSP_MRU	ES3390-D
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	110-000066-111221630010.6	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Direct Attach	DFT
ES3391-D	NMP	VMW_SATP_DEFAULT_AP	VMW_PSP_MRU	ES3391-D
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	110-000066-111221630010.6	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Direct Attach	DFT

DataCore Software Corporation

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
SANsymphony	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Virtual Disk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 11.0, 9.0	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC Switch	DataCore

DataDirect Networks

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
SFA10000 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.0.0.0	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 16G FC Switch	SFA10000 DDN
SFA12K ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.2, 3.0.1, 3.1.0	VMW_SATP_ALUA qlnativefc ver. 1.1.14.0, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 16G FC Switch	SFA12K-20 DDN
SFA14K ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.1.2	VMW_SATP_ALUA qlnativefc ver. 2.1.30.0-1	VMW_PSP_MRU 16G FC Switch	SFA14K DDN
SFA7700 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.2, 3.1.2, 3.1.3	VMW_SATP_ALUA qlnativefc ver. 1.1.14.0, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 2.1.30.0-11	VMW_PSP_MRU 16G FC Switch	SFA7700X DDN

DELL

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AX4-5	Powerpath/VE 5.9	N/A		DEL
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Flare 23	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	DPG
Compellent Storage Center	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	Compellent Vol
ESXi 5.5 (EOL Date: 2020-09-19) ^{5, kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁶	5.6, 6.3, 6.4, 6.5, 6.6, 6.7, 7.0, 7.1, 7.2, 7.3, 7.4	lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.2.455.0, qlnativefc ver. 1.1.41.0-1, lpfc ver. 10.6.126.0, qlnativefc ver. 1.1.55.0-1, qlnativefc ver. 2.1.43.0-1, qlnativefc ver. 1.1.70.0-1, lpfc ver. 11.1.145.18, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	COMPELNT

DELL/EMC Celerra NX4	Powerpath/VE 5.9	N/A		N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	Flare 23	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw	8G FC Switch	N/A
Dell/EMC CLARiiON CX4-120	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Flare 30, Flare+30	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC Switch	EMC
Dell/EMC CLARiiON CX4-480	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Flare 30, Flare+30	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC Switch	EMC
Dell/EMC CLARiiON CX4-960	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Flare 30, Flare+30	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC Switch	EMC
MD3600f	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MD36xxf
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5	07.84, 08.10, 08.20	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.14.0, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw	8G FC Switch	DELL

MD3620f	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MD36xxf
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5	07.84, 08.10, 08.20	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.14.0, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw	8G FC Switch	DELL
MD3660f	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MD36xxf
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5	07.84, 08.10, 08.20	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.14.0, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw	8G FC Switch	DELL
MD3800f	NMP	VMW_SATP_ALUA	VMW_PSP_RR	MD38xxf
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1	08.10, 08.20, 08.25, 08.30, 08.40	qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.662.204, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw	16G FC Switch	DELL
MD3820f	NMP	VMW_SATP_ALUA	VMW_PSP_RR	MD38xxf
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1	08.10, 08.20, 08.25, 08.30, 08.40	qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.662.204, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw	16G FC Switch	DELL

MD3860f	NMP	VMW_SATP_ALUA	VMW_PSP_RR	MD3860f
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1	08.10, 08.20, 08.25, 08.30, 08.40	qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.662.204, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw	16G FC Switch	DELL

Dell EMC

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
ME4012C ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP G275, G280	VMW_SATP_ALUA qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 2.1.81.0-1	VMW_PSP_FIXED 16G FC Switch	ME4 DellEMC
ME4024C ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP G275, G280	VMW_SATP_ALUA qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 2.1.81.0-1	VMW_PSP_FIXED 16G FC Switch	ME4 DellEMC
ME4084C ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP G275, G280	VMW_SATP_ALUA qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 2.1.81.0-1	VMW_PSP_FIXED 16G FC Switch	ME4 DellEMC

DEPO Electronics

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
DEPO Storage 4612/4624/4660	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	8G FC Switch	LSI
DEPO Storage 4812/4824/4860	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	8G FC Switch	LSI
DEPO Storage 5312/5324	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DH3000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	TS250, TS251, TS252	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bfa ver. 3.2.3.0, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.662.204, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Direct Attach	DotHill

Digital Networks UK Ltd

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Zetavault	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	ZVAULT
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.0	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	FC Switch	ZVAULT

Dot Hill

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
3730/3720	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DH3000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	TS250, TS251, TS252	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bfa ver. 3.2.3.0, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.662.204, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Direct Attach	DotHill
3930/3920	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DH3000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	TS250, TS251, TS252	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bfa ver. 3.2.3.0, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.662.204, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Direct Attach	DotHill

AssuredSAN 3824	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	DH3824
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	GL105, GL200, GL210, GL220, GL225	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bfa ver. 3.2.3.0, lpfc ver. 10.0.662.204, lpfc ver. 10.0.725.203, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	HW FCoE Switch	DotHill
AssuredSAN 3834	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	DH3834
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	GL105, GL200, GL210, GL220, GL225	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bfa ver. 3.2.3.0, lpfc ver. 10.0.662.204, lpfc ver. 10.0.725.203, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	HW FCoE Switch	DotHill

AssuredSAN 4824

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

GL101, GL105, GL200, GL210, GL220, GL225

VMW_SATP_ALUA

qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bfa ver. 3.2.3.0, lpfc ver. 10.0.662.204, lpfc ver. 10.0.725.203, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw

VMW_PSP_MRU

HW FCoE Switch

DH4824

DotHill

AssuredSAN 4834

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

GL101, GL105, GL200, GL210, GL220, GL225

VMW_SATP_ALUA

qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bfa ver. 3.2.3.0, lpfc ver. 10.0.662.204, lpfc ver. 10.0.725.203, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw

VMW_PSP_MRU

HW FCoE Switch

DH4834

DotHill

AssuredSAN 4844	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	DH4844
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	GL105, GL200, GL210, GL220, GL225	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bfa ver. 3.2.3.0, lpfc ver. 10.0.662.204, lpfc ver. 10.0.725.203, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	HW FCoE Switch	DotHill
AssuredSAN 4854	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	DH4854
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	GL210, GL220, GL225	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bfa ver. 3.2.3.0, lpfc ver. 10.0.662.204, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	HW FCoE Switch	DotHill

AssuredSAN 5720	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	AssuredSAN 5720
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	CS100	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	DotHill
AssuredSAN 6854	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	AssuredSAN 6854
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	GL205	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	DotHill
TERRA SAN 3930/3920	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DH3000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	TS250, TS251, TS252	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bfa ver. 3.2.3.0, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.662.204, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Direct Attach	DotHill

eisoo

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AnyStorage AF5000 ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 6.0	VMW_SATP_DEFAULT_AA qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_RR 8G FC Switch	XSG1 HUAWEI
AnyStorage AS5000 ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 7.0	VMW_SATP_ALUA lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	VMW_PSP_RR 8G FC Switch	AnyStorage EISOO

Dell EMC

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AX4-5 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	Powerpath/VE 5.9 Flare 23	N/A lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw	8G FC Switch	DGC EMC
Celerra NS-120 ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	NMP Flare 30, Flare+30	VMW_SATP_ALUA_CX qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	VMW_PSP_RR 8G FC Switch	DGC EMC
Celerra NS-480 ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	NMP Flare 30, Flare+30	VMW_SATP_ALUA_CX qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	VMW_PSP_RR 8G FC Switch	DGC EMC
Celerra NS-960 ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	NMP Flare 30, Flare+30	VMW_SATP_ALUA_CX qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	VMW_PSP_RR 8G FC Switch	DGC EMC

Celerra NX4	Powerpath/VE 5.9	N/A		N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	Flare 23	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw	8G FC Switch	N/A
CLARiiON CX4-120	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Flare 30, Flare+30	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC Switch	EMC
CLARiiON CX4-120 C8	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Flare 30, Flare+30	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC Switch	EMC
CLARiiON CX4-120 C8X	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Flare 30, Flare+30	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC Switch	EMC
CLARiiON CX4-240	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Flare 30, Flare+30	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC Switch	EMC

CLARiiON CX4-240 C8	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Flare 30, Flare+30	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC Switch	EMC
CLARiiON CX4-240 C8X	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Flare 30, Flare+30	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC Switch	EMC
CLARiiON CX4-480	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Flare 30, Flare+30	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC Switch	EMC
CLARiiON CX4-480 C8	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Flare 30, Flare+30	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC Switch	EMC

CLARiiON CX4-480 C8X	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Flare 30, Flare+30	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC Switch	EMC
CLARiiON CX4-960	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Flare 30, Flare+30	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC Switch	EMC
CLARiiON CX4-960 C8	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Flare 30, Flare+30	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC Switch	EMC
CLARiiON CX4-960 C8X	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Flare 30, Flare+30	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC Switch	EMC

PowerMax 2000	Powerpath/VE 6.0	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3 ⁹ , ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.10.1-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.63.0-1, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	SYMMETRIX
PowerMax 8000	Powerpath/VE 6.0	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.10.1-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.63.0-1, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.0-5vmw	16G FC Switch	SYMMETRIX

PowerStore 1000T	NMP	VMW_SATP_ALUA	VMW_PSP_RR	PowerStore
ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.3-5vmw	32G FC Switch	Dell EMC
PowerStore 1000X	NMP	VMW_SATP_ALUA	VMW_PSP_RR	PowerStore
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.3-5vmw	32G FC Switch	Dell EMC
PowerStore 3000T	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	PowerStore
ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.3-5vmw	32G FC Switch	Dell EMC
PowerStore 3000X	NMP	VMW_SATP_ALUA	VMW_PSP_RR	PowerStore
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.3-5vmw	32G FC Switch	Dell EMC
PowerStore 5000T	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	PowerStore
ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.3-5vmw	32G FC Switch	Dell EMC

PowerStore 5000X	NMP	VMW_SATP_ALUA	VMW_PSP_RR	PowerStore
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁴	1.0	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	Dell EMC
PowerStore 7000T	NMP	VMW_SATP_ALUA	VMW_PSP_RR	PowerStore
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.3-5vmw	32G FC Switch	Dell EMC
PowerStore 7000X	NMP	VMW_SATP_ALUA	VMW_PSP_RR	PowerStore
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁴	1.0	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	Dell EMC
PowerStore 9000T	NMP	VMW_SATP_ALUA	VMW_PSP_RR	PowerStore
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.3-5vmw	32G FC Switch	Dell EMC
PowerStore 9000X	NMP	VMW_SATP_ALUA	VMW_PSP_RR	PowerStore
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁴	1.0	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	Dell EMC

Symmetrix DMX-4	NMP	VMW_SATP_SYMM	VMW_PSP_RR	Symm
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	5773	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC Switch	EMC
Symmetrix VMAX	NMP	VMW_SATP_SYMM	VMW_PSP_RR	Symmetrix
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁰ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5875.300.232, 5876.229.145, 5876.251.161, 5876.268.174, 5876.272.177, 5876.288.195, 5876.309.xxx	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 10.4.245.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	EMC

Symmetrix VMAX 10K	NMP	VMW_SATP_SYMM	VMW_PSP_RR	SYMM
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁰ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5875.300.232, 5876.229.145, 5876.251.161, 5876.268.174, 5876.272.177, 5876.288.195, 5876.309.xxx	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 10.4.245.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	EMC
Symmetrix VMAX 20K	NMP	VMW_SATP_SYMM	VMW_PSP_RR	Symmetrix
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁰ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5875.300.232, 5876.229.145, 5876.251.161, 5876.268.174, 5876.272.177, 5876.288.195, 5876.309.xxx	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 10.4.245.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	EMC

Symmetrix VMAX 40K	NMP	VMW_SATP_SYMM	VMW_PSP_RR	SYMM
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁰ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5875.300.232, 5876.229.145, 5876.251.161, 5876.268.174, 5876.272.177, 5876.288.195, 5876.309.xxx	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 10.4.245.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	EMC
Symmetrix VMAXe	NMP	VMW_SATP_SYMM	VMW_PSP_RR	SYMM
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁰ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5875.300.232, 5876.229.145, 5876.251.161, 5876.268.174, 5876.272.177, 5876.288.195, 5876.309.xxx	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 10.4.245.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	EMC

Unity 300	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, lpfc ver. 11.4.367.20, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	EMC

Unity 300F	Powerpath/VE 5.9	N/A		DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, lpfc ver. 11.4.367.20, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	EMC
Unity 350F	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	VRAID
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	lpfc820 ver. 8.2.3.1-128vmw, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, lpfc ver. 11.4.367.20, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	DGC

Unity 400	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	VRAID
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.2, 4.4, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, lpfc ver. 11.4.367.20, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	DGC

Unity 400F	Powerpath/VE 5.9	N/A		DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, lpfc ver. 11.4.367.20, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	EMC
Unity 450F	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	VRAID
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	lpfc820 ver. 8.2.3.1-128vmw, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, lpfc ver. 11.4.367.20, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	DGC

Unity 500	Powerpath/VE 5.9	N/A	DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, lpfc ver. 11.4.367.20, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch EMC

Unity 500F	Powerpath/VE 5.9	N/A		DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, lpfc ver. 11.4.367.20, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	EMC
Unity 550F	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	VRAID
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	lpfc820 ver. 8.2.3.1-128vmw, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, lpfc ver. 11.4.367.20, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	DGC

Unity 600	Powerpath/VE 5.9	N/A	DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, lpfc ver. 11.4.367.20, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch EMC

Unity 600F	Powerpath/VE 5.9	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, lpfc ver. 11.4.367.20, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	DGC
Unity 650F	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	VRAID
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	lpfc820 ver. 8.2.3.1-128vmw, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, lpfc ver. 11.4.367.20, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	DGC

Unity XT 380	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	VRAID
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Unity OE 5.0	lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.5.70.0, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, lpfc ver. 11.4.367.20, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	DGC
Unity XT 380F	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	VRAID
ESXi 6.0, ESXi 6.0 U1 ¹ , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Unity OE 5.0	lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.5.70.0, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, lpfc ver. 11.4.367.20, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	DGC
Unity XT 480	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	VRAID
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Unity OE 5.0	lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.5.70.0, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, lpfc ver. 11.4.367.20, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	DGC
Unity XT 480F	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	VRAID
ESXi 6.0, ESXi 6.0 U1 ¹ , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Unity OE 5.0	lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.5.70.0, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, lpfc ver. 11.4.367.20, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	DGC

Unity XT 680	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	N/A
ESXi 6.0, ESXi 6.0 U1 ¹ , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Unity OE 5.0	lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.5.70.0, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, lpfc ver. 11.4.367.20, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	N/A
Unity XT 680F	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	VRAID
ESXi 6.0, ESXi 6.0 U1 ¹ , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Unity OE 5.0	lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.5.70.0, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, lpfc ver. 11.4.367.20, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	DGC
Unity XT 880	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	N/A
ESXi 6.0, ESXi 6.0 U1 ¹ , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Unity OE 5.0	lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.5.70.0, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, lpfc ver. 11.4.367.20, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	N/A
Unity XT 880F	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	VRAID
ESXi 6.0, ESXi 6.0 U1 ¹ , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Unity OE 5.0	lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.5.70.0, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, lpfc ver. 11.4.367.20, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	DGC

VMAX 100K**NMP****VMW_SATP_SYMM****VMW_PSP_RR****EMC**

ESXi 5.5 (EOL Date: 2020-09-19)¹², ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹³, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

5977.1125.1125,
5977.1131.1131,
5977.250.189,
5977.498.472,
5977.596.583,
5977.691.684,
5977.811.784,
5977.945.890,
5977.952.892,
5978.444.444

lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, bfa ver. 3.2.6.0, lpfc ver. 10.6.144.49, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.53.0-1, qlnativefc ver. 2.1.50.1-1, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw

16G FC Switch

SYMMETRIX

VMAX 200K**NMP****VMW_SATP_SYMM****VMW_PSP_RR****EMC**

ESXi 5.5 (EOL Date: 2020-09-19)¹², ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹³, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

5977.1125.1125,
5977.1131.1131,
5977.250.189,
5977.498.472,
5977.596.583,
5977.691.684,
5977.811.784,
5977.945.890,
5977.952.892,
5978.444.444

lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, bfa ver. 3.2.6.0, lpfc ver. 10.6.144.49, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.53.0-1, qlnativefc ver. 2.1.50.1-1, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw

16G FC Switch

SYMMETRIX

VMAX 250FPowerPath/VE 5.9
SP1

N/A

EMC

ESXi 5.5 (EOL Date: 2020-09-19)¹², ESXi
5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2
(EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL
Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1,
ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi
6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴,
ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi
7.0

5977.1125.1125,
5977.1131.1131,
5977.811.784,
5977.945.890,
5977.952.892,
5978.144.144,
5978.221.221,
5978.444.444,
5978.479.479

lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver.
8.2.3.1-129vmw, lpfc ver. 10.0.727.44,
lpfc ver. 10.0.100.1-1vmw, qlnativefc ver.
1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw,
elxnet ver. 10.2.309.6v-1vmw, lpfc ver.
10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc
ver. 2.1.10.1-1, bfa ver. 3.2.6.0, lpfc ver.
10.6.144.49, qlnativefc ver. 2.1.46.0-1, elxnet
ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw,
qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver.
2.1.53.0-1, qlnativefc ver. 2.1.50.1-1, lpfc ver.
11.4.142.10, qlnativefc ver. 2.1.63.0-1, lpfc
ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw,
lpfc ver. 11.4.33.1-6vmw, qlnativefc ver.
2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc
ver. 11.4.33.3-11vmw, qlnativefc ver.
2.1.81.0-1, qlnativefc ver. 3.1.8.0-4vmw,
lpfc ver. 11.4.33.18-12vmw, qlnativefc ver.
2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw,
qlnativefc ver. 3.1.8.0-5vmw, lpfc ver.
12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw,
qlnativefc ver. 4.0.1.0-3vmw

16G FC Switch

SYMMETRIX

VMAX 250FX**NMP****VMW_SATP_SYMM****VMW_PSP_RR****EMC**

ESXi 5.5 (EOL Date: 2020-09-19)¹², ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

5977.1125.1125,
5977.1131.1131,
5977.811.784,
5977.945.890,
5977.952.892,
5978.144.144,
5978.221.221,
5978.444.444,
5978.479.479

lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.10.1-1, bfa ver. 3.2.6.0, lpfc ver. 10.6.144.49, qlnativefc ver. 2.1.46.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.53.0-1, qlnativefc ver. 2.1.50.1-1, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.63.0-1, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw

16G FC Switch

SYMMETRIX

VMAX 400K**NMP****VMW_SATP_SYMM****VMW_PSP_RR****EMC**

ESXi 5.5 (EOL Date: 2020-09-19)¹², ESXi 5977.1125.1125,
 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 5977.1131.1131,
 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL 5977.250.189,
 Date: 2020-09-19), ESXi 6.0¹³, ESXi 6.0 U1, 5977.498.472,
 ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 5977.596.583,
 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, 5977.691.684,
 ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 5977.811.784,
 7.0 5977.945.890,
 5977.952.892,
 5978.444.444

lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44,
 lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw,
 qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, bfa ver. 3.2.6.0, lpfc ver. 10.6.144.49, qlnativefc
 ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.53.0-1, qlnativefc ver. 2.1.50.1-1,
 lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, qlnativefc ver. 3.1.8.0-4vmw,
 lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc
 ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw

16G FC Switch

SYMMETRIX

VMAX 450F	Powerpath/VE 6.0	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.1131.1131, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, bfa ver. 3.2.6.0, lpfc ver. 10.6.144.49, qlnativefc ver. 2.1.46.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.53.0-1, qlnativefc ver. 2.1.50.1-1, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.63.0-1, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	EMC

VMAX 450FX	Powerpath/VE 6.0	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.1131.1131, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, bfa ver. 3.2.6.0, lpfc ver. 10.6.144.49, qlnativefc ver. 2.1.46.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.53.0-1, qlnativefc ver. 2.1.50.1-1, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.63.0-1, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	EMC

VMAX 850F	Powerpath/VE 6.0	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.1131.1131, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, bfa ver. 3.2.6.0, lpfc ver. 10.6.144.49, qlnativefc ver. 2.1.46.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.53.0-1, qlnativefc ver. 2.1.50.1-1, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.63.0-1, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	EMC

VMAX 850FX	Powerpath/VE 6.0	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.1131.1131, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, bfa ver. 3.2.6.0, lpfc ver. 10.6.144.49, qlnativefc ver. 2.1.46.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.53.0-1, qlnativefc ver. 2.1.50.1-1, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.63.0-1, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	EMC

VMAX 950F

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

5977.1125.1125,
5977.1131.1131,
5977.811.784,
5977.945.890,
5977.952.892,
5978.144.144,
5978.221.221,
5978.444.444,
5978.479.479

VMW_SATP_SYMM

lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.10.1-1, bfa ver. 3.2.6.0, lpfc ver. 10.6.144.49, qlnativefc ver. 2.1.46.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.53.0-1, qlnativefc ver. 2.1.50.1-1, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.63.0-1, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.0-5vmw

VMW_PSP_RR

16G FC Switch

EMC

SYMMETRIX

VMAX 950FX

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

5977.1125.1125,
5977.1131.1131,
5977.811.784,
5977.945.890,
5977.952.892,
5978.144.144,
5978.221.221,
5978.444.444,
5978.479.479

VMW_SATP_SYMM

lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.10.1-1, bfa ver. 3.2.6.0, lpfc ver. 10.6.144.49, qlnativefc ver. 2.1.46.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.53.0-1, qlnativefc ver. 2.1.50.1-1, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.63.0-1, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 2.1.81.0-1, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.0-5vmw

VMW_PSP_RR

16G FC Switch

EMC

SYMMETRIX

VNX5100	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	RAID5
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	VNX Block OE 05.32	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	DGC
VNX5200	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX Block OE 05.33	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	RAID5
VNX5300	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	RAID5
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	VNX Block OE 05.32	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	DGC
VNX5400	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX Block OE 05.33	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	RAID5

VNX5500	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	RAID5
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	VNX Block OE 05.32	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	DGC
VNX5600	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX Block OE 05.33	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	RAID5
VNX5700	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	VNX Block OE 05.32	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	RAID5
VNX5800	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX Block OE 05.33	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	RAID5

VNX7500	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	RAID5
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	VNX Block OE 05.32	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	DGC
VNX7600	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX Block OE 05.33	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	RAID5
VNX8000	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX Block OE 05.33	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	RAID5

VNXe1600	Powerpath/VE 6.0	N/A		RAID
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.0, 3.1	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	DGC
VNXe3200	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.0, 3.1	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	EMC

XtremIO	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XtremApp
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.2, 2.4, 3.0, 4.0	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	XtremIO
XtremIO X2-R	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XtremApp
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁵ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0, 6.1, 6.2, 6.3	lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	XtremIO

XtremIO X2-S	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XtremApp
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁵ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0, 6.1, 6.2, 6.3	lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	XtremIO
XtremIO X2-T	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XtremApp
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0, 6.1, 6.2, 6.3	lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	XtremIO

Enhance Technology, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Proavio DS240F8	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	Proavio DS240F8
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.51 2013-08-14	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	Enhance Technology, Inc.

Fujitsu

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
ETERNUS NR1000 A200	NMP	VMW_SATP_ALUA	VMW_PSP_RR 8G FC Switch	LUN C-Mode NETAPP
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.11, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw		
ETERNUS NR1000 A220	NMP	VMW_SATP_ALUA	VMW_PSP_RR 16G FC Switch	LUN C-Mode NETAPP
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw		

ETERNUS NR1000 A300	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NetApp
ETERNUS NR1000 A700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.11, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NetApp

ETERNUS NR1000 A700s	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.11, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NetApp
ETERNUS NR1000 A800	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NETAPP

ETERNUS NR1000 F2620	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.11, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NETAPP
ETERNUS NR1000 F2650	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.11, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NetApp

ETERNUS NR1000 F2720	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NETAPP
ETERNUS NR1000 F2750	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NETAPP

ETERNUS NR1000F3000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5, kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{3, kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	NetApp

ETERNUS NR1000F3100 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5, kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{3, kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	NetApp

ETERNUS NR1000F3200 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5, kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{8, kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, Ontap 9.2, ONTAP 9.3, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, brcmnvmevc ver. 12.4.293.0-2vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	NetApp

ETERNUS NR1000F6000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5, kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{3, kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	NetApp

ETERNUS NR1000F6200 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5,kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{8,kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, Ontap 9.2, ONTAP 9.3, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, brcmnvmevc ver. 12.4.293.0-2vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	NetApp

ETERNUS NR1000F8200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, brcmnvmevc ver. 12.4.293.0-2vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NetApp
ETERNUS NR1000F9000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode, Ontap 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, brcmnvmevc ver. 12.4.293.0-2vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NetApp

FibreCAT CX4-120	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Flare 30, Flare+30	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	EMC
FUJITSU Storage ETERNUS 2000 Model 100	NMP	fjt-satp-eternus v1.1.0	VMW_PSP_MRU	E2000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	lpfc ver. 10.0.100.0-1vmw	FC Switch	Fujitsu
FUJITSU Storage ETERNUS 2000 Model 200	NMP	fjt-satp-eternus v1.1.0	VMW_PSP_MRU	E2000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	lpfc ver. 10.0.100.0-1vmw	FC Switch	Fujitsu

FUJITSU Storage ETERNUS 2000 Model 50NMP

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 V10
 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2
 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL
 Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1,
 ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi
 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7,
 ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi
 7.0

fjt-satp-eternus v1.1.0

lpfc ver. 10.0.100.0-1vmw

VMW_PSP_MRU

FC Switch

E2000

Fujitsu

FUJITSU Storage ETERNUS 4000 Model 400

ESXi 5.5 (EOL Date: 2020-09-19)¹⁶, ESXi V20
 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2
 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL
 Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1,
 ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi
 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7,
 ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi
 7.0

VMW_SATP_ALUA

lpfc ver. 10.0.100.0-1vmw

VMW_PSP_MRU

FC Direct Attach

E4000

Fujitsu

FUJITSU Storage ETERNUS 4000 Model 600

ESXi 5.5 (EOL Date: 2020-09-19)¹⁶, ESXi V20
 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2
 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL
 Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1,
 ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi
 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7,
 ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi
 7.0

VMW_SATP_ALUA

lpfc ver. 10.0.100.0-1vmw

VMW_PSP_MRU

FC Switch

E4000

Fujitsu

FUJITSU Storage ETERNUS 8000 Model 1200	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	E8000
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁶ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V20	lpfc ver. 10.0.100.0-1vmw	FC Direct Attach	Fujitsu
FUJITSU Storage ETERNUS 8000 Model 2200	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	E8000
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁶ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V20	lpfc ver. 10.0.100.0-1vmw	FC Direct Attach	Fujitsu
FUJITSU Storage ETERNUS 8000 Model 800	NMP	fjt-satp-eternus v1.1.0	VMW_PSP_MRU	E8000
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁶ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V20	lpfc ver. 10.0.100.0-1vmw	FC Direct Attach	Fujitsu

FUJITSU Storage ETERNUS AF150 S3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, lpfc ver. 11.2.266.0, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.341.0, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	32G FC Switch	Fujitsu
FUJITSU Storage ETERNUS AF250	NMP	fjt_satp_eternus v1.1.3	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.29.0-1, lpfc ver. 10.2.340.18, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	Fujitsu

FUJITSU Storage ETERNUS AF250 S2 NMP ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	VMW_SATP_ALUA lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.29.0-1, lpfc ver. 10.2.340.18, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU	ETERNUS_DXL
FUJITSU Storage ETERNUS AF250 S3 NMP ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	VMW_SATP_ALUA lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, lpfc ver. 11.2.266.0, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.341.0, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU	ETERNUS_DXL

FUJITSU Storage ETERNUS AF650 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP	VMW_SATP_ALUA lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.29.0-1, lpfc ver. 10.2.340.18, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU	ETERNUS_DXM
V10	V10		8G FC Switch	Fujitsu
FUJITSU Storage ETERNUS AF650 S2 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP	VMW_SATP_ALUA lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.29.0-1, lpfc ver. 10.2.340.18, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU	ETERNUS_DXM
V10	V10		8G FC Switch	Fujitsu

FUJITSU Storage ETERNUS AF650 S3 NMP ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	VMW_SATP_ALUA lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, lpfc ver. 11.2.266.0, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.341.0, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 32G FC Switch	ETERNUS_DXM Fujitsu
FUJITSU Storage ETERNUS DX100 S3 NMP ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	VMW_SATP_ALUA lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.29.0-1, lpfc ver. 10.2.340.18, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, brcmfcoe ver. 11.2.1153.13, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 16G FC Switch	ETERNUS_DXL Fujitsu

FUJITSU Storage ETERNUS DX100 S4 NMP ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	VMW_SATP_ALUA lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.29.0-1, lpfc ver. 10.2.340.18, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, brcmfcoe ver. 11.2.1153.13, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU	ETERNUS_DXL
FUJITSU Storage ETERNUS DX100 S5 NMP ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	VMW_SATP_ALUA lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, lpfc ver. 11.2.266.0, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.341.0, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU	ETERNUS_DXL

FUJITSU Storage ETERNUS DX200 S3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.29.0-1, lpfc ver. 10.2.340.18, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, brcmfcoe ver. 11.2.1153.13, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	Fujitsu
FUJITSU Storage ETERNUS DX200 S4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.29.0-1, lpfc ver. 10.2.340.18, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, brcmfcoe ver. 11.2.1153.13, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	Fujitsu

FUJITSU Storage ETERNUS DX200 S5	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, lpfc ver. 11.2.266.0, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.341.0, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	32G FC Switch	Fujitsu
FUJITSU Storage ETERNUS DX200F	NMP	fjt-satp-eternus v1.1.0	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.29.0-1, lpfc ver. 10.2.340.18, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, brcmfcoe ver. 11.2.1153.13, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	Fujitsu
FUJITSU Storage ETERNUS DX410	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DX400
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V20	lpfc ver. 10.0.100.0-1vmw	FC Switch	Fujitsu

FUJITSU Storage ETERNUS DX410 S2 NMP ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0		VMW_SATP_ALUA lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, bfa ver. 3.2.3.0	VMW_PSP_MRU 8G FC Switch	ETERNUS_DX400 Fujitsu
FUJITSU Storage ETERNUS DX440 NMP ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0		VMW_SATP_ALUA lpfc ver. 10.0.100.0-1vmw	VMW_PSP_MRU 8G FC Direct Attach	ETERNUS_DX400 Fujitsu
FUJITSU Storage ETERNUS DX440 S2 NMP ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0		VMW_SATP_ALUA lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, bfa ver. 3.2.3.0	VMW_PSP_MRU 16G FC Switch	ETERNUS_DX400 Fujitsu

FUJITSU Storage ETERNUS DX500 S3 NMP ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	VMW_SATP_ALUA lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.29.0-1, lpfc ver. 10.2.340.18, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, brcmfcoe ver. 11.2.1153.13, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 16G FC Switch	ETERNUS_DXM Fujitsu
FUJITSU Storage ETERNUS DX500 S4 NMP ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	VMW_SATP_ALUA lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.29.0-1, lpfc ver. 10.2.340.18, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, brcmfcoe ver. 11.2.1153.13, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 8G FC Switch	ETERNUS_DXM Fujitsu

FUJITSU Storage ETERNUS DX500 S5	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXM
ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, lpfc ver. 11.2.266.0, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.341.0, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	32G FC Switch	Fujitsu
FUJITSU Storage ETERNUS DX60	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	lpfc ver. 10.0.100.0-1vmw	8G FC Switch	Fujitsu
FUJITSU Storage ETERNUS DX60 S2	NMP	fjt-satp-eternus v1.1.0	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V20	lpfc ver. 10.0.100.0-1vmw	8G FC Switch	Fujitsu

FUJITSU Storage ETERNUS DX60 S3 NMP ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	fjt_satp_eternus v1.1.3 (VVOL Compaitable) lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.2.340.18, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, brcmfcoe ver. 11.2.1153.13, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 8G FC Direct Attach	ETERNUS_DXL Fujitsu
FUJITSU Storage ETERNUS DX60 S4 NMP ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VMW_SATP_ALUA lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.29.0-1, lpfc ver. 10.2.340.18, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, brcmfcoe ver. 11.2.1153.13, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 8G FC Switch	ETERNUS_DXL Fujitsu

FUJITSU Storage ETERNUS DX60 S5	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, lpfc ver. 11.2.266.0, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.341.0, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	32G FC Switch	Fujitsu
FUJITSU Storage ETERNUS DX600 S3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXM
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.29.0-1, lpfc ver. 10.2.340.18, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	HW FCoE Switch	Fujitsu

FUJITSU Storage ETERNUS DX600 S4 NMP ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 V10 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	fjt_satp_eternus v1.1.3 lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.29.0-1, lpfc ver. 10.2.340.18, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 8G FC Switch	ETERNUS_DXM Fujitsu
FUJITSU Storage ETERNUS DX600 S5 NMP ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi V11 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VMW_SATP_ALUA lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, lpfc ver. 11.2.266.0, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.341.0, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 32G FC Switch	ETERNUS_DXM Fujitsu
FUJITSU Storage ETERNUS DX80 NMP ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 V10 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VMW_SATP_ALUA lpfc ver. 10.0.100.0-1vmw	VMW_PSP_MRU 8G FC Switch	ETERNUS_DXL Fujitsu

FUJITSU Storage ETERNUS DX80 S2 NMP ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 V10 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VMW_SATP_ALUA lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, bfa ver. 3.2.3.0	VMW_PSP_MRU 16G FC Switch	ETERNUS_DXL Fujitsu
FUJITSU Storage ETERNUS DX8100 NMP ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 V20 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VMW_SATP_ALUA lpfc ver. 10.0.100.0-1vmw	VMW_PSP_MRU 8G FC Direct Attach	ETERNUS_DX8000 Fujitsu
FUJITSU Storage ETERNUS DX8100 S2 NMP ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 V10 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VMW_SATP_ALUA lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, bfa ver. 3.2.3.0	VMW_PSP_MRU 16G FC Switch	ETERNUS_DX8000 Fujitsu

FUJITSU Storage ETERNUS DX8100 S3 NMP ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 V10 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VMW_SATP_ALUA lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.29.0-1, lpfc ver. 10.2.340.18, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 8G FC Switch	ETERNUS_DXH Fujitsu
FUJITSU Storage ETERNUS DX8400 NMP ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 V20 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VMW_SATP_ALUA lpfc ver. 10.0.100.0-1vmw	VMW_PSP_MRU 8G FC Direct Attach	ETERNUS_DX8000 Fujitsu
FUJITSU Storage ETERNUS DX8700 NMP ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 V20 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VMW_SATP_ALUA lpfc ver. 10.0.100.0-1vmw	VMW_PSP_MRU 8G FC Direct Attach	ETERNUS_DX8000 Fujitsu

FUJITSU Storage ETERNUS DX8700 S2 NMP ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 V10 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VMW_SATP_ALUA lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, bfa ver. 3.2.3.0	VMW_PSP_MRU 16G FC Switch	ETERNUS_DX8000 Fujitsu
FUJITSU Storage ETERNUS DX8700 S3 NMP ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 V10 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VMW_SATP_ALUA lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.29.0-1, lpfc ver. 10.2.340.18, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 8G FC Switch	ETERNUS_DXH Fujitsu

FUJITSU Storage ETERNUS DX8900 S3 NMP ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	VMW_SATP_ALUA lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.29.0-1, lpfc ver. 10.2.340.18, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 8G FC Switch	ETERNUS_DXH Fujitsu
FUJITSU Storage ETERNUS DX8900 S4 NMP ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	VMW_SATP_ALUA lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, lpfc ver. 11.2.266.0, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.341.0, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_MRU 32G FC Switch	ETERNUS_DXH Fujitsu
FUJITSU Storage ETERNUS DX90 NMP ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	VMW_SATP_ALUA lpfc ver. 10.0.100.0-1vmw	VMW_PSP_MRU 8G FC Switch	ETERNUS_DXL Fujitsu

FUJITSU Storage ETERNUS DX90 S2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, bfa ver. 3.2.3.0	16G FC Switch	Fujitsu
FUJITSU Storage ETERNUS DX900 S5	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXH
ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.50.0-1, lpfc ver. 11.2.266.0, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.341.0, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	32G FC Switch	Fujitsu

NR1000F2240-2	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.11, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	NetApp

NR1000F2240-4

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7- Mode, Data
ONTAP 9.0, Data
ONTAP 9.1, ONTAP
9.2, ONTAP 9.3,
ONTAP 9.5, ONTAP
9.6, ONTAP 9.7

VMW_SATP_ALUA

qlnativefc ver. 1.0.12.0-1vmw, qlnativefc
ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw,
qlnativefc ver. 2.0.12.0-5vmw, lpfc ver.
10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1,
qlnativefc ver. 2.1.30.0-1, qlnativefc ver.
1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc
ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.11,
qlnativefc ver. 2.1.30.0-11, qlnativefc ver.
3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc
ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1,
lpfc ver. 11.4.33.3-11vmw, qlnativefc ver.
3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw,
qlnativefc ver. 2.1.73.0-5vmw, lpfc
ver. 11.4.33.25-14vmw, qlnativefc ver.
3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw,
qlnativefc ver. 4.0.1.0-3vmw

VMW_PSP_RR

8G FC Switch

LUN

NetApp

NR1000F2520

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 9.0,
Data ONTAP 9.1,
ONTAP 9.2, ONTAP
9.3, ONTAP 9.4,
ONTAP 9.5, ONTAP
9.6, ONTAP 9.7

VMW_SATP_ALUA

qlnativefc ver. 1.0.12.0-1vmw, lpfc
ver. 10.0.100.1-1vmw, qlnativefc ver.
2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw,
qlnativefc ver. 2.1.30.0-1, qlnativefc ver.
1.1.67.0-1, qlnativefc ver. 1.1.73.0-1,
lpfc ver. 11.1.0.6-1vmw, qlnativefc ver.
2.1.50.0-1vmw, lpfc ver. 11.4.142.11,
lpfc ver. 11.4.142.10, qlnativefc ver.
2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw,
lpfc ver. 11.4.33.1-6vmw, lpfc ver.
11.4.329.0, qlnativefc ver. 2.1.73.0-1,
lpfc ver. 11.4.33.3-11vmw, qlnativefc ver.
3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw,
qlnativefc ver. 2.1.73.0-5vmw, lpfc
ver. 11.4.33.25-14vmw, qlnativefc ver.
3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw,
qlnativefc ver. 4.0.1.0-3vmw

VMW_PSP_RR

8G FC Switch

LUN

NetApp

NR1000F2552

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7- Mode, Data
ONTAP 9.0, Data
ONTAP 9.1, ONTAP
9.2, ONTAP 9.3,
ONTAP 9.4, ONTAP
9.5, ONTAP 9.6,
ONTAP 9.7

VMW_SATP_ALUA

qlnativefc ver. 1.0.12.0-1vmw, qlnativefc
ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw,
qlnativefc ver. 2.0.12.0-5vmw, lpfc ver.
10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1,
qlnativefc ver. 2.1.30.0-1, qlnativefc ver.
1.1.67.0-1, qlnativefc ver. 1.1.73.0-1,
lpfc ver. 11.1.0.6-1vmw, qlnativefc ver.
2.1.50.0-1vmw, lpfc ver. 11.4.142.11,
lpfc ver. 11.4.142.10, qlnativefc ver.
2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw,
lpfc ver. 11.4.33.1-6vmw, lpfc ver.
11.4.329.0, qlnativefc ver. 2.1.73.0-1,
lpfc ver. 11.4.33.3-11vmw, qlnativefc ver.
3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw,
qlnativefc ver. 2.1.73.0-5vmw, lpfc
ver. 11.4.33.25-14vmw, qlnativefc ver.
3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw,
qlnativefc ver. 4.0.1.0-3vmw

VMW_PSP_RR

8G FC Switch

LUN

NetApp

NR1000F2554

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7- Mode, Data
ONTAP 9.0, Data
ONTAP 9.1, ONTAP
9.2, ONTAP 9.3,
ONTAP 9.4, ONTAP
9.5, ONTAP 9.6,
ONTAP 9.7

VMW_SATP_ALUA

qlnativefc ver. 1.0.12.0-1vmw, qlnativefc
ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw,
qlnativefc ver. 2.0.12.0-5vmw, lpfc ver.
10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1,
qlnativefc ver. 2.1.30.0-1, qlnativefc ver.
1.1.67.0-1, qlnativefc ver. 1.1.73.0-1,
lpfc ver. 11.1.0.6-1vmw, qlnativefc ver.
2.1.50.0-1vmw, lpfc ver. 11.4.142.11,
lpfc ver. 11.4.142.10, qlnativefc ver.
2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw,
lpfc ver. 11.4.33.1-6vmw, lpfc ver.
11.4.329.0, qlnativefc ver. 2.1.73.0-1,
lpfc ver. 11.4.33.3-11vmw, qlnativefc ver.
3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw,
qlnativefc ver. 2.1.73.0-5vmw, lpfc
ver. 11.4.33.25-14vmw, qlnativefc ver.
3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw,
qlnativefc ver. 4.0.1.0-3vmw

VMW_PSP_RR

8G FC Switch

LUN

NetApp

NR1000F2620	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.11, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NetApp
NR1000F2650	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NetApp
NR1000F3220	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	NetApp

NR1000F3250	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	NetApp
NR1000F3270	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	NetApp
NR1000F6220	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	NetApp
NR1000F6240	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	NetApp

NR1000F6250	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	NetApp
NR1000F6280	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	NetApp
NR1000F6290	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode, ONTAP 9.3	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	NetApp

NR1000F8020

ESXi 5.5 (EOL Date: 2020-09-19)^{18, kb2}, ESXi 5.5 U1 (EOL Date: 2020-09-19)^{kb2}, ESXi 5.5 U2 (EOL Date: 2020-09-19)^{kb2}, ESXi 5.5 U3 (EOL Date: 2020-09-19)^{kb2}, ESXi 6.0^{8, kb2}, ESXi 6.0 U1^{kb2}, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, Ontap 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7

VMW_SATP_ALUA

lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, brcmnvmeffc ver. 12.4.293.0-2vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw

VMW_PSP_RR

8G FC Switch

LUN

NetApp

NR1000F8040

ESXi 5.5 (EOL Date: 2020-09-19)^{18, kb2}, ESXi 5.5 U1 (EOL Date: 2020-09-19)^{kb2}, ESXi 5.5 U2 (EOL Date: 2020-09-19)^{kb2}, ESXi 5.5 U3 (EOL Date: 2020-09-19)^{kb2}, ESXi 6.0^{8, kb2}, ESXi 6.0 U1^{kb2}, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, Ontap 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7

VMW_SATP_ALUA

lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, brcmnvmevc ver. 12.4.293.0-2vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw

VMW_PSP_RR

8G FC Switch

LUN

NetApp

NR1000F8060

ESXi 5.5 (EOL Date: 2020-09-19)^{18, kb2}, ESXi 5.5 U1 (EOL Date: 2020-09-19)^{kb2}, ESXi 5.5 U2 (EOL Date: 2020-09-19)^{kb2}, ESXi 5.5 U3 (EOL Date: 2020-09-19)^{kb2}, ESXi 6.0^{8, kb2}, ESXi 6.0 U1^{kb2}, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, Ontap 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7

VMW_SATP_ALUA

lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, brcmnvmevc ver. 12.4.293.0-2vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw

VMW_PSP_RR

8G FC Switch

LUN

NetApp

NR1000F8080

ESXi 5.5 (EOL Date: 2020-09-19)^{18, kb2}, ESXi 5.5 U1 (EOL Date: 2020-09-19)^{kb2}, ESXi 5.5 U2 (EOL Date: 2020-09-19)^{kb2}, ESXi 5.5 U3 (EOL Date: 2020-09-19)^{kb2}, ESXi 6.0^{8, kb2}, ESXi 6.0 U1^{kb2}, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, Ontap 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7

VMW_SATP_ALUA

lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, brcmnvmeffc ver. 12.4.293.0-2vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw

VMW_PSP_RR

8G FC Switch

LUN

: NetApp

Fusion-io, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
ION Data Accelerator	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ION LUN
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.3	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	FUSIONIO

Hewlett Packard Enterprise

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
HPE 3PAR StoreServ 9000 Storage ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.3.1	VMW_SATP_ALUA lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bnx2x ver. 1.78.28.v55.2, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.12.0, qlnativefc ver. 2.1.20.0-1, qlnativefc ver. 2.1.30.0-1, lpfc ver. 10.7.110.4, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_MRU 16G FC Direct Attach	VV 3PARdata
HPE MSA 1050 SAN ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP VE100, VE270	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.0-5vmw	VMW_PSP_RR 16G FC Switch	MSA 1050 SAN HPE

HPE MSA 2042 SAN	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	MSA 2040 SAN
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1	GL220, GL225	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw	HW FCoE Switch	HP
HPE MSA 2050 SAN	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MSA 2050 SAN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VL100, VL270	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.0-5vmw	16G FC Direct Attach	HPE
HPE MSA 2052 SAN	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MSA 2050 SAN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VL100, VL270	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.0-5vmw	16G FC Direct Attach	HPE

HPE Primera 600 series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	VV
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0, 4.1	bnx2fc ver. 1.713.60.v60.1, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, brcmfcoe ver. 12.0.1115.0, lpfc ver. 11.4.33.3-11vmw, qedf ver. 1.3.22.0, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.6.147.6-1OEM	32G FC Switch	3PARdata
HPE XP8 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XP8
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	HPE
SV3200 FC	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	LH FCDisk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	13.1, 13.5, 13.6	lpfc ver. 10.0.575.8, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	LEFTHAND

Hitachi

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AMS 2010 ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 08C3/E and above	VMW_SATP_DEFAULT_AA lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_FIXED 8G FC Switch	N/A N/A
AMS 2100 ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 08C3/E and above	VMW_SATP_DEFAULT_AA lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_FIXED 8G FC Switch	N/A N/A
AMS 2300 ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 08C3/E and above	VMW_SATP_DEFAULT_AA lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_FIXED 8G FC Switch	N/A N/A

AMS 2500	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08C3/E and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A
BR1200	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	8G FC Switch	LSI
BR1600	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08C3/E and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A

BR1600E	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08C3/E and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A
BR1600S	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08C3/E and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A
Hitachi Unified Storage 110	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	0930/A-H, 0930/A-H and above, 0930/A-H or above, 0977/E and above, 0983/A	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A

Hitachi Unified Storage 130	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	0930/A-H, 0930/A-H and above, 0930/A-H or above, 0977/E and above, 0983/A	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A
Hitachi Unified Storage 150	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	0930/A-H, 0930/A-H and above, 0930/A-H or above, 0977/E and above, 0983/A	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A

Hitachi Unified Storage VM (HUS VM)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{5,kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{3,kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	70-05-xx and above, 70-06, 70-06-xx and above, 73-01-xx and above, 73-02 and above, 73-03, 73-03-01, 73-03-xx and above	qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A
Hitachi Universal Storage Platform V	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	60-08, 60-08-XX and above, 73-03-01	qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A

Hitachi Universal Storage Platform VM	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	HITACHI
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	60-08, 60-08-XX and above, 73-03-01	qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	OPEN_
Hitachi Virtual Storage Platform	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{5,kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{3,kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	60-08, 60-08-XX and above, 70-05-xx and above, 70-06, 70-06-xx and above, 73-01-xx and above, 73-02 and above, 73-03, 73-03-01, 73-03-xx and above	qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	HW FCoE Switch	N/A
Hitachi Virtual Storage Platform E990 (Hitachi VSP E990)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	93-01	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	N/A

Hitachi Virtual Storage Platform F1500 (Hitachi VSP F1500)	NMP	HTI_SATP_HDLM v08.5.0-00 (VVOL compatible)	VMW_PSP_RR	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19) ⁸ , ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00, 80-00-xx and later, 80-00-xx or later, 80-01, 80-01-xx and later, 80-01-xx or later, 80-02, 80-03, 80-04, 80-05, 80-06, 83-01	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.2-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	HW FCoE Switch	"HITACHI "
Hitachi Virtual Storage Platform F350	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	N/A

Hitachi Virtual Storage Platform F370	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	N/A
Hitachi Virtual Storage Platform F400 (VSPNMP F400)		VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 83-02, 83-03, 83-04, 83-05	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	"HITACHI "

Hitachi Virtual Storage Platform F600 (VSPNMP F600)

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

VMW_SATP_DEFAULT_AA

VMW_PSP_FIXED

"OPEN- "

lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw

16G FC Switch

"HITACHI "

Hitachi Virtual Storage Platform F700

NMP

VMW_SATP_DEFAULT_AA

VMW_PSP_MRU

N/A

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw

16G FC Switch

N/A

Hitachi Virtual Storage Platform F800 (VSPNMP F800)

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

VMW_SATP_DEFAULT_AA

VMW_PSP_FIXED

"OPEN- "

lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw

HW FCoE Switch

"HITACHI "

Hitachi Virtual Storage Platform F900

NMP

VMW_SATP_DEFAULT_AA

VMW_PSP_MRU

N/A

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw

16G FC Switch

N/A

Hitachi Virtual Storage Platform G100 (VSP G100)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 83-01, 83-01 or later, 83-02, 83-03, 83-04, 83-05	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	HW FCoE Switch	"HITACHI "
Hitachi Virtual Storage Platform G1000 (Hitachi VSP G1000)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx or later, 80-01, 80-01-xx and later, 80-01-xx or later, 80-02, 80-03, 80-04, 80-05, 80-06, 83-01	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.2-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	HW FCoE Switch	"HITACHI "

Hitachi Virtual Storage Platform G130	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-02, 88-03	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	N/A
Hitachi Virtual Storage Platform G150	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	N/A

Hitachi Virtual Storage Platform G1500 (Hitachi VSP G1500)	NMP	HTI_SATP_HDLM v08.5.0-00 (VVOL compatible)	VMW_PSP_RR	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19) ⁸ , ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00, 80-00-xx and later, 80-00-xx or later, 80-01, 80-01-xx and later, 80-01-xx or later, 80-02, 80-03, 80-04, 80-05, 80-06, 83-01	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.2-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	HW FCoE Switch	"HITACHI "
Hitachi Virtual Storage Platform G200 (VSP G200)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 83-01, 83-01 or later, 83-02, 83-03, 83-04, 83-05	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	HW FCoE Switch	"HITACHI "

Hitachi Virtual Storage Platform G350	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	N/A
Hitachi Virtual Storage Platform G370	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	N/A

Hitachi Virtual Storage Platform G400 (VSP G400)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 83-01, 83-01 or later, 83-02, 83-03, 83-04, 83-05	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	HW FCoE Switch	"HITACHI "
Hitachi Virtual Storage Platform G600 (VSP G600)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 83-01, 83-01 or later, 83-02, 83-03, 83-04, 83-05	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	HW FCoE Switch	"HITACHI "

Hitachi Virtual Storage Platform G700 (Hitachi VSP G700)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	N/A
Hitachi Virtual Storage Platform G700 (Hitachi VSP G700)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	N/A

Hitachi Virtual Storage Platform G700 (Hitachi VSP G700)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	N/A
Hitachi Virtual Storage Platform G800 (VSP G800)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 80-01-xx and later, 83-01, 83-02, 83-03, 83-04, 83-05	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	"HITACHI "

Hitachi Virtual Storage Platform G900	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	N/A
Hitachi Virtual Storage Platform VP9500	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{5,kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{3,kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	60-08, 60-08-XX and above, 70-05-xx and above, 70-06, 70-06-xx and above, 73-01-xx and above, 73-02 and above, 73-03, 73-03-01, 73-03-xx and above	qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A

Hitachi Virtual Storage Platform VX7	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	"OPEN
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00, 80-00-xx and later, 80-00-xx or later, 80-01, 80-01-xx, 80-01-xx and later, 80-01-xx or later, 80-02, 80-03, 80-04, 80-05, 80-06, 83-01	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.2-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	HW FCoE Switch	"HP
SMS100	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	HITACHI
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	08C3/E and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC Switch	DF600F

Virtual Storage Platform 5100 (VSP 5100)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A
Virtual Storage Platform 5100H (VSP 5100H)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	N/A
Virtual Storage Platform 5500 (VSP 5500)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	N/A
Virtual Storage Platform 5500H (VSP 5500H)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	N/A

Hitachi Vantara

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AMS 2100 ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	NMP 08C3/E and above	VMW_SATP_DEFAULT_AA lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	VMW_PSP_FIXED 8G FC Switch	N/A N/A
AMS 2300 ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	NMP 08C3/E and above	VMW_SATP_DEFAULT_AA lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	VMW_PSP_FIXED 8G FC Switch	N/A N/A
AMS 2500 ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	NMP 08C3/E and above	VMW_SATP_DEFAULT_AA lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	VMW_PSP_FIXED 8G FC Switch	N/A N/A

Hitachi Unified Storage 110	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	0930/A-H, 0930/A-H and above, 0930/A-H or above, 0977/E and above, 0983/A	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A
Hitachi Unified Storage 130	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	0930/A-H, 0930/A-H and above, 0930/A-H or above, 0977/E and above, 0983/A	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A

Hitachi Unified Storage 150	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	0930/A-H, 0930/A-H and above, 0930/A-H or above, 0977/E and above, 0983/A	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A
Hitachi Unified Storage VM (HUS VM)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{5,kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	70-05-xx and above, 70-06, 70-06-xx and above, 73-01-xx and above, 73-02 and above, 73-03, 73-03-01, 73-03-xx and above	qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A

Hitachi Universal Storage Platform V	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	60-08, 60-08-XX and above, 73-03-01	qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	N/A
Hitachi Universal Storage Platform VM	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	60-08, 60-08-XX and above, 70-05-xx and above, 70-06, 73-03-01	qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	N/A

Hitachi Virtual Storage Platform	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{5,kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{3,kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	70-05-xx and above, 70-06, 70-06 and above, 70-06-xx and above, 73-01-xx and above, 73-02, and above, 73-03, 73-03-01, 73-03-xx and above	qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	HW FCoE Switch	N/A
Hitachi Virtual Storage Platform E990 (Hitachi VSP E990)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	93-01	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Direct Attach	N/A

Hitachi Virtual Storage Platform F1500 (Hitachi VSP F1500)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00, 80-00-xx and later, 80-01, 80-05, 80-06, 83-01	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.2-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	"HITACHI "
Hitachi Virtual Storage Platform F350	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	N/A

Hitachi Virtual Storage Platform F370	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	N/A
Hitachi Virtual Storage Platform F400 (VSPNMP F400)		VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 80-01-xx and later, 83-01, 83-02, 83-03, 83-04, 83-05	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	"HITACHI "

Hitachi Virtual Storage Platform F600 (VSPNMP F600)

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

VMW_SATP_DEFAULT_AA

VMW_PSP_FIXED

"OPEN- "

lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw

16G FC Switch

"HITACHI "

Hitachi Virtual Storage Platform F700

NMP

VMW_SATP_DEFAULT_AA

VMW_PSP_MRU

N/A

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw

16G FC Switch

N/A

Hitachi Virtual Storage Platform F800 (VSPNMP F800)

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

VMW_SATP_DEFAULT_AA

VMW_PSP_FIXED

"OPEN- "

lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw

HW FCoE Switch

"HITACHI "

Hitachi Virtual Storage Platform F900

NMP

VMW_SATP_DEFAULT_AA

VMW_PSP_MRU

N/A

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw

16G FC Switch

N/A

Hitachi Virtual Storage Platform G100 (VSP G100)	NMP	HTI_SATP_HDLM v08.1.4-00	HTI_PSP_HDLM_EXL v08.1.4-00	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 80-01-xx and later, 83-01, 83-01 or later, 83-03, 83-04, 83-05	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC Metro Cluster Storage	"HITACHI "
Hitachi Virtual Storage Platform G1000 (Hitachi VSP G1000)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00, 80-00-xx and later, 80-00-xx or later, 80-01, 80-01-xx, 80-01-xx and later, 80-01-xx or later, 80-02, 80-03, 80-04, 80-05, 80-06, 83-01	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.2-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	HW FCoE Switch	"HITACHI "

Hitachi Virtual Storage Platform G130	NMP	HTI_SATP_HDLM v08.6.0-00 (VVOL compatible)	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 83-05, 88-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	N/A
Hitachi Virtual Storage Platform G1500 (Hitachi VSP G1500)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00, 80-00-xx and later, 80-01, 80-05, 80-06, 83-01	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.2-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	"HITACHI "

Hitachi Virtual Storage Platform G200 (VSP G200)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 80-01-xx and later, 83-01, 83-01 or later, 83-02, 83-03, 83-04, 83-05	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Direct Attach	"HITACHI "
Hitachi Virtual Storage Platform G350	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	N/A

Hitachi Virtual Storage Platform G370	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	N/A
Hitachi Virtual Storage Platform G400 (VSP G400)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 80-01-xx and later, 83-01, 83-01 or later, 83-02, 83-03, 83-04, 83-05	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	HW FCoE Switch	"HITACHI "

Hitachi Virtual Storage Platform G600 (VSP G600)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 80-01-xx and later, 83-01, 83-01 or later, 83-02, 83-03, 83-04, 83-05	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Direct Attach	"HITACHI "
Hitachi Virtual Storage Platform G700	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	N/A

Hitachi Virtual Storage Platform G800 (VSP G800)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 80-01-xx and later, 83-01, 83-01 or later, 83-02, 83-03, 83-04, 83-05	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	"HITACHI "
Hitachi Virtual Storage Platform G900	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	N/A

Hitachi Virtual Storage Platform N400	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 83-06	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	"HITACHI"
Hitachi Virtual Storage Platform N600	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 83-06	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	N/A
Hitachi Virtual Storage Platform N800	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 83-06	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	"HITACHI "

SMS100	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	08C3/E and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	N/A
Virtual Storage Platform 5100 (VSP 5100)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	N/A
Virtual Storage Platform 5100H (VSP 5100H)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	N/A
Virtual Storage Platform 5500 (VSP 5500)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	N/A
Virtual Storage Platform 5500H (VSP 5500H)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	N/A

HP

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
4330FC	NMP	VMW_SATP_ALUA	VMW_PSP_RR	P4000 disk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.5, 11.0, SANiQ 11.5, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.575.8, lpfc ver. 10.0.725.203, lpfc ver. 10.2.340.18, lpfc ver. 10.4.236.0, qlnativefc ver. 2.1.20.0-1, lpfc ver. 12.0.346.15	8G FC Switch	LEFTHAND
4730FC (Hybrid FC & iSCSI)	NMP	VMW_SATP_ALUA	VMW_PSP_RR	P4000 disk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.5, 11.0, SANiQ 11.5, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.575.8, lpfc ver. 10.0.725.203, lpfc ver. 10.2.340.18, lpfc ver. 10.4.236.0, qlnativefc ver. 2.1.20.0-1, lpfc ver. 12.0.346.15	8G FC Switch	LEFTHAND
HP 3PAR F-Class Storage	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	VV
ESXi 6.5 ^{2, kb4} , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.1, 3.1.2, 3.1.3, 3.2.1, 3.2.2, 3.3.1	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bnx2x ver. 1.78.28.v55.2, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.12.0, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.1.20.0-1, qlnativefc ver. 2.1.30.0-1, lpfc ver. 10.7.110.4, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	FC Direct Attach	3PARdata

HP 3PAR StoreServ 10000 Storage	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	VV
ESXi 6.5 ^{2, kb4} , ESXi 6.5 U1 ^{kb4} , ESXi 6.5 U2 ^{kb4} , ESXi 6.5 U3 ^{kb4} , ESXi 6.7 ^{4, kb4} , ESXi 6.7 U1 ^{kb4} , ESXi 6.7 U2 ^{kb4} , ESXi 6.7 U3 ^{kb4}	3.1, 3.1.2, 3.1.3, 3.2.1, 3.2.2, 3.3.1	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bnx2x ver. 1.78.28.v55.2, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.12.0, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.20.0-1, qlnativefc ver. 2.1.30.0-1, lpfc ver. 10.7.110.4, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	HW FCoE Switch	3PARdata
HP 3PAR StoreServ 20000 Storage	NMP	VMW_SATP_ALUA	VMW_PSP_RR	VV
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{8, kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.1, 3.2.1, 3.2.2, 3.3.1	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bnx2x ver. 1.78.28.v55.2, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.12.0, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.20.0-1, qlnativefc ver. 2.1.30.0-1, lpfc ver. 10.7.110.4, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0	HW FCoE Switch	3PARdata

HP 3PAR StoreServ 7000 Storage	NMP	VMW_SATP_ALUA	VMW_PSP_RR	VV
ESXi 6.5 ^{2, kb4} , ESXi 6.5 U1 ^{kb4} , ESXi 6.5 U2 ^{kb4} , ESXi 6.5 U3 ^{kb4} , ESXi 6.7 ^{4, kb4} , ESXi 6.7 U1 ^{kb4} , ESXi 6.7 U2 ^{kb4} , ESXi 6.7 U3 ^{kb4}	3.1, 3.1.2, 3.1.3, 3.2.1, 3.2.2, 3.3.1	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bnx2x ver. 1.78.28.v55.2, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.12.0, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 1.1.29.0-1, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.20.0-1, qlnativefc ver. 2.1.30.0-1, lpfc ver. 10.7.110.4, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	3PARdata
HP 3PAR StoreServ 8000 Storage	NMP	VMW_SATP_ALUA	VMW_PSP_RR	VV
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{8, kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.1, 3.2.1, 3.2.2, 3.3.1	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bnx2x ver. 1.78.28.v55.2, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.12.0, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.20.0-1, qlnativefc ver. 2.1.30.0-1, lpfc ver. 10.7.110.4, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	HW FCoE Switch	3PARdata

HP 3PAR T-Class Storage	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	VV
ESXi 6.5 ^{2, kb4} , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.1, 3.1.2, 3.1.3, 3.2.1, 3.2.2, 3.3.1	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bnx2x ver. 1.78.28.v55.2, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.12.0, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.1.20.0-1, qlnativefc ver. 2.1.30.0-1, lpfc ver. 10.7.110.4, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	FC Direct Attach	3PARdata
HP MSA 1040 SAN	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MSA 1040 SAN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1	GL105, GL200, GL210, GL220, GL225	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bfa ver. 3.2.3.0, lpfc ver. 10.0.662.204, lpfc ver. 10.0.725.203, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw	8G FC Switch	HP
HP MSA 2040 SAN	NMP	VMW_SATP_ALUA	VMW_PSP_RR	MSA 2040 SAN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1	GL100, GL101, GL105, GL200, GL210, GL220, GL225	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bfa ver. 3.2.3.0, lpfc ver. 10.0.662.204, lpfc ver. 10.0.725.203, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw	8G FC Switch	HP

HP P6300	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	HSV340
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	11200000, 11300000	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, qlnativefc ver. 1.1.12.0, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.725.203	8G FC Switch	HP
HP P6500	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	HSV360
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	11200000, 11300000	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, qlnativefc ver. 1.1.12.0, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.725.203	8G FC Switch	HP
HP StorageWorks P9500	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	OPEN-HP
ESXi 5.5 (EOL Date: 2020-09-19) ^{5, kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{3, kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	60-08, 60-08-XX and above, 70-05-xx and above, 70-06, 70-06-xx and above, 73-01-xx and above, 73-03, 73-03-01	qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	HW FCoE Switch	HP
HP XP20000	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	OPEN-HP
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3	60-08, 60-08-XX and above, 73-03-01	qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw	HW FCoE Switch	HP

HP XP24000	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	OPEN-HP
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3	60-08, 60-08-XX and above, 73-03-01	qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw	8G FC Switch	
HP XP7 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00, 80-00-xx and later, 80-00-xx or later, 80-01, 80-01-xx, 80-01-xx and later, 80-01-xx or later, 80-02, 80-03, 80-04, 80-05, 80-06, 83-01	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.2-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	HW FCoE Switch	HPQ
MSA P2000 G3 FC	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	P2000G3 FC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	TS250, TS251, TS252	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bfa ver. 3.2.3.0, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.662.204	HW FCoE Switch	HP

P2000 G3 MSA FC/iSCSI	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	P2000G3 FC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	TS250, TS251, TS252	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bfa ver. 3.2.3.0, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.662.204	8G FC Switch	HP
P6350	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	HSV340
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	11200000, 11300000	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, qlnativefc ver. 1.1.12.0, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.725.203	8G FC Switch	HPQ
P6550	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	HSV360
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	11200000, 11300000	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, qlnativefc ver. 1.1.12.0, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.725.203	8G FC Switch	HPQ

Huawei Technologies Co., Ltd.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
18500 V5 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V500R007	VMW_SATP_DEFAULT_AA qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_FIXED 16G FC Switch	XSG1 Huawei
18500F V5 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V500R007	VMW_SATP_DEFAULT_AA qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_FIXED 16G FC Switch	XSG1 Huawei
18510 V5 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V500R007	VMW_SATP_DEFAULT_AA qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_FIXED 16G FC Switch	XSG1 Huawei

18510F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Huawei
18800 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	Huawei
18800F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	Huawei
18810 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Huawei

18810F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Huawei
2100 V3	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R003, V300R005, V300R006	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.633, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Direct Attach	HUAWEI
2200 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002, V300R003, V300R005, V300R006	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.633, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HSC

2600 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002, V300R003, V300R005, V300R006	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.633, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HSC
2600F V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R003, V300R005, V300R006	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.633, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	HUAWEI
2800 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	HUAWEI

2810 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qlnativefc ver. 2.1.30.0-11	16G FC Switch	Huawei
5110 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	Huawei
5110F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	Huawei
5210 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	Huawei

5210F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	Huawei
5300 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002, V300R003, V300R005, V300R006	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.633, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI
5300 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	HUAWEI

5300F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	Huawei
5310 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qlnativefc ver. 2.1.30.0-11	16G FC Switch	Huawei
5310F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qlnativefc ver. 2.1.30.0-11	16G FC Switch	Huawei
5500 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002, V300R003, V300R005, V300R006	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.633, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI

5500 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	HUAWEI
5500F V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R003, V300R005, V300R006	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.633, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	HUAWEI
5500F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	Huawei

5510 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Huawei
5510F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Huawei
5600 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002, V300R003, V300R005, V300R006	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.633, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI

5600 V5	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	Huawei
5600F V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R003, V300R005, V300R006	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.633, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	HUAWEI
5600F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	Huawei

5610 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Huawei
5610F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Huawei
5800 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002, V300R003, V300R005, V300R006	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.633, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI

5800 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	HUAWEI
5800F V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R003, V300R005, V300R006	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.633, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	HUAWEI
5800F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	Huawei

5810 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Huawei
5810F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Huawei
6800 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002, V300R003, V300R005, V300R006	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.633, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI

6800 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	HUAWEI
6800F V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R003, V300R005, V300R006	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.633, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	HUAWEI
6800F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	Huawei

6810 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Huawei
6810F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Huawei
6900 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002, V300R003, V300R005, V300R006	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.633, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI

Dorado18000 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.633, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	FC Switch	HUAWEI
Dorado2100	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Dorado2100
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V100R001, V1R1	qlnativefc ver. 1.0.12.0-1vmw, elxnet ver. 10.2.309.6v, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI
Dorado2100 G2	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Dorado2100 G2
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V100R001, V1R1	qlnativefc ver. 1.0.12.0-1vmw, elxnet ver. 10.2.309.6v, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI

Dorado3000 V3	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R002	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	HUAWEI
Dorado5000 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.633, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	Huawei
Dorado5100	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Dorado5100
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V100R001, V1R1	qlnativefc ver. 1.0.12.0-1vmw, elxnet ver. 10.2.309.6v, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI

Dorado6000 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.633, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI
OceanStor 18500	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	OceanStor 18500
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V100R001, V1R1	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI
OceanStor 18500 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002, V300R003, V300R005, V300R006	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.633, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI

OceanStor 18500F V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R003, V300R005, V300R006	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.633, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	HUAWEI
OceanStor 18800	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	18800
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V100R001, V1R1	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI
OceanStor 18800 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002, V300R003, V300R005, V300R006	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.633, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI

OceanStor 18800F	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	18800F
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V100R001, V1R1	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI
OceanStor 18800F V3	UltraPath 8.06.061	N/A		XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R003, V300R005, V300R006	qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.633, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	HUAWEI
OceanStor Dorado 18000 V6	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XSG1
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	HUAWEI
OceanStor Dorado 18500 V6	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XSG1
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	HUAWEI

OceanStor Dorado 18800 V6	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XSG1
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	HUAWEI
OceanStor Dorado 3000 V6	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XSG1
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	HUAWEI
OceanStor Dorado 5000 V6	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XSG1
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	HUAWEI
OceanStor Dorado 5300 V6	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XSG1
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	HUAWEI
OceanStor Dorado 5500 V6	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XSG1
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	HUAWEI
OceanStor Dorado 5600 V6	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XSG1
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	HUAWEI

OceanStor Dorado 6000 V6	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XSG1
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	HUAWEI
OceanStor Dorado 6800 V6	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XSG1
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	HUAWEI
OceanStor Dorado 8000 V6	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XSG1
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	HUAWEI
S2200T	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	S2200T
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1R2, V1R5, V200R002	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI
S2600T	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	S2600T
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1R2, V1R5, V200R002	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI

S2900	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	S2900
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1R2, V1R5, V200R002	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI
S3900	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	S3900
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1R2, V1R5	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC Switch	HUAWEI
S5300	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	S5300
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V100R005	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI
S5500	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	S5500
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V100R005	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI

S5500T	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	S5500T
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1R2, V1R5, V200R002	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC Switch	HUAWEI
S5600	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	S5600
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V100R005	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI
S5600T	NMP	VMW_SATP_ALUA	VMW_PSP_RR	S5600T
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1R2, V1R5, V200R002	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC Switch	HUAWEI
S5800T	NMP	VMW_SATP_ALUA	VMW_PSP_RR	S5800T
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1R2, V1R5, V200R002	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC Switch	HUAWEI

S5900	NMP	VMW_SATP_ALUA	VMW_PSP_RR	S5900
ESXi 5.5 (EOL Date: 2020-09-19) ²⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1R2, V1R5	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC Switch	HUAWEI
S6800E	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	S6800E
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V100R005	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	HUAWEI
S6800T	NMP	VMW_SATP_ALUA	VMW_PSP_RR	S6800T
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1R2, V1R5, V200R002	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC Switch	HUAWEI
S6900	NMP	VMW_SATP_ALUA	VMW_PSP_RR	S6900
ESXi 5.5 (EOL Date: 2020-09-19) ²⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1R2, V1R5	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC Switch	HUAWEI

IBM

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
DCS3700 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 07.84, 07.86	VMW_SATP_ALUA bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	VMW_PSP_MRU 8G FC Switch	1818 FASTT IBM
DCS3700+ ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 07.84, 07.86	VMW_SATP_ALUA bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	VMW_PSP_MRU 8G FC Switch	1818 FASTT IBM
DS3400 ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 07.84, 07.86	VMW_SATP_ALUA bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	VMW_PSP_MRU 8G FC Switch	1726-4xx IBM

DS3500	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	1746 FAStT
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	8G FC Switch	IBM
DS3950	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	1814
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	8G FC Switch	IBM
DS5020	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	1814
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	8G FC Switch	IBM
DS5300	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	1818 FAStT
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	8G FC Switch	IBM

DS8000	Veritas VxDMP v7.0	VMW_SATP_ALUA	VMW_PSP_RR	2107
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.3, 7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 8.0, 8.1, 8.2, 8.2.3, 8.3.1, 8.5, 9.0	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.39.0-1, lpfc ver. 10.4.245.0, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IBM
FlashSystem 710	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	FlashSystem
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.6	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw	8G FC Switch	IBM
FlashSystem 720	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	FlashSystem
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.3	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IBM

FlashSystem 810	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	FlashSystem
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.6	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw	8G FC Switch	IBM
FlashSystem 820	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	FlashSystem
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.3	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IBM
FlashSystem 840	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	Flashsystem-9840
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1, 1.2, 1.3, 1.4, 1.5, 1.5.1.0, 1.6	fnic ver. 1.5.0.4-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, fnic ver. 1.5.0.45-3vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.0.237.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	IBM

FlashSystem 900	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	FlashSystem
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1, 1.2, 1.3, 1.4, 1.5, 1.5.1.0, 1.6	fnic ver. 1.5.0.4-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, fnic ver. 1.5.0.45-3vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.0.237.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC Switch	IBM
FlashSystem 9100	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁴	8.2, 8.3	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	IBM

IBM FlashSystem 5000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁴	8.2, 8.3	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A
IBM FlashSystem 7000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁴	8.3	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	32G FC Switch	N/A
IBM FlashSystem 9000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁴	8.3	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	32G FC Switch	N/A

IBM FlashSystem A9000 Family	NMP	VMW_SATP_ALUA	VMW_PSP_RR	IBM FlashSystem A9000 Family
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ²¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ²²	12.0, 12.0.1, 12.0.2, 12.0.3, 12.1, 12.2, 12.3	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	IBM
N6000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5,kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{3,kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	NETAPP

N7000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5, kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{3, kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	NETAPP

Storwize V3500	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁴	6.4, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.2, 8.3	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, lpfc ver. 10.7.170.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IBM
Storwize V3700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ²³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁴	6.4, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.3	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, lpfc ver. 10.7.170.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IBM

Storwize V5000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁴	7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.2, 8.3	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, lpfc ver. 10.7.170.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IBM
Storwize V7000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1 ² , ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁴	6.4, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.2, 8.3	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, lpfc ver. 10.7.170.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IBM

XIV	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XIV
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.2.4, 11.1, 11.2, 11.3, 11.4, 11.5, 11.5.1, 11.6	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IBM
XIV	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XIV
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.2.4.e, 11.5	qla2xxx ver. 902.k1.1-12vmw	HW FCoE Switch	IBM

Information

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Nexsan BEAST ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP R011	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_MRU 8G FC Switch	NXS-B01-000 NEXSAN
Nexsan E18 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP Q011	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_MRU FC Switch	NXS-B01-000 NEXSAN
Nexsan E18V ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP R011	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_MRU 8G FC Switch	NXS-B01-000 NEXSAN
Nexsan E32V ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP R011	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_MRU 8G FC Switch	NXS-B01-000 NEXSAN

Nexsan E48	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NXS-B01-000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	Q011	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	FC Switch	NEXSAN
Nexsan E48V	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NXS-B01-000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	R011	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	NEXSAN
Nexsan E60	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NXS-B01-000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	Q011	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	FC Switch	NEXSAN
Nexsan E60V	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NXS-B01-000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	R011	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	NEXSAN

Nexsan NST2000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NestOS
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.1, 3.2	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	Nexsan
Nexsan NST4000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NestOS
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.1, 3.2, v3.1	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	Nexsan
Nexsan NST6000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NestOS
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.1, 3.2	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	Nexsan
Nexsan NST6500	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NestOS
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.0	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	Nexsan

Infinidat

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
F-Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	Infinibox
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.x, 2.x, 3.0, 4.0, 5.0, 5.5	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, fnic ver. 1.5.0.45-3vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 1.1.70.0-1, qlnativefc ver. 1.1.73.0-1, fnic ver. 1.6.0.28, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	INFINIDAT

Infortrend Technology, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
EonNAS 1000 Series ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 1.9.x	VMW_SATP_ALUA lpfc ver. 10.2.455.0	VMW_PSP_MRU 16G FC Switch	EonNAS 1000 Infortrend
EonNAS 3012 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.1.x	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 8G FC Switch	EonNAS 3012 IFT
EonNAS 3016 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.1.x	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 8G FC Switch	N/A N/A

ESDS 1000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_1000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	qla4xxx ver. 5.01.03.2-3vmw, qlnativefc ver. 1.0.12.0-1vmw, qla4xxx ver. 5.01.03.2-6vmw, qla4xxx ver. 5.01.03.2-7vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	IFT
ESDS 2000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_2000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.1x	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	IFT
ESDS 3000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_3000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x, 6.61.H08	lpfc ver. 10.0.100.0-1vmw	16G FC Switch	Infortrend

ESDS 4000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_4000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.5x, 6.61H.08	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	IFT
ESDS 4000U Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_4000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.51.i03	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Infortrend
ESDS B24F-G2652-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_B24F-G2652-4
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT

ESDS B24F-R2652-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_B24F-R2652-4
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S12F-G2651	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S12F-G2651
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S12F-G2840-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S12F-G2840
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S12F-G2850	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S12F-G2850
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT

ESDS S12F-G2851	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S12F-G2851
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S12F-R2651	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S12F-R2651
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S12F-R2840-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S12F-R2840
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S12F-R2850	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S12F-R2850
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT

ESDS S12F-R2851	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S12F-R2851
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S16F-G2651	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16F-G2651
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S16F-G2652-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16F-G2652-4
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S16F-G2840-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16F-G2840
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT

ESDS S16F-G2850	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16F-G2850
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S16F-G2851	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16F-G2851
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S16F-G2852-6	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16F-G2852-6
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S16F-R2651	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16F-R2651
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT

ESDS S16F-R2652-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16F-R2652-4
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S16F-R2840-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16F-R2840-4
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S16F-R2850	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ESDS_S16F-R2850
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S16F-R2851	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16F-R2851
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT

ESDS S16F-R2852-6	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS S16F-R2852-6
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S24F-G2651	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S24F-G2651
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S24F-G2840-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S24F-G2840
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S24F-G2850	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S24F-G2850
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT

ESDS S24F-G2851	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S24F-G2851
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S24F-R2651	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S24F-R2651
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S24F-R2840-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S24F-R2840
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S24F-R2850	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S24F-R2850
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT

ESDS S24F-R2851	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S24F-R2851
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S48F-G2652-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S48F-G2652-4
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESDS S48F-R2652-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S48F-R2652-4
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT

ESGS 1000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ESGS 1000 Series
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.11E.05, 1.36P.07, 1.43A.32	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Infortrend
ESGS 2000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GS_2000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.33F.02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	Infortrend
ESGS 3000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GS_3000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.11E.05, 1.36P.07, 1.43A.32	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Infortrend

ESGS 4000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GS_4000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.11i.12	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Infortrend
ESGS 5000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ESGS 5000 Series
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.33F.02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	IFT
ESGSa 2000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ESGSa 2000 Series
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.36S.06	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	Infortrend

ESGSa 3000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ESGSa 3000 Series
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.36S.06	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	Infortrend
ESGSc 3000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GSc_3000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.38.A41	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	Infortrend
ESGSc 5000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GSc_5000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.38.B20	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	Infortrend

ESGSe 3000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GSe_3000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.11A.12	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	Infortrend
ESGSe Pro 100 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GSePro_100
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.38i.09	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	Infortrend
ESVA F10-2830	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ESVA_F10-2830
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT

ESVA F20	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ESVA-F20-1830
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESVA F40	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ESVA-F40-1420
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESVA F60	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ESVA-F60-1830
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESVA F60-2830	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ESVA_F60-2830
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT

ESVA F70-2830	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ESVA_F70-2830
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
ESVA F75-2830	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ESVA F75-2830
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.9x	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT
GSa 3000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GSa 3000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.36S.06	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	Infortrend

Inspur

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AS1000G6 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 07.84, 07.86	VMW_SATP_ALUA bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	VMW_PSP_MRU 8G FC Switch	AS1000G6 inspur
AS18000 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V10	fjt-satp-eternus v1.1.0 lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, bfa ver. 3.2.3.0	VMW_PSP_MRU FC Direct Attach	AS18000 inspur
AS18000G5 ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP MCS3.1.6.8	VMW_SATP_ALUA qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_MRU 8G FC Switch	MCS Inspur

AS2150G2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DCS
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	MCS3.1.6.8, MCS3.1.6.8	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	Inspur
AS2200G2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MCS
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	MCS3.2.0.7	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	Inspur
AS2600G2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MCS
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	MCS3.2.0.7	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	Inspur

AS2600G2-F	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	AS2600G2-F
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.5.1.10	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	Inspur
AS500H	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	AS500H
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	8G FC Switch	inspur
AS520E-M1	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	AS520E-M1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	qla4xxx ver. 5.01.03.2-3vmw, qlnativefc ver. 1.0.12.0-1vmw, qla4xxx ver. 5.01.03.2-6vmw, qla4xxx ver. 5.01.03.2-7vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Inspur

AS5300	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	AS5300
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.51.i03	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Inspur
AS5300G2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MCS
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	MCS 3.1.6.8	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	Inspur
AS5300G2-F	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DCS
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.5.1.10	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	Inspur
AS5300G5	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DCS
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0	lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	FC Switch	Inspur

AS5500	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	AS5500
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.51.i03	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Inspur
AS5500G2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MCS
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	MCS.3.1.6.8, MCS3.1.6.1, MCS3.1.6.8	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	Inspur
AS5500G2-F	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DCS
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.5.1.10	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	nspur

AS5500G5	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DCS
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0	lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	FC Switch	Inspur
AS5600	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	AS5600
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	lpfc820 ver. 8.2.2.1-18vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.29.0-1, lpfc ver. 10.2.340.18, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	Inspur
AS5600G2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MCS
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.4.1.19	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	Inspur

AS5600G2-F	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	AS5600G2-F
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.5.1.10	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	Inspur
AS5600G5	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DCS
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0	lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	FC Switch	Inspur
AS5800G2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	AS5800G2
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.4.1.19	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	Inspur
AS5800G2-F	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	AS5800G2-F
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.5.1.10	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	Inspur

AS5800G5	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DCS
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0	lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	FC Switch	Inspur
AS600G3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	AS600G3
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	8G FC Switch	inspur
AS8000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	AS8000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 11.0, 9.0	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC Switch	inspur

AS8000-M2	NMP	VMW_SATP_ALUA	VMW_PSP_RR	AS8000-M2
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁴	6.4, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.2, 8.3	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, lpfc ver. 10.7.170.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Direct Attach	Inspur
HF5000G5	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DCS
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0	lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	FC Switch	Inspur
HF5500	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	HF5500
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.5.1.10	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	Inspur

HF5500G2

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

MCS.3.1.6.8,
MCS3.1.6.8

VMW_SATP_ALUA

qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw

VMW_PSP_MRU

8G FC Switch

DCS

Inspur

HF6000G5

ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

5.0

VMW_SATP_ALUA

lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw

VMW_PSP_MRU

FC Switch

DCS

Inspur

Kaminario

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
K2N ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 8	VMW_SATP_DEFAULT_AA qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_RR 8G FC Switch	K2N KMNRIO
v5 ESXi 5.5 U2 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 5.1	VMW_SATP_DEFAULT_AA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_RR 8G FC Switch	K2 KAM
v5.2 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP v5.2	VMW_SATP_DEFAULT_AA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_RR 8G FC Switch	K2 KMNRIO
v5.5 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 5.5	VMW_SATP_DEFAULT_AA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_RR 8G FC Switch	K2 KMNRIO

v5.8	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	K2
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.8	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	KMNRIO
v6.0	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	K2
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw	8G FC Switch	Kaminario

Lenovo

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
DE2000H ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 11.50	VMW_SATP_ALUA qlnativefc ver. 2.1.63.0-1, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.329.0	VMW_PSP_RR 16G FC Switch	DE_Series LENOVO
DE4000F ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 11.50	VMW_SATP_ALUA qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.329.0	VMW_PSP_RR 16G FC Switch	DE_Series LENOVO
DE4000H ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 11.50	VMW_SATP_ALUA qlnativefc ver. 2.1.63.0-1, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.329.0	VMW_PSP_RR 16G FC Switch	DE_Series LENOVO
DE6000F ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 11.50	VMW_SATP_ALUA qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.329.0	VMW_PSP_RR 16G FC Switch	DE_Series LENOVO
DE6000H ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 11.50	VMW_SATP_ALUA qlnativefc ver. 2.1.65.0-1	VMW_PSP_RR 16G FC Switch	DE_Series LENOVO

DM3000H	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NetApp
DM5000F	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NetApp
DM5000H	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NetApp
DM7000F	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NetApp

DM7000H	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, brcmnvmefc ver. 12.4.293.0-2vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NetApp
DM7100F	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.7	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	32G FC Switch	NETAPP
DM7100H	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.7	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	32G FC Switch	NETAPP
DS2200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	DS2200
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	G250, G265, G280	qlnativefc ver. 1.1.7.0-1, qlnativefc ver. 1.1.14.0, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.81.0-1	8G FC Switch	Lenovo

DS4200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	DS4200
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	G250, G265, G280	qlnativefc ver. 1.1.7.0-1, qlnativefc ver. 1.1.14.0, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.81.0-1	8G FC Switch	Lenovo
DS6200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	DS6200
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	G250, G265, G280	qlnativefc ver. 1.1.7.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.30.0-11, lpfc ver. 12.4.270.6	FC Switch	Lenovo
IBM Storwize V3500 (MT: 6096)	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁴	7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.2, 8.3	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, lpfc ver. 10.7.170.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IBM

IBM Storwize V3700 (MT: 6099)	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁴	7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.2, 8.3	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, lpfc ver. 10.7.170.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IBM
IBM Storwize V5000 (Model 6194)	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁴	7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.2, 8.3	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, lpfc ver. 10.7.170.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IBM

IBM Storwize V7000 (Model 6195)	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁴	7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.2, 8.3	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, lpfc ver. 10.7.170.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IBM
Lenovo Storage V3700 V2	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁴	7.6, 7.7, 7.8, 8.1, 8.2, 8.3	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.7.170.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Direct Attach	IBM

Lenovo Storage V3700 V2 XP	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁴	7.6, 7.7, 7.8, 8.1, 8.2, 8.3	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.7.170.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Direct Attach	IBM
Lenovo Storage V5030	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁴	7.6, 7.7, 7.8, 8.1, 8.2, 8.3	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.7.170.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Direct Attach	IBM

Lenovo-HDS AMS2100	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08C3/E and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A
Lenovo-HDS AMS2300	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08C3/E and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A
S2200	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	S2200
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	G22x, GL210	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	Lenovo

S3200

NMP

VMW_SATP_ALUA

VMW_PSP_FIXED

S3200

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

G22x, GL210

qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw

8G FC Switch

Lenovo

MacroSAN Technologies Co., Ltd.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
MS2500 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 1.1.3	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 8G FC Switch	LU MacroSAN
MS2500G2 ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V1.2.18	VMW_SATP_ALUA qlnativefc ver. 2.1.30.0-11	VMW_PSP_MRU 16G FC Switch	LU MacroSAN
MS3000 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 1.1.3	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 8G FC Switch	LU MacroSAN
MS3000G2 ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V1.2.18	VMW_SATP_ALUA qlnativefc ver. 2.1.30.0-11	VMW_PSP_MRU 16G FC Switch	LU MacroSAN

MS5000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	LU
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1.3	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	MacroSAN
MS5500G2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	LU
ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.2.18	qlnativefc ver. 2.1.30.0-11	16G FC Switch	MacroSAN
MS7000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	LU
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1.3	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	MacroSAN
MS7000G2	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LU
ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.2.18	qlnativefc ver. 2.1.30.0-11	16G FC Switch	MacroSAN

NEC

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
iStorage A2700 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	VMW_SATP_DEFAULT_AA lpfc ver. 10.0.100.0-1vmw	VMW_PSP_FIXED 8G FC Switch	iStorage 1000 NEC
iStorage A3000/100 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	VMW_SATP_ALUA lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	VMW_PSP_MRU 16G FC Switch	DISK ARRAY NEC
iStorage A5000 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	VMW_SATP_ALUA lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	VMW_PSP_MRU 8G FC Switch	DISK ARRAY NEC

iStorage D3-30	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	iStorage 1000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw	8G FC Switch	NEC
iStorage D4-30	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	iStorage 1000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw	8G FC Switch	NEC
iStorage D8-30 (4G HD)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	iStorage 1000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw	FC Switch	NEC
iStorage D8-30 (8G HD)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	iStorage 1000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw	8G FC Switch	NEC

iStorage E1-10	Powerpath/VE 5.9	N/A		DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Flare 23	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	EMC
iStorage M100	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	NEC
iStorage M10e	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	NEC
iStorage M110	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NEC

iStorage M11e	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NEC
iStorage M120	NMP	NEC_SATP_SPS v 500.3.0-030000.0508	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.1.247.0, lpfc ver. 11.2.247.0, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	NEC
iStorage M12e	NMP	NEC_SATP_SPS v 500.3.0-030000.0508	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.1.247.0, lpfc ver. 11.2.247.0, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	NEC
iStorage M300	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	NEC

iStorage M310	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NEC
iStorage M310F	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NEC
iStorage M320	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.1.247.0, lpfc ver. 11.2.247.0, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Direct Attach	NEC
iStorage M320F	NMP	NEC_SATP_SPS v 500.3.0-030000.0508	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.1.247.0, lpfc ver. 11.2.247.0, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	NEC

iStorage M500	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NEC
iStorage M5000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NEC
iStorage M510	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.2.247.0, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NEC

iStorage M510 (32G FC)	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1 ² , ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.2.247.0, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	NEC
iStorage M700	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NEC
iStorage M700 (16G FC)	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NEC

iStorage M710	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.2.247.0, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NEC
iStorage M710 (32G FC)	NMP	NEC_SATP_SPS v600.2.1-020100.0451	VMW_PSP_FIXED	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1 ² , ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.2.247.0, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	NEC
iStorage M710F	NMP	NEC_SATP_SPS v600.2.1-020100.0451	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.2.247.0, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NEC

iStorage M710F (32G FC)	NMP	NEC_SATP_SPS v600.2.1-020100.0451	VMW_PSP_FIXED	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1 ² , ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.2.247.0, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	NEC
Symmetrix DMX-4	NMP	VMW_SATP_SYMM	VMW_PSP_RR	Symm
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	5773	qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC Switch	EMC
Symmetrix V-Max	NMP	VMW_SATP_SYMM	VMW_PSP_RR	Symmetrix
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁰ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5875.300.232, 5876.229.145, 5876.251.161, 5876.268.174, 5876.272.177, 5876.288.195, 5876.309.xxx	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 10.4.245.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	EMC

NetApp

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
4900 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	NMP 07.84	VMW_SATP_ALUA lpfc ver. 10.0.100.0-1vmw	VMW_PSP_MRU 8G FC Switch	INF-01-00 LSI
7900 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	NMP 07.84	VMW_SATP_ALUA lpfc ver. 10.0.100.0-1vmw	VMW_PSP_MRU 8G FC Switch	INF-01-00 LSI
AFF A320 ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP ONTAP 9.6, ONTAP 9.7	VMW_SATP_ALUA lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	VMW_PSP_RR 32G FC Switch	LUN C-Mode NETAPP
AFF A400 ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP ONTAP 9.7	VMW_SATP_ALUA lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	VMW_PSP_RR 32G FC Switch	LUN C-Mode NETAPP
AFF C190 ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP ONTAP 9.6, ONTAP 9.7	VMW_SATP_ALUA lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	VMW_PSP_RR 32G FC Switch	LUN C-Mode NETAPP

AFF8020

	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1,kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{8,kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, Ontap 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, brcmnvmevc ver. 12.4.293.0-2vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NETAPP

AFF8040

	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{8,kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, Ontap 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, brcmnvmevc ver. 12.4.293.0-2vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NETAPP

AFF8060	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{8, kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, Ontap 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, brcmnvmevc ver. 12.4.293.0-2vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NETAPP
AFF8080	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{8, kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, Ontap 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, brcmnvmevc ver. 12.4.293.0-2vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NetApp

AFFA200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.11, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NetApp
AFFA220	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NetApp

AFFA300

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7

VMW_SATP_ALUA

qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw

VMW_PSP_RR

8G FC Switch

LUN

NetApp

AFFA700

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7

VMW_SATP_ALUA

qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.11, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw

VMW_PSP_RR

8G FC Switch

LUN

NetApp

AFFA700s	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.11, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NetApp
AFFA800	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NetApp
ASA AFF A220	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.7	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	32G FC Switch	NETAPP

ASA AFF A700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.7	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	32G FC Switch	NETAPP
E2600	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3	07.84, 07.86, 08.10, 08.20	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.575.10, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw	8G FC Switch	LSI
E2700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08.10, 08.20, 08.25, 08.30, 08.40	qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.662.204, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	NETAPP

E2800	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08.30, 11.40, 11.50	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.63.0-1, qlnativefc ver. 2.1.65.0-1, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	NETAPP
E5400	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3	07.84, 07.86, 08.10, 08.20	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.575.10, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw	8G FC Switch	LSI
E5500	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	08.10, 08.20, 08.25	qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0	16G FC Switch	NETAPP

E5600	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08.20, 08.25, 08.30, 08.40	qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	NETAPP
E5700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.40, 11.50	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.63.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0	16G FC Switch	NetApp
EF280	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.40, 11.50	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.63.0-1, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0	16G FC Switch	NETAPP

EF540	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3	07.84, 07.86, 08.10, 08.20	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.575.10, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw	8G FC Switch	LSI
EF550	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	08.10, 08.20, 08.25	qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	16G FC Switch	NETAPP
EF560	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08.20, 08.25, 08.30, 08.40	qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	NETAPP

EF570	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.40, 11.50	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.63.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	NetApp
FAS 8300	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.7	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	32G FC Switch	NETAPP
FAS 8700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.7	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	32G FC Switch	NETAPP

FAS2240-2

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-
Mode, Data ONTAP
8.2.3 7-Mode, Data
ONTAP 8.2.4 7-
Mode, ONTAP 9.0,
ONTAP 9.1, ONTAP
9.2, ONTAP 9.3

VMW_SATP_ALUA

qlnativefc ver. 1.0.12.0-1vmw, qlnativefc
ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw,
qlnativefc ver. 2.0.12.0-5vmw, lpfc ver.
10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1,
qlnativefc ver. 2.1.30.0-1, qlnativefc
ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw,
qlnativefc ver. 2.1.50.0-1vmw, lpfc ver.
11.4.142.11, qlnativefc ver. 3.0.1.0-5vmw,
lpfc ver. 11.4.33.1-6vmw, qlnativefc ver.
2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw

VMW_PSP_RR

8G FC Switch

LUN

NETAPP

FAS2240-4

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-
Mode, Data ONTAP
8.2.3 7-Mode, Data
ONTAP 8.2.4 7-
Mode, ONTAP 9.0,
ONTAP 9.1, ONTAP
9.2, ONTAP 9.3

VMW_SATP_ALUA

qlnativefc ver. 1.0.12.0-1vmw, qlnativefc
ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw,
qlnativefc ver. 2.0.12.0-5vmw, lpfc ver.
10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1,
qlnativefc ver. 2.1.30.0-1, qlnativefc
ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw,
qlnativefc ver. 2.1.50.0-1vmw, lpfc ver.
11.4.142.11, qlnativefc ver. 3.0.1.0-5vmw,
lpfc ver. 11.4.33.1-6vmw, qlnativefc ver.
2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw

VMW_PSP_RR

8G FC Switch

LUN

NETAPP

FAS2520	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁶ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.11, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NetApp
FAS2552	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.11, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NetApp

FAS2554	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.11, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NetApp
FAS2620	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.11, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NetApp

FAS2650	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.11, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NetApp
FAS2720	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NetApp
FAS2750	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NetApp

FAS3040	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5, kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{3, kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.3.1, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-mode, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC Switch	NETAPP
FAS3070	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5, kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{3, kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.3.1, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC Switch	NETAPP

FAS3100 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5, kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{3, kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	NETAPP

FAS3140

ESXi 5.5 (EOL Date: 2020-09-19)⁵, ESXi 5.5 U1 (EOL Date: 2020-09-19)³, ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Data ONTAP 8.0.5,
Data ONTAP 8.1.4 7-
Mode, Data ONTAP
8.1.4 Cluster-Mode,
Data ONTAP 8.2 P4
7-Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
ONTAP 8.2.2 7-Mode,
ONTAP 9.0, ONTAP
9.1

VMW_SATP_ALUA

lpfc820 ver. 8.2.2.1-18vmw, qla2xxx
ver. 901.k1.1-14vmw, qlnativefc
ver. 1.0.12.0-1vmw, qlnativefc ver.
1.1.14.0, lpfc ver. 10.0.100.1-1vmw,
qlnativefc ver. 2.0.12.0-5vmw, lpfc ver.
10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1,
lpfc ver. 11.1.0.6-1vmw, qlnativefc ver.
2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw,
lpfc ver. 11.4.33.1-6vmw, qlnativefc ver.
2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw

VMW_PSP_RR

8G FC Switch

LUN

NetApp

FAS3160	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	NetApp
FAS3170	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	NetApp

FAS3200 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5,kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{8,kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.6	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, brcmnvmevc ver. 12.4.293.0-2vmw	8G FC Switch	NETAPP

FAS3210	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5,kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{8,kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.6	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, brcmnvmefc ver. 12.4.293.0-2vmw	8G FC Switch	NetApp

FAS3220	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5,kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{8,kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.6	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, brcmnvmefc ver. 12.4.293.0-2vmw	8G FC Switch	NETAPP

FAS3240	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5,kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{8,kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.6	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, brcmnvmefc ver. 12.4.293.0-2vmw	8G FC Switch	NetApp

FAS3250	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5,kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{8,kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.6	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, brcmnvmefc ver. 12.4.293.0-2vmw	8G FC Switch	NETAPP

FAS3270	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5,kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{8,kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.6	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, brcmnvmefc ver. 12.4.293.0-2vmw	8G FC Switch	NETAPP

FAS6000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5, kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{3, kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	NETAPP
FAS6030	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Data ONTAP 8.0.5, Data ONTAP 8.2.2 7-Mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	NetApp

FAS6040	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	FC Metro Cluster Storage	NetApp
FAS6070	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Data ONTAP 8.0.5, Data ONTAP 8.2.2 7-Mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	NetApp

FAS6080	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	NetApp

FAS6200 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5, kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{8, kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.6	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, brcmnvmevc ver. 12.4.293.0-2vmw	8G FC Switch	NETAPP

FAS6210

ESXi 5.5 (EOL Date: 2020-09-19)⁵, ESXi 5.5 U1 (EOL Date: 2020-09-19)³, ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.0.5, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
ONTAP 8.2.2 7-Mode,
ONTAP 9.0, ONTAP
9.1

VMW_SATP_DEFAULT_AA

lpfc820 ver. 8.2.2.1-18vmw, qla2xxx
ver. 901.k1.1-14vmw, qlnativefc ver.
1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0,
lpfc ver. 10.0.100.1-1vmw, qlnativefc ver.
2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw,
qlnativefc ver. 2.1.10.1-1, qlnativefc ver.
2.1.30.0-1, qlnativefc ver. 1.1.73.0-1,
lpfc ver. 11.1.0.6-1vmw, qlnativefc ver.
2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw,
lpfc ver. 11.4.33.1-6vmw, qlnativefc ver.
2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw

VMW_PSP_RR

FC Metro Cluster
Storage

LUN

NetApp

FAS6220	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5,kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{8,kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.6	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, brcmnvmefc ver. 12.4.293.0-2vmw	8G FC Switch	NETAPP

FAS6240

ESXi 5.5 (EOL Date: 2020-09-19)⁵, ESXi 5.5 U1 (EOL Date: 2020-09-19)³, ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.0.5, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
ONTAP 8.2.2 7-Mode,
ONTAP 9.0, ONTAP
9.1

VMW_SATP_DEFAULT_AA

lpfc820 ver. 8.2.2.1-18vmw, qla2xxx
ver. 901.k1.1-14vmw, qlnativefc ver.
1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0,
lpfc ver. 10.0.100.1-1vmw, qlnativefc ver.
2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw,
qlnativefc ver. 2.1.10.1-1, qlnativefc ver.
2.1.30.0-1, qlnativefc ver. 1.1.73.0-1,
lpfc ver. 11.1.0.6-1vmw, qlnativefc ver.
2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw,
lpfc ver. 11.4.33.1-6vmw, qlnativefc ver.
2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw

VMW_PSP_RR

FC Metro Cluster
Storage

LUN

NetApp

FAS6250	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5, kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{8, kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.6	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, brcmnvmefc ver. 12.4.293.0-2vmw	8G FC Switch	NETAPP

FAS6280

ESXi 5.5 (EOL Date: 2020-09-19)⁵, ESXi 5.5 U1 (EOL Date: 2020-09-19)³, ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.0.5, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
ONTAP 8.2.2 7-Mode,
ONTAP 9.0, ONTAP
9.1

VMW_SATP_ALUA

lpfc820 ver. 8.2.2.1-18vmw, qla2xxx
ver. 901.k1.1-14vmw, qlnativefc ver.
1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0,
lpfc ver. 10.0.100.1-1vmw, qlnativefc ver.
2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw,
qlnativefc ver. 2.1.10.1-1, qlnativefc ver.
2.1.30.0-1, qlnativefc ver. 1.1.73.0-1,
lpfc ver. 11.1.0.6-1vmw, qlnativefc ver.
2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw,
lpfc ver. 11.4.33.1-6vmw, qlnativefc ver.
2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw

VMW_PSP_RR

8G FC Switch

LUN

NetApp

FAS6290	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5, kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{8, kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.6	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, brcmnvmefc ver. 12.4.293.0-2vmw	8G FC Switch	NETAPP

FAS8020	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5,kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{8,kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, Ontap 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, brcmnvmevc ver. 12.4.293.0-2vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NETAPP

FAS8040	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5,kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{8,kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, brcmnvme fc ver. 12.4.293.0-2vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NETAPP

FAS8060	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5,kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{8,kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, Ontap 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, brcmnvmevc ver. 12.4.293.0-2vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NETAPP

FAS8080	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{5,kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{8,kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, Ontap 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, brcmnvmefc ver. 12.4.293.0-2vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NetApp

FAS8200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode, ONTAP 9.1, Ontap 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, brcmnvme fc ver. 12.4.293.0-2vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NetApp
FAS9000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode, ONTAP 9.1, Ontap 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, brcmnvme fc ver. 12.4.293.0-2vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NetApp

FC0025	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	SSD SAN
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10, 11, 12, 7, 8, 9	fnic ver. 1.5.0.4-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.727.44, fnic ver. 1.5.0.45-3vmw, qlnativefc ver. 1.1.39.0-1, lpfc ver. 10.4.245.0, fnic ver. 1.6.0.25	16G FC Switch	solidfir
FCN001	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	SSD SAN
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10, 11, 12, 9	fnic ver. 1.5.0.45-3vmw	16G FC Switch	solidfir
FlashRay	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN FlashRay
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	qlnativefc ver. 1.1.14.0	8G FC Switch	NETAPP
NR1000F9000	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode, ONTAP 9.5, ONTAP 9.6	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.30.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	NetApp

Nexenta Systems

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
NexentaStor	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	Comstar
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	4.0, 5.0	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	Nexenta

Nexsan Technologies

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
E-Series 18P	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NestOS
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1304, S011	qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	Nexsan
E18	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NXS-B01-000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Q011	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC Switch	NEXSAN
E48	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NXS-B01-000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Q011	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC Switch	NEXSAN

E60	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NXS-B01-000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Q011	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC Switch	NEXSAN
Nexsan E-Series 48P	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NXS-B01-000
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1304, S011	qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Nexsan
Nexsan E-Series 60P	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NXS-B01-000
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1304, S011	qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Nexsan
Nexsan NST2000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NestOS
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.3	qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Nexsan
Nexsan NST4000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NestOS
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.3	qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Nexsan

Nexsan NST5000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NestOS
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.3	qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Nexsan
Nexsan NST6000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NestOS
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.3	qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Nexsan
Nexsan UNITY2000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NestOS
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1	qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Nexsan
Nexsan UNITY4000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NestOS
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1	qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Nexsan
Nexsan UNITY6000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NestOS
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1	qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Nexsan

Nihon Unisys

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
SANARENA 1910 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 08C3/E and above	VMW_SATP_DEFAULT_AA lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_FIXED 8G FC Switch	N/A N/A
SANARENA 1930 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 08C3/E and above	VMW_SATP_DEFAULT_AA lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_FIXED 8G FC Switch	N/A N/A
SANARENA 1970 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 08C3/E and above	VMW_SATP_DEFAULT_AA lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_FIXED 8G FC Switch	N/A N/A

SANARENA 1990	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	08C3/E and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	N/A
SANARENA 6200	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	60-08, 60-08-XX and above, 73-03-01	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	N/A
SANARENA 6800	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	60-08, 60-08-XX and above, 73-03-01	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	N/A

SANARENA 7800	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	60-08, 60-08-XX and above, 70-05-xx and above, 70-06, 73-01-xx and above, 73-02 and above, 73-03, 73-03-01	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	HW FCoE Switch	N/A
SANARENA MV110	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	0930/A-H, 0930/A-H and above, 0930/A-H or above, 0977/E and above, 0983/A	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	N/A
SANARENA MV130	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	0930/A-H, 0930/A-H and above, 0930/A-H or above, 0977/E and above, 0983/A	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	N/A

SANARENA MV150	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	0930/A-H, 0930/A-H and above, 0930/A-H or above, 0977/E and above, 0983/A	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	N/A
SANARENA MV190	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	70-05-xx and above, 70-06, 73-01-xx and above, 73-02 and above, 73-03, 73-03-01	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	N/A

Nimble Storage, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AF1000	NMP	VMW_SATP_ALUA	nimble-psp v3.1.0-600010	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ²⁴	3, 4, 5.0, 5.1, 5.2	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 12.0.257.5, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	Nimble
AF20	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ²⁴	5.0, 5.1, 5.2	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 12.0.257.5, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	Nimble
AF3000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²⁵ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ²⁴	3, 4, 5.0, 5.1, 5.2	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 12.0.257.5, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	Nimble

AF40	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ²⁴	5.0, 5.1, 5.2	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 12.0.257.5, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	Nimble
AF5000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²⁵ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ²⁴	3, 4, 5.0, 5.1, 5.2	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 12.0.257.5, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	Nimble
AF60	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ²⁴	5.0, 5.1, 5.2	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 12.0.257.5, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	Nimble

AF7000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²⁵ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ²⁴	3, 4, 5.0, 5.1, 5.2	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 12.0.257.5, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	Nimble
AF80	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ²⁴	5.0, 5.1, 5.2	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 12.0.257.5, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	Nimble
AF9000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²⁵ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ²⁴	3, 4, 5.0, 5.1, 5.2	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 12.0.257.5, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	Nimble

CS1000	NMP	VMW_SATP_ALUA	nimble-psp v3.1.0-600010	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ²⁴	3, 4, 5.0, 5.1, 5.2	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 12.0.257.5, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	Nimble
CS235	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.3, 3, 4, 5.0, 5.1, 5.2	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 12.0.257.5, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	Nimble
CS300	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²⁵ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.2, 2.3, 3, 4, 5.0, 5.1, 5.2	fnic ver. 1.5.0.4-1vmw, lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, fnic ver. 1.5.0.45-3vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 12.0.257.5, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw	FC Switch	Nimble

CS3000	NMP	VMW_SATP_ALUA	nimble-psp v3.3.0-500013	Server
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²⁵ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ²⁴	3, 4, 5.0, 5.1, 5.2	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 12.0.257.5, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	Nimble
CS500	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²⁵ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.2, 2.3, 3, 4, 5.0, 5.1, 5.2	fnic ver. 1.5.0.4-1vmw, lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, fnic ver. 1.5.0.45-3vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 12.0.257.5, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw	FC Switch	Nimble
CS5000	NMP	VMW_SATP_ALUA	nimble-psp 3.1.0-600010(VVOL compatible)	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ²⁴	3, 4, 5.0, 5.1, 5.2	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 12.0.257.5, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	Nimble

CS700	NMP	VMW_SATP_ALUA	nimble-psp v2.2.1-500007	Server
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²⁵ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.2, 2.3, 3, 4, 5.0, 5.1, 5.2	fnic ver. 1.5.0.4-1vmw, lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, fnic ver. 1.5.0.45-3vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 12.0.257.5, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw	FC Switch	Nimble
CS7000	NMP	VMW_SATP_ALUA	nimble-psp v3.3.0-600013	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ²⁴	3, 4, 5.0, 5.1, 5.2	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 12.0.257.5, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	Nimble
HF20	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ²⁴	5.0, 5.1, 5.2	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 12.0.257.5, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	Nimble

HF40	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ²⁴	5.0, 5.1, 5.2	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 12.0.257.5, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	Nimble
HF60	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ²⁴	5.0, 5.1, 5.2	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 12.0.257.5, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.0-5vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	Nimble

Oracle

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
FS1-2 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 06.01, 6.2, 6.2.2	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_RR FC Switch	Oracle Flash Storag Oracle
Pillar Axiom 300 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 05.04, 05.04.10	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 16G FC Switch	Axiom 300 Pillar
Pillar Axiom 500 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 05.04, 05.04.10	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 16G FC Switch	Axiom 500 Pillar

Pillar Axiom 600

NMP

VMW_SATP_ALUA

VMW_PSP_MRU

Axiom 600

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

05.04, 05.04.10

qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw

16G FC Switch

Pillar

Oracle America, Inc (formerly Sun Microsystems, Inc)

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
7120 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2013.1, OS 8.8	VMW_SATP_ALUA qlnativefc ver. 1.1.7.0-1, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.1.30.0-11	VMW_PSP_MRU 8G FC Switch	ZFS Storage 7120 SUN
7320 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2013.1, OS 8.8	VMW_SATP_ALUA qlnativefc ver. 1.1.7.0-1, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.1.30.0-11	VMW_PSP_MRU 8G FC Switch	ZFS Storage 7320 SUN
7420 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2013.1, OS 8.8	VMW_SATP_ALUA qlnativefc ver. 1.1.7.0-1, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.1.30.0-11	VMW_PSP_MRU 8G FC Switch	ZFS Storage 7420 SUN

Oracle ZFS Storage ZS3-2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ZFS Storage 7330
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	qlnativefc ver. 1.1.7.0-1, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.1.30.0-11	8G FC Switch	SUN
Oracle ZFS Storage ZS3-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ZFS Storage 7430
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	qlnativefc ver. 1.1.7.0-1, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.1.30.0-11	8G FC Switch	SUN
Oracle ZFS Storage ZS4-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ZFS Storage 7430
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	qlnativefc ver. 1.1.7.0-1, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.1.30.0-11	8G FC Switch	SUN
Oracle ZFS Storage ZS5-2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	7350
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	qlnativefc ver. 1.1.7.0-1, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.1.30.0-11	8G FC Switch	Sun ZFS Storage

Oracle ZFS Storage ZS5-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	7450
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	qlnativefc ver. 1.1.7.0-1, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.1.30.0-11	8G FC Switch	Sun ZFS Storage
Oracle ZFS Storage ZS7-2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	OS 8.8	qlnativefc ver. 2.1.30.0-11	8G FC Switch	N/A
StorageTek 9985V	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	HITACHI
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	60-08, 60-08-XX and above, 73-03-01	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	OPEN

StorageTek 9990V	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	60-08, 60-08-XX and above, 73-03-01	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	N/A
Sun Storage 2540-M2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	LCSM100_F
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	8G FC Switch	SUN
Sun Storage 6180	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	SUN_6180
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	8G FC Switch	SUN

Sun StorageTek 2540	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	LCSM100_F
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	8G FC Switch	SUN
Sun StorageTek 6580	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	STK6580_6780
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	8G FC Switch	SUN
Sun StorageTek 6780	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	STK6580_6780
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	8G FC Switch	SUN
Sun ZFS Storage 7120	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ZFS Storage 7120
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	qlnativefc ver. 1.1.7.0-1, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.1.30.0-11	8G FC Switch	SUN

Sun ZFS Storage 7320	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ZFS Storage 7320
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	qlnativefc ver. 1.1.7.0-1, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.1.30.0-11	8G FC Switch	SUN
Sun ZFS Storage 7420	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	qlnativefc ver. 1.1.7.0-1, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.1.30.0-11	8G FC Switch	N/A
ZS3-2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ZFS Storage 7330
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	qlnativefc ver. 1.1.7.0-1, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.1.30.0-11	8G FC Switch	SUN
ZS3-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ZFS Storage 7430
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	qlnativefc ver. 1.1.7.0-1, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.1.30.0-11	8G FC Switch	SUN

ZS4-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ZFS Storage 7430
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	qlnativefc ver. 1.1.7.0-1, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.1.30.0-11	8G FC Switch	SUN
ZS5-2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	7350
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	qlnativefc ver. 1.1.7.0-1, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.1.30.0-11	8G FC Switch	Sun ZFS Storage
ZS5-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	7450
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	qlnativefc ver. 1.1.7.0-1, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.1.30.0-11	8G FC Switch	Sun ZFS Storage

Overland Storage

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
SnapSAN S3000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	SNAPSAN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	OVERLAND
SnapSAN S5000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	SNAPSAN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	OVERLAND

Promise Technology, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Vess R2600 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 1.03	VMW_SATP_DEFAULT_AA qlnativefc ver. 1.1.20.0-1	VMW_PSP_RR 8G FC Switch	Vess R2600xxx Promise
Vess R3K Series ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 13.03.0000.07	VMW_SATP_ALUA qlnativefc ver. 2.1.30.0-11	VMW_PSP_RR 16G FC Switch	Vess R3K Series Promise Technology, Inc.
VTrak D5000 Series ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 13.02.0000.04, 13.03.0000.01	VMW_SATP_ALUA qlnativefc ver. 2.1.30.0-11	VMW_PSP_MRU 8G FC Switch	Promise Technology Promise Technology, Inc.
VTrak E5000 Series ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 11.01.0000.01, 11.01.0000.04	VMW_SATP_ALUA qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_FIXED 16G FC Switch	Promise Technology Promise Technology
VTrak E5300f ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 11.01.0000.04, 11.03.0000.00	VMW_SATP_DEFAULT_AA qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_FIXED 16G FC Switch	Promise Technology Promise Technology Inc.

VTrak E5320f	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	Promise Technology
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.01.0000.04, 11.03.0000.00	qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Promise Technology Inc.
VTrak E5600f	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	Promise Technology
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.01.0000.04, 11.04.0000.00	qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Promise Technology Inc.
VTrak E5800f	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	Promise Technology
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.01.0000.04, 11.04.0000.00, 11.05.0000.00	qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Promise Technology, Inc.
VTrak EFA5310f	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	Promise Technology
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.05.4921.00	qlnativefc ver. 2.1.30.0-11	16G FC Switch	Promise Technology Inc
VTrak Ex30	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	VTrak Ex30
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.13.2270.59, 10.15.2270.00, 10.16.2270.00, 10.17.2270.00	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC Switch	Promise Technology

VTrak Ex30f	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	VTrak Ex30f
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.13.2270.59, 10.15.2270.00, 10.16.2270.00, 10.17.2270.00	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC Switch	Promise Technology

ProphetStor Data Services, Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
StellarFlash SF-2000 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 5.0	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_MRU 16G FC Switch	StellarFlash Prophet
StellarFlash SH-1000 ESXi 5.5 (EOL Date: 2020-09-19) ²⁶ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 5.0	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_MRU FC Switch	StellarFlash Prophet

Pure Storage, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
FA-300 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 330	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_RR 8G FC Switch	FlashArray PURE
FA-400 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 330	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_RR 8G FC Switch	FLASHARRAY PURE
FA-400 Series ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 4.0.15, 4.0.7, 4.10.1, 4.5.0, 4.6.9, 4.7.0, 4.8.0, 4.9.0, 5.0.0, 5.1.0, 5.2.0, 5.3.0, 5.3.6	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.725.203, lpfc ver. 10.0.100.1-1vmw, bnx2fc ver. 1.78.76.v55.1, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_RR 8G FC Switch	Flash Array Pure

FlashArray//C	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Flash Array
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.3.0, 5.3.1	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	PURE
FlashArray//M	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Flash Array
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.10.1, 4.5.0, 4.6.9, 4.7.0, 4.8.0, 4.9.0, 5.0.0, 5.1.0, 5.2.0, 5.3.0, 5.3.6	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	Pure
FlashArray//X	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Flash Array
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.10.1, 5.0.0, 5.1.0, 5.2.0, 5.3.0, 5.3.6	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Pure

QNAP Systems, Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
TS-2088XU ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 4.4	VMW_SATP_ALUA qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 32G FC Switch	ISCSI Storage QNAP
TS-hx77XU series ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP h4.5	VMW_SATP_ALUA qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 32G FC Switch	Fibre Channel Storage QNAP
TS-hx83XU series ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP h4.5	VMW_SATP_ALUA qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 32G FC Switch	Fibre Channel Storage QNP
TS-x86XU ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 4.4	VMW_SATP_ALUA qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 32G FC Switch	Fibre Channel Storage QNAP
TVS-x72XU ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 4.4	VMW_SATP_ALUA qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 32G FC Switch	FC Storage QNAP

QSAN Technology, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
F600Q ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.2.0	VMW_SATP_ALUA qlnativefc ver. 1.1.14.0	VMW_PSP_RR 8G FC Switch	F600Q-D424 Qsan
F630Q ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.2.0	VMW_SATP_ALUA qlnativefc ver. 1.1.14.0	VMW_PSP_RR 16G FC Switch	F630Q-D424 Qsan
Q500 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 1.4.1	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_RR 16G FC Switch	Q500 Qsan

U300	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	U300
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.4.0	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	Qsan
V100-F20	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	V100-F20
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1.0	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	Qsan
V100-F30	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	V100-F30
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1.1	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Qsan
XCubeFAS XF2026	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	XF2026
ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0.1	qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	QSAN
XCubeSAN XS1200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XS1200
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1.2	qlnativefc ver. 2.1.30.0-11	16G FC Switch	QSAN

XCubeSAN XS3200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XS3200
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0.0	qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.41.0-1, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	QSAN
XCubeSAN XS5200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XS5200
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0.0	qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.41.0-1, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	QSAN

Quantum

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
QD6000 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 07.84, 07.86	VMW_SATP_ALUA bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	VMW_PSP_MRU 8G FC Switch	INF-01-00 LSI
QXS-3 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP GL220, GL225	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_FIXED HW FCoE Switch	QXS Quantum

QXS-4	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	QXS
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	GL220, GL225	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	HW FCoE Switch	Quantum
QXS-6	NMP	VMW_SATP_ALUA	VMW_PSP_RR	QXS
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	g22x	qlnativefc ver. 1.1.7.0-1	8G FC Switch	Quantum

Rorke Data, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
RGS300	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	RGS

SANBlaze Technology

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
VirtualLUN	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	SANBlaze VLUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	7.3	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	SANBlaze VLUN

Seagate

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
4825 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP G250, G265, G280	VMW_SATP_ALUA qlnativefc ver. 1.1.7.0-1, qlnativefc ver. 1.1.14.0, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.81.0-1	VMW_PSP_RR 8G FC Switch	4825 SEAGATE
4865 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP G265, G280	VMW_SATP_ALUA qlnativefc ver. 1.1.7.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.81.0-1	VMW_PSP_RR 8G FC Switch	4865 SEAGATE
5825 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP G250, G265, G280	VMW_SATP_ALUA qlnativefc ver. 1.1.7.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.30.0-11, lpfc ver. 12.4.270.6	VMW_PSP_RR 8G FC Switch	5825 SEAGATE

SGI

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
InfiniteStorage 4100 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 07.84, 07.86	VMW_SATP_ALUA bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	VMW_PSP_MRU 8G FC Switch	InfiniteStorage 4000 Silicon Graphics (SGI)
InfiniteStorage 4600 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 07.84, 07.86	VMW_SATP_ALUA bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	VMW_PSP_MRU 8G FC Switch	InfiniteStorage 4000 Silicon Graphics (SGI)
IS220-SP ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 07.84, 07.86	VMW_SATP_ALUA bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	VMW_PSP_MRU 8G FC Switch	INF-01-00 LSI
IS4100-SP ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 07.84, 07.86	VMW_SATP_ALUA bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	VMW_PSP_MRU 8G FC Switch	INF-01-00 LSI

IS4600-SP	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	07.84, 07.86	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	8G FC Switch	LSI
IS5000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	IS400
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	07.84, 07.86	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	8G FC Switch	SGI
IS5000-SP	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	07.84, 07.86	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	8G FC Switch	LSI
IS5500	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	IS500
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	07.84, 07.86	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	8G FC Switch	SGI

IS5500-SP	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	07.84, 07.86	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw	8G FC Switch	LSI

ShenZhen Sandstone Data Technology CO.,Ltd.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
USP	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	USP V2
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	USP V2.0	qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	StoneSAN

SolidFire

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
SolidFire FC0025	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	SSD SAN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10, 11, 12, 7, 8, 9	fnic ver. 1.5.0.4-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.727.44, fnic ver. 1.5.0.45-3vmw, qlnativefc ver. 1.1.39.0-1, lpfc ver. 10.4.245.0, fnic ver. 1.6.0.25	16G FC Switch	solidfir

starline Computer GmbH

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
RAIDdeluxe RDL-CD12F16D-R2 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V1.52-2015-11-20	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 16G FC Switch	ARC-8681 Areca
RAIDdeluxe RDL-CD12F16Q-R2 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V1.52-2015-11-20	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 16G FC Switch	ARC-8681 Areca
RAIDdeluxe RDL-CD16F16D-R3 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V1.52-2015-11-20	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 16G FC Switch	ARC-8681 ARECA

RAIDdeluxe RDL-CD16F16Q-R3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-8681
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	ARECA
RAIDdeluxe RDL-CD24F16D-R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-8681
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Areca
RAIDdeluxe RDL-CD24F16D-R4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-8681
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Areca
RAIDdeluxe RDL-CD24F16Q-R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-8681
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Areca

RAIDdeluxe RDL-CD24F16Q-R4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-8681
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Areca
RAIDdeluxe RDL-CS12F16D-R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-8681
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Areca
RAIDdeluxe RDL-CS12F16Q-R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-8681
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	Areca
RAIDdeluxe RDL-CS16F16D-R3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-8681
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	ARECA

RAIDdeluxe RDL-CS16F16Q-R3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-8681
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	ARECA
RAIDdeluxe RDL-CS24F16D-R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-8681
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	ARECA
RAIDdeluxe RDL-CS24F16D-R4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-8681
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	ARECA
RAIDdeluxe RDL-CS24F16Q-R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-8681
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	ARECA

RAIDdeluxe RDL-CS24F16Q-R4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-8681
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	ARECA
RDL-BD12F8D-R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	RDL-BD12F8D-R2
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.51 2013-08-14	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	starline Computer GmbH
RDL-BD16F8D-R3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	RDL-BD16F8D-R3
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.51 2013-08-14	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	starline Computer GmbH
RDL-BD24F8D-R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	RDL-BD24F8D-R2
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.51 2013-08-14	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	RAIDdeluxe

RDL-BD42F8D	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	RDL-BD42F8D
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.51 2013-08-14	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	RAIDdeluxe
RDL-BD64F8D	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	RDL-BD64F8D
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.51 2013-08-14	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	RAIDdeluxe
RDL-BS12F8D-R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	RDL-BS12F8D-R2
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.51 2013-08-14	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	starline Computer GmbH
RDL-BS16F8D-R3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ARC-8667
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.51 2013-08-14	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	ARECA

RDL-BS24F8D-R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	RDL-BS24F8D-R2
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.51 2013-08-14	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	RAIDdeluxe
RDL-BS42F8D	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	RDL-BS42F8D
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.51 2013-08-14	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	RAIDdeluxe
RDL-BS64F8D	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	RDL-BS64F8D
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.51 2013-08-14	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	RAIDdeluxe
TopRAID M100	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NEC

TopRAID M110	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NEC
TopRAID M120	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.1.247.0, lpfc ver. 11.2.247.0, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	32G FC Switch	NEC
TopRAID M300	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	NEC
TopRAID M310	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	16G FC Switch	NEC

TopRAID M320	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.1.247.0, lpfc ver. 11.2.247.0, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	32G FC Switch	NEC
TopRAID M320F	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.1.247.0, lpfc ver. 11.2.247.0, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	32G FC Switch	NEC

Storageflex Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
HA 3969 FC	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	S16F-R1430
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.1.x	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	IFT

StorOne

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
S1 ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.0	VMW_SATP_ALUA lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	VMW_PSP_RR 16G FC Switch	S1 StorONE

Sugon

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
DS600 G10 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 1.03	VMW_SATP_DEFAULT_AA qlnativefc ver. 1.1.20.0-1	VMW_PSP_RR 8G FC Switch	N/A N/A
DS600 G20 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 1.03	VMW_SATP_DEFAULT_AA qlnativefc ver. 1.1.20.0-1	VMW_PSP_RR 8G FC Switch	N/A N/A
DS800-G10 ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 07.84, 07.86, 08.10, 08.20	VMW_SATP_ALUA bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.575.10, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_MRU 8G FC Switch	INF-01-00 LSI

DS800-G20	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	07.84, 07.86, 08.10, 08.20	bfa ver. 3.2.1.0, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, bfa ver. 3.2.3.0, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.575.10, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	LSI
DS800-G25	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS800
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	1.1.3	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	Sugon

DS800-G35

ESXi 5.5 (EOL Date: 2020-09-19)^{kb2}, ESXi 5.5 U1 (EOL Date: 2020-09-19)^{kb2}, ESXi 5.5 U2 (EOL Date: 2020-09-19)^{kb2}, ESXi 5.5 U3 (EOL Date: 2020-09-19)^{kb2}, ESXi 6.0^{8, kb2}, ESXi 6.0 U1^{kb2}, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, Ontap 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7

VMW_SATP_ALUA

lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw

VMW_PSP_RR

8G FC Switch

DS800

Sugon

DS800-G35H

ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3

NMP

V1.2.18

VMW_SATP_ALUA

qlnativefc ver. 2.1.30.0-11

VMW_PSP_MRU

16G FC Switch

LU

Sugon

DS900-G10

ESXi 5.5 (EOL Date: 2020-09-19)^{kb2}, ESXi 5.5 U1 (EOL Date: 2020-09-19)^{kb2}, ESXi 5.5 U2 (EOL Date: 2020-09-19)^{kb2}, ESXi 5.5 U3 (EOL Date: 2020-09-19)^{kb2}, ESXi 6.0^{8, kb2}, ESXi 6.0 U1^{kb2}, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, Ontap 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7

VMW_SATP_ALUA

lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw

VMW_PSP_RR

8G FC Switch

DS900

Sugon

DS900-G20

ESXi 5.5 (EOL Date: 2020-09-19)^{kb2}, ESXi 5.5 U1 (EOL Date: 2020-09-19)^{kb2}, ESXi 5.5 U2 (EOL Date: 2020-09-19)^{kb2}, ESXi 5.5 U3 (EOL Date: 2020-09-19)^{kb2}, ESXi 6.0^{8, kb2}, ESXi 6.0 U1^{kb2}, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, Ontap 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7

VMW_SATP_ALUA

lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.6-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.73.0-1, qlnativefc ver. 2.1.46.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw

VMW_PSP_RR

8G FC Switch

DS900

Sugon

Tegile Systems Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
IntelliFlash HA series	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	ZEBI-FC
ESXi 5.5 (EOL Date: 2020-09-19) ²⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0, 2.1, 3.5	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC Switch	TEGILE
IntelliFlash N Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INTELLIFLASH
ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.9	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	TEGILE
IntelliFlash T series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	ZEBI-FC
ESXi 5.5 (EOL Date: 2020-09-19) ²⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.1, 3.0, 3.10, 3.5, 3.7	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	Tegile System Inc

Toshiba Corporation

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
FL6000 Series	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	SAN ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.6.0, 6.3.0	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	VIOLIN
NL3000	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	TS1_NL3000
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁶ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0, 1.1	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	TOSHIBA
NL3500	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	TS1_SC3500
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁶ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0	lpfc ver. 11.1.196.3, qlnativefc ver. 2.1.57.0-1, lpfc ver. 11.4.329.0	16G FC Switch	TOSHIBA

SC1700	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	TS1_SC1700
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁶ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1	qlnativefc ver. 1.0.12.0-1vmw, fnic ver. 1.5.0.45-3vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.6.144.49, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	TOSHIBA
SC1800	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	TS1_SC1800
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁶ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0	lpfc ver. 11.1.196.3, qlnativefc ver. 2.1.57.0-1, lpfc ver. 11.4.329.0	16G FC Switch	TOSHIBA
SC3000	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	TS1_SC3000
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁶ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1	qlnativefc ver. 1.0.12.0-1vmw, fnic ver. 1.5.0.45-3vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.6.144.49, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	8G FC Switch	TOSHIBA
SC3500	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	TS1_SC3500
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁶ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0	lpfc ver. 11.1.196.3, qlnativefc ver. 2.1.57.0-1, lpfc ver. 11.4.329.0	16G FC Switch	TOSHIBA

TC3000

NMP

VMW_SATP_DEFAULT_AA

VMW_PSP_FIXED

TS1_TC3000

ESXi 5.5 (EOL Date: 2020-09-19)¹⁶, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

1.0

qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw

8G FC Switch

TOSHIBA

Toshiba Solutions Corporation

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
SC3000	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	TS1_SC3000
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁶ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0, 1.1	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	TOSHIBA

Toyofeiji Electronics CO.,LTD

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
NCS7000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	NCS7000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	7.6.0.3	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	TOYOU

UNIFOSA Corp

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
EP-2123D1-F8S6 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V1.51 2013-08-14	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 8G FC Switch	EP-2123D1-F8S6 UNIFOSA
EP-2123S1-F8S6 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V1.51 2013-08-14	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 8G FC Switch	EP-2123S1-F8S6 UNIFOSA
EP-2243D1-F8S6 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V1.51 2013-08-14	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_MRU 8G FC Switch	EP-2243D1-F8S6 UNIFOSA

EP-2243S1-F8S6	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	EP-2243S1-F8S6
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.51 2013-08-14	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	UNIFOSA
EP-3163D1-F8S6	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	EP-3163D1-F8S6
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.51 2013-08-14	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	UNIFOSA
EP-3163S1-F8S6	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	EP-3163S1-F8S6
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.51 2013-08-14	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	UNIFOSA
EP-4643D1-F8S6	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	EP-2243D1-F8S6
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.51 2013-08-14	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	UNIFOSA

EP-4643D2-F8S6	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	EP-4643D2-F8S6
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.52-2015-11-20	qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	UNIFOSA Corp
EP-4643S1-F8S6	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	EP-2243D1-F8S6
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.51 2013-08-14	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	UNIFOSA

United Information Technology Co.,LTD.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
SV5000G3-F	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Direct Attach	UIT
SV5000G3-H	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	UIT
SV5000G3-L	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	010A	lpfc ver. 10.0.100.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Direct Attach	UIT

SV8000G3-F	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	010A	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.2.247.0, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	UIT
SV8000G3-H	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	010A	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.2.247.0, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	UIT
SV8000G3-L	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	010A	lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.2.247.0, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	UIT

Vexata Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
VX100	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	VX01
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	v2.0.2	lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	Vexata

Violin Memory, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
V3000 SAN Array	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	SAN ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.6.0, 6.3.0	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	VIOLIN
V6000 SAN Array	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	SAN ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.6.0, 6.3.0	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	VIOLIN
Violin Flash Storage Platform 7000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	CONCERTO ARRAY
ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	CONCERTO 7	qlnativefc ver. 1.1.20.0-1	16G FC Switch	VIOLIN

Western Digital Technologies, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
IntelliFlash HD Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INTELLIFLASH
ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.10, 3.7, 3.9	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	8G FC Switch	Tegile System Inc
IntelliFlash N Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	NTELLIFLASH
ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.10, 3.9	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	TEGILE
IntelliFlash T series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	NTELLIFLASH
ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.10, 3.9	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	16G FC Switch	TEGILE

SanDisk

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
ION Accelerator	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ION LUN
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.4, 2.5.4	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC Switch	FUSIONIO

WhipTail Technologies, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Accela	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	ACCELA
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v4.3.4	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	WTT

Winchester Systems, Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AF2U24R2 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 5.5x, 6.61H.08	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_MRU 16G FC Switch	AF2U24R2 WINSYS
FX2U12R1 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 5.1x, 6.61.H08	VMW_SATP_ALUA lpfc ver. 10.0.100.0-1vmw	VMW_PSP_MRU 16G FC Switch	FX2U12R1 WINSYS
FX2U24R1 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 5.1x, 6.61.H08	VMW_SATP_ALUA lpfc ver. 10.0.100.0-1vmw	VMW_PSP_MRU 16G FC Switch	FX2U24R1 WINSYS

FX2U24R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	FX2U24R2
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	5.1x, 6.61.H08	lpfc ver. 10.0.100.0-1vmw	16G FC Switch	WINSYS
FX3U16R1	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	FX3U16R1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	5.1x, 6.61.H08	lpfc ver. 10.0.100.0-1vmw	16G FC Switch	WINSYS
FX3U16R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	FX3U16R2
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	5.1x, 6.61.H08	lpfc ver. 10.0.100.0-1vmw	16G FC Switch	WINSYS
FX4U60R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	FX4U60R2
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	5.1x, 6.61.H08	lpfc ver. 10.0.100.0-1vmw	16G FC Switch	WINSYS

RA2U24R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	RA2U24R2
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	5.5x, 6.61H.08	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC Switch	WINSYS
RF2U12R1	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	RF2U12R1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	5.1x, 6.61.H08	lpfc ver. 10.0.100.0-1vmw	16G FC Switch	WINSYS
RF2U24R1	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	RF2U24R1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	5.1x, 6.61.H08	lpfc ver. 10.0.100.0-1vmw	16G FC Switch	WINSYS
RF2U24R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	RF2U24R2
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	5.1x, 6.61.H08	lpfc ver. 10.0.100.0-1vmw	16G FC Switch	WINSYS

RF3U16R1

NMP

VMW_SATP_ALUA

VMW_PSP_MRU

RF3U16R1

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3

lpfc ver. 10.0.100.0-1vmw

16G FC Switch

WINSYS

RF3U16R2

NMP

VMW_SATP_ALUA

VMW_PSP_MRU

RF3U16R2

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3

lpfc ver. 10.0.100.0-1vmw

16G FC Switch

WINSYS

Wortmann AG

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
TERRA SAN 3730 / 3720	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DH3000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	TS250, TS251, TS252	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bfa ver. 3.2.3.0, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.662.204, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Direct Attach	DotHill

Xiotech

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Emprise 5000	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	ISE-1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.8	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC Switch	XIOTECH
Emprise 7000	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	Virtual-ISE
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	092x	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC Switch	Xiotech
ISE-4400	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	ISE4400
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v4	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC Switch	XIOTECH

ISE2400	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	ISE2400
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.5.x	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	XIOTECH
ISE3401	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	ISE3401
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.1	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC Switch	XIO

XSKY

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
XEDP ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 4.0	VMW_SATP_DEFAULT_AA lpfc ver. 11.4.367.20	VMW_PSP_FIXED 16G FC Switch	R_XEBS XSKY
XSCALER ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 4.0	VMW_SATP_DEFAULT_AA lpfc ver. 11.4.367.20	VMW_PSP_RR 16G FC Switch	XSCALER XSKY

Zadara Storage

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
VP5A	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	302
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	16.05	N/A	8G FC Switch	zadara

Zeta Storage Systems Limited

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Zetavault	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	Zetavault
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.0	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	FC Switch	ZVAULT

ZTE Corporation

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
KS3200 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP V1.0	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.340.18, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.43, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_RR 8G FC Switch	ZXUSP ZTE
KU5200 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP V1.0	VMW_SATP_ALUA qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.340.18, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.1.183.43, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_RR 8G FC Switch	ZXUSP ZTE

Footnotes:

- 1 . Refer to KBs <http://kb.vmware.com/kb/2057513> & <http://kb.vmware.com/kb/2014849> for explanation and details on VAAI Thin Provisioning Space Reclamation support.
- 2 . For VMFS5 datastores, Space reclamation can be initiated using VMware command line tools. Refer to KBs <http://kb.vmware.com/kb/2057513> & <http://kb.vmware.com/kb/2014849> for explanation and details on VAAI Thin Provisioning Space Reclamation support.
- 3 . Veritas Dynamic Multi-Pathing for VMware is a multi-pathing component of the Veritas InfoScale Family and is supported directly by Veritas. Please contact Veritas for any plug-in specific issues (<https://www.veritas.com/support/>). Veritas InfoScale product information can be found at: <https://www.veritas.com/product/storage-management/infoscale-storage.html>
- 4 . Storage Array reported block transfer size is used for XCOPY (VAAI) command.
- 5 . Veritas Dynamic Multi-Pathing for VMware is a multi-pathing component of the Veritas InfoScale Family and is supported directly by Symantec. Please contact Symantec for any plug-in specific issues (<http://www.symantec.com/business/support/index?page=landing&key=59050>). Veritas InfoScale product information can be found at: <http://www.symantec.com/veritas-infoscale/>
- 6 . Storage firmware supporting this release is 7.4.10 or later.
- 7 . Gaps in lun sequence is not supported by the array.
- 8 . Veritas Dynamic Multi-Pathing for VMware is a multi-pathing component of the Veritas InfoScale Family and is supported directly by Veritas. Please contact Veritas for any plug-in specific issues (<https://www.veritas.com/support/>). Veritas InfoScale product information can be found at: <https://www.veritas.com/product/storage-management/infoscale-storage.html>
- 9 . Veritas Dynamic Multi-Pathing 6.2 for VMware is a multi path plug-in supported directly by Symantec. Please contact Symantec for any plug-in specific issues (<http://www.symantec.com/business/support/index?page=landing&key=59050>). Veritas Dynamic Multi-Pathing 6.2 for VMware product information can be found at: <http://www.symantec.com/dynamic-multi-pathing-for-vmware>.
- 10 . xxx represents these 2 version numbers 196 & 401.
- 11 . The SRA does not support Dynamic Access Restrictions for failover or testFailover
- 12 . Storage array TP implementation does not set Software thresholds
- 13 . Storage array TP implementation does not set Software threshold.
- 14 . Non disruptive update (NDU) of SP firmware in back end storage arrays has not been tested.
- 15 . XtremIO array doesn't support thick luns.
- 16 . VAAI Thin Provisioning Space Reclamation is not supported.
- 17 . Initiating live Storage vMotion in an ESXi 5.5 SAN cluster might experience failure if the VM contains a RDM device. The failure leads to automatic power-off and service disruption of the VM. Attempts to power on the affected VM could fail due to the file locking failure. Please contact VMware support for assistance to recover from such failures.
- 18 . Veritas Dynamic Multi-Pathing 6.2 for VMware is a multi path plug-in supported directly by Symantec. Please contact Symantec for any plug-in specific issues (<http://www.symantec.com/business/support/index?page=landing&key=59050>). Veritas Dynamic Multi-Pathing 6.2 for VMware product information can be found at: <http://www.symantec.com/dynamic-multi-pathing-for-vmware>
- 19 . Boot from SAN is not supported.
- 20 . ESXi does not support automatic storage space reclamation of deleted files/virtual disks.
- 21 . Array does not support Automatic Unmap in ESXi 6.5. Space reclamation can be initiated using VMware command line tools.
- 22 . Storage array A9000 does not support Automatic Unmap. Space reclamation can be initiated using VMware command line tools.
- 23 . Mutual CHAP is not supported by the array
- 24 . Array firmware doesn't support XCOPY VAAI primitive.
- 25 . Array doesn't support thick luns.
- 26 . Thin Provisioning Stun primitive is not supported on the array.
- 27 . Requires custom claim rule see KB <http://kb.vmware.com/kb/2109405>

VMware Knowledge Base:

- 1 . For more details see, KB: 2144158 <http://kb.vmware.com/kb/2144158>
- 2 . For more details see, KB: 2031038 <http://kb.vmware.com/kb/2031038>
- 3 . For more details see, KB: 2115494 <http://kb.vmware.com/kb/2115494>
- 4 . For more details see, KB: 2055904 <http://kb.vmware.com/kb/2055904>

Fiber Channel over Ethernet (FCoE)

Compellent Technologies

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Storage Center	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Vol
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.6, 6.7, 7.0, 7.1	qlnativefc ver. 1.1.41.0-1, qlnativefc ver. 1.1.55.0-1, qlnativefc ver. 1.1.70.0-1	SW and HW FCoE Switch	Compellent

DELL

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Compellent Storage Center	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Compellent Vol
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.6, 6.7, 7.0, 7.1	qlnativefc ver. 1.1.41.0-1, qlnativefc ver. 1.1.55.0-1, qlnativefc ver. 1.1.70.0-1	SW and HW FCoE Switch	COMPELNT

Dell EMC

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
CLARiiON CX4-120FCOE ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	NMP Flare 30	VMW_SATP_ALUA_CX lpfc ver. 10.0.100.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw	VMW_PSP_RR SW and HW FCoE Switch	DGC EMC
CLARiiON CX4-240FCOE ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	NMP Flare 30	VMW_SATP_ALUA_CX lpfc ver. 10.0.100.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw	VMW_PSP_RR SW and HW FCoE Switch	DGC EMC
CLARiiON CX4-480FCOE ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	NMP Flare 30	VMW_SATP_ALUA_CX lpfc ver. 10.0.100.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw	VMW_PSP_RR SW and HW FCoE Switch	DGC EMC
CLARiiON CX4-960FCOE ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	NMP Flare 30	VMW_SATP_ALUA_CX lpfc ver. 10.0.100.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw	VMW_PSP_RR SW and HW FCoE Switch	DGC EMC

Symmetrix VMAX	NMP	VMW_SATP_SYMM	VMW_PSP_RR	Symmetrix
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5875.300.232, 5876.229.145, 5876.251.161, 5876.268.174, 5876.288.195	qla2xxx ver. 902.k1.1-9vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	SW and HW FCoE Switch	EMC
Symmetrix VMAX 10K	NMP	VMW_SATP_SYMM	VMW_PSP_RR	EMC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5875, 5875.300.232, 5876.229.145, 5876.251.161, 5876.268.174, 5876.288.195	qla2xxx ver. 902.k1.1-9vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	SW and HW FCoE Switch	EMC

Symmetrix VMAX 20K	NMP	VMW_SATP_SYMM	VMW_PSP_RR	EMC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5875, 5875.300.232, 5876.229.145, 5876.251.161, 5876.268.174, 5876.288.195	qla2xxx ver. 902.k1.1-9vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	SW and HW FCoE Switch	EMC
Symmetrix VMAX 40K	NMP	VMW_SATP_SYMM	VMW_PSP_RR	Symmetrix
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5875, 5875.300.232, 5876.229.145, 5876.251.161, 5876.268.174, 5876.288.195	qla2xxx ver. 902.k1.1-9vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	SW and HW FCoE Switch	EMC

Symmetrix VMAXe	NMP	VMW_SATP_SYMM	VMW_PSP_RR	SYMM
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5875, 5875.300.232, 5876.229.145, 5876.251.161, 5876.268.174, 5876.288.195	qla2xxx ver. 902.k1.1-9vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	SW and HW FCoE Switch	EMC
VMAX 100K	NMP	VMW_SATP_SYMM	VMW_PSP_RR	EMC
ESXi 5.5 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁵ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, lpfc ver. 10.6.126.0, lpfc ver. 10.6.144.49, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	SW and HW FCoE Switch	EMC
VMAX 200K	NMP	VMW_SATP_SYMM	VMW_PSP_RR	EMC
ESXi 5.5 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁵ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, lpfc ver. 10.6.126.0, lpfc ver. 10.6.144.49, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	SW and HW FCoE Switch	SYMMETRIX

VMAX 250F	Powerpath/VE 6.0	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ³ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁵ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.811.784, 5977.945.890, 5977.952.892	lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.6.144.49, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	SW and HW FCoE Switch	EMC
VMAX 250FX	Powerpath/VE 6.0	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ³ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁵ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.811.784, 5977.945.890, 5977.952.892	lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.6.144.49, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	SW and HW FCoE Switch	EMC
VMAX 400K	NMP	VMW_SATP_SYMM	VMW_PSP_RR	EMC
ESXi 5.5 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁵ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, lpfc ver. 10.6.126.0, lpfc ver. 10.6.144.49, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	SW and HW FCoE Switch	EMC

VMAX 450F	Powerpath/VE 6.0	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ³ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁵ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, lpfc ver. 10.6.126.0, lpfc ver. 10.6.144.49, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	SW and HW FCoE Switch	EMC
VMAX 450FX	Powerpath/VE 6.0	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ³ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁵ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, lpfc ver. 10.6.126.0, lpfc ver. 10.6.144.49, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	SW and HW FCoE Switch	EMC
VMAX 850F	Powerpath/VE 6.0	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ³ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁵ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, lpfc ver. 10.6.126.0, lpfc ver. 10.6.144.49, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	SW and HW FCoE Switch	EMC

VMAX 850FX	Powerpath/VE 6.0	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ³ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁵ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, lpfc ver. 10.6.126.0, lpfc ver. 10.6.144.49, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw	SW and HW FCoE Switch	EMC
VNX5100	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	VNX Block OE 05.32	lpfc820 ver. 8.2.3.1-128vmw	SW and HW FCoE Switch	EMC
VNX5200	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX Block OE 05.33	N/A	SW FCoE Switch	RAID5
VNX5300	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	VNX Block OE 05.32	lpfc820 ver. 8.2.3.1-128vmw	SW and HW FCoE Switch	EMC

VNX5400	Powerpath/VE 5.9	N/A		DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX Block OE 05.33	N/A	SW and HW FCoE Switch	RAID5
VNX5500	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	VNX Block OE 05.32	lpfc820 ver. 8.2.3.1-128vmw	SW and HW FCoE Switch	EMC
VNX5600	Powerpath/VE 5.9	N/A		DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX Block OE 05.33	N/A	SW and HW FCoE Switch	RAID5
VNX5700	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	VNX Block OE 05.32	lpfc820 ver. 8.2.3.1-128vmw	SW and HW FCoE Switch	EMC

VNX5800	Powerpath/VE 5.9	N/A		DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX Block OE 05.33	N/A	SW and HW FCoE Switch	RAID5
VNX7500	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	VNX Block OE 05.32	lpfc820 ver. 8.2.3.1-128vmw	SW and HW FCoE Switch	EMC
VNX7600	Powerpath/VE 5.9	N/A		DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX Block OE 05.33	N/A	SW and HW FCoE Switch	RAID5
VNX8000	Powerpath/VE 5.9	N/A		DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX Block OE 05.33	N/A	SW and HW FCoE Switch	RAID5

Fujitsu

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
ETERNUS NR1000 A200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NETAPP
ETERNUS NR1000 A220	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.71.0-1, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NETAPP

ETERNUS NR1000 A300	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp
ETERNUS NR1000 A700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp

ETERNUS NR1000 A700s	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp
ETERNUS NR1000 A800	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.71.0-1, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NETAPP

ETERNUS NR1000 F2620	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NETAPP
ETERNUS NR1000 F2650	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp

ETERNUS NR1000 F2720	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.71.0-1, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NETAPP
ETERNUS NR1000 F2750	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.71.0-1, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NETAPP

ETERNUS NR1000F3000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, qla2xxx ver. 902.k1.1-12vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp

ETERNUS NR1000F3100 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, qla2xxx ver. 902.k1.1-12vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp

ETERNUS NR1000F3200 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{6,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 9.2, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp

ETERNUS NR1000F6000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, qla2xxx ver. 902.k1.1-12vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp

ETERNUS NR1000F6200 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{6,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 9.2, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp

ETERNUS NR1000F8200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, qlnativefc ver. 1.1.73.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp
ETERNUS NR1000F9000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, qlnativefc ver. 1.1.73.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp

FUJITSU Storage ETERNUS DX100 S3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.2.340.18, brcmfcoe ver. 11.2.1153.13	HW FCoE Switch	Fujitsu
FUJITSU Storage ETERNUS DX200 S3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.2.340.18, brcmfcoe ver. 11.2.1153.13	HW FCoE Switch	Fujitsu
FUJITSU Storage ETERNUS DX410 S2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DX400
ESXi 5.5 (EOL Date: 2020-09-19) ⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw	HW FCoE Switch	Fujitsu
FUJITSU Storage ETERNUS DX440 S2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DX400
ESXi 5.5 (EOL Date: 2020-09-19) ⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw	HW FCoE Switch	Fujitsu

FUJITSU Storage ETERNUS DX500 S3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXM
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.2.340.18, brcmfcoe ver. 11.2.1153.13	HW FCoE Switch	Fujitsu
FUJITSU Storage ETERNUS DX600 S3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXM
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.2.340.18	HW FCoE Switch	Fujitsu
FUJITSU Storage ETERNUS DX80 S2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw	HW FCoE Switch	Fujitsu
FUJITSU Storage ETERNUS DX8100 S2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DX8000
ESXi 5.5 (EOL Date: 2020-09-19) ⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw	HW FCoE Switch	Fujitsu

FUJITSU Storage ETERNUS DX8100 S3 NMP ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 V10 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VMW_SATP_ALUA lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.2.340.18	VMW_PSP_MRU HW FCoE Switch	ETERNUS_DXH Fujitsu
FUJITSU Storage ETERNUS DX8700 S2 NMP ESXi 5.5 (EOL Date: 2020-09-19) ⁷ , ESXi 5.5 V10 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VMW_SATP_ALUA lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw	VMW_PSP_MRU HW FCoE Switch	ETERNUS_DX8000 Fujitsu
FUJITSU Storage ETERNUS DX8700 S3 NMP ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 V10 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VMW_SATP_ALUA lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.2.340.18	VMW_PSP_MRU HW FCoE Switch	ETERNUS_DXH Fujitsu
FUJITSU Storage ETERNUS DX8900 S3 NMP ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 V10 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VMW_SATP_ALUA lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.2.340.18	VMW_PSP_MRU HW FCoE Switch	ETERNUS_DXH Fujitsu

FUJITSU Storage ETERNUS DX90 S2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw	HW FCoE Switch	Fujitsu
NR1000F2520	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp

NR1000F2552

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 9.0,
Data ONTAP 9.1,
ONTAP 9.2, ONTAP
9.3, ONTAP 9.4,
ONTAP 9.5, ONTAP
9.6, ONTAP 9.7

VMW_SATP_ALUA

lpfc820 ver. 8.2.3.1-127vmw, qlnativefc
ver. 1.0.12.0-1vmw, lpfc820 ver.
8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0,
elxnet ver. 10.2.309.6v-1vmw, lpfc
ver. 10.2.309.8-2vmw, qlnativefc ver.
2.1.10.1-1, elxnet ver. 10.0.100.0v-1vmw,
qlnativefc ver. 1.1.71.0-1, elxnet ver.
11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw,
brcmfcoe ver. 11.2.1153.13, brcmfcoe
ver. 11.4.1150.0, qlnativefc ver.
2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw,
elxnet ver. 11.4.1094.0-5vmw,
elxnet ver. 11.4.1095.0-5vmw,
lpfc ver. 11.4.33.3-11vmw, lpfc
ver. 11.4.33.18-12vmw, lpfc ver.
11.4.33.25-14vmw, elxnet ver.
11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw

VMW_PSP_RR

HW FCoE Switch

LUN

NetApp

NR1000F2554

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 9.0,
Data ONTAP 9.1,
ONTAP 9.2, ONTAP
9.3, ONTAP 9.4,
ONTAP 9.5, ONTAP
9.6, ONTAP 9.7

VMW_SATP_ALUA

lpfc820 ver. 8.2.3.1-127vmw, qlnativefc
ver. 1.0.12.0-1vmw, lpfc820 ver.
8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0,
elxnet ver. 10.2.309.6v-1vmw, lpfc
ver. 10.2.309.8-2vmw, qlnativefc ver.
2.1.10.1-1, elxnet ver. 10.0.100.0v-1vmw,
qlnativefc ver. 1.1.71.0-1, elxnet ver.
11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw,
brcmfcoe ver. 11.2.1153.13, brcmfcoe
ver. 11.4.1150.0, qlnativefc ver.
2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw,
elxnet ver. 11.4.1094.0-5vmw,
elxnet ver. 11.4.1095.0-5vmw,
lpfc ver. 11.4.33.3-11vmw, lpfc
ver. 11.4.33.18-12vmw, lpfc ver.
11.4.33.25-14vmw, elxnet ver.
11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw

VMW_PSP_RR

HW FCoE Switch

LUN

NetApp

NR1000F2620	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode, ONTAP 9.2, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.71.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp
NR1000F2650	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode, ONTAP 9.2, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.71.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp
NR1000F3220	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	qlnativefc ver. 1.1.73.0-1	HW FCoE Switch	NetApp

NR1000F3250	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	qlnativefc ver. 1.1.73.0-1	HW FCoE Switch	NetApp
NR1000F3270	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	qlnativefc ver. 1.1.73.0-1	HW FCoE Switch	NetApp
NR1000F6220	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	qlnativefc ver. 1.1.73.0-1	HW FCoE Switch	NetApp
NR1000F6240	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	qlnativefc ver. 1.1.73.0-1	HW FCoE Switch	NetApp

NR1000F6250	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	qlnativefc ver. 1.1.73.0-1	HW FCoE Switch	NetApp
NR1000F6280	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	qlnativefc ver. 1.1.73.0-1	HW FCoE Switch	NetApp
NR1000F6290	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	qlnativefc ver. 1.1.73.0-1	HW FCoE Switch	NetApp

NR1000F8020

ESXi 5.5 (EOL Date: 2020-09-19)^{9,kb1}, ESXi 5.5 U1 (EOL Date: 2020-09-19)^{kb1}, ESXi 5.5 U2 (EOL Date: 2020-09-19)^{kb1}, ESXi 5.5 U3 (EOL Date: 2020-09-19)^{kb1}, ESXi 6.0^{6,kb1}, ESXi 6.0 U1^{kb1}, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.0.5, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7-mode, Data
ONTAP 8.2.5 7-mode,
Data ONTAP 9.0,
Data ONTAP 9.1,
ONTAP 8.2.1, ONTAP
9.2, ONTAP 9.3,
ONTAP 9.4, ONTAP
9.5, ONTAP 9.6,
ONTAP 9.7

VMW_SATP_ALUA

lpfc820 ver. 8.2.2.1-18vmw, qla2xxx
ver. 901.k1.1-14vmw, lpfc820 ver.
8.2.3.1-127vmw, qlnativefc ver.
1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw,
qlnativefc ver. 1.1.14.0, elxnet
ver. 10.2.309.6v-1vmw, lpfc ver.
10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1,
elxnet ver. 10.0.100.0v-1vmw, qlnativefc
ver. 1.1.71.0-1, qlnativefc ver. 1.1.73.0-1,
elxnet ver. 11.1.91.0-1vmw, lpfc ver.
11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13,
brcmfcoe ver. 11.4.1150.0, qlnativefc
ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw,
elxnet ver. 11.4.1094.0-5vmw,
elxnet ver. 11.4.1095.0-5vmw,
lpfc ver. 11.4.33.3-11vmw, lpfc
ver. 11.4.33.18-12vmw, lpfc ver.
11.4.33.25-14vmw, elxnet ver.
11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw

VMW_PSP_RR

HW FCoE Switch

LUN

NetApp

NR1000F8040

ESXi 5.5 (EOL Date: 2020-09-19)^{9,kb1}, ESXi 5.5 U1 (EOL Date: 2020-09-19)^{kb1}, ESXi 5.5 U2 (EOL Date: 2020-09-19)^{kb1}, ESXi 5.5 U3 (EOL Date: 2020-09-19)^{kb1}, ESXi 6.0^{6,kb1}, ESXi 6.0 U1^{kb1}, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.0.5, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7-mode, Data
ONTAP 8.2.5 7-mode,
Data ONTAP 9.0,
Data ONTAP 9.1,
ONTAP 8.2.1, ONTAP
9.2, ONTAP 9.3,
ONTAP 9.4, ONTAP
9.5, ONTAP 9.6,
ONTAP 9.7

VMW_SATP_ALUA

lpfc820 ver. 8.2.2.1-18vmw, qla2xxx
ver. 901.k1.1-14vmw, lpfc820 ver.
8.2.3.1-127vmw, qlnativefc ver.
1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw,
qlnativefc ver. 1.1.14.0, elxnet
ver. 10.2.309.6v-1vmw, lpfc ver.
10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1,
elxnet ver. 10.0.100.0v-1vmw, qlnativefc
ver. 1.1.71.0-1, qlnativefc ver. 1.1.73.0-1,
elxnet ver. 11.1.91.0-1vmw, lpfc ver.
11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13,
brcmfcoe ver. 11.4.1150.0, qlnativefc
ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw,
elxnet ver. 11.4.1094.0-5vmw,
elxnet ver. 11.4.1095.0-5vmw,
lpfc ver. 11.4.33.3-11vmw, lpfc
ver. 11.4.33.18-12vmw, lpfc ver.
11.4.33.25-14vmw, elxnet ver.
11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw

VMW_PSP_RR

HW FCoE Switch

LUN

NetApp

NR1000F8060

ESXi 5.5 (EOL Date: 2020-09-19)^{9,kb1}, ESXi 5.5 U1 (EOL Date: 2020-09-19)^{kb1}, ESXi 5.5 U2 (EOL Date: 2020-09-19)^{kb1}, ESXi 5.5 U3 (EOL Date: 2020-09-19)^{kb1}, ESXi 6.0^{6,kb1}, ESXi 6.0 U1^{kb1}, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.0.5, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7-mode, Data
ONTAP 8.2.5 7-mode,
Data ONTAP 9.0,
Data ONTAP 9.1,
ONTAP 8.2.1, ONTAP
9.2, ONTAP 9.3,
ONTAP 9.4, ONTAP
9.5, ONTAP 9.6,
ONTAP 9.7

VMW_SATP_ALUA

lpfc820 ver. 8.2.2.1-18vmw, qla2xxx
ver. 901.k1.1-14vmw, lpfc820 ver.
8.2.3.1-127vmw, qlnativefc ver.
1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw,
qlnativefc ver. 1.1.14.0, elxnet
ver. 10.2.309.6v-1vmw, lpfc ver.
10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1,
elxnet ver. 10.0.100.0v-1vmw, qlnativefc
ver. 1.1.71.0-1, qlnativefc ver. 1.1.73.0-1,
elxnet ver. 11.1.91.0-1vmw, lpfc ver.
11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13,
brcmfcoe ver. 11.4.1150.0, qlnativefc
ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw,
elxnet ver. 11.4.1094.0-5vmw,
elxnet ver. 11.4.1095.0-5vmw,
lpfc ver. 11.4.33.3-11vmw, lpfc
ver. 11.4.33.18-12vmw, lpfc ver.
11.4.33.25-14vmw, elxnet ver.
11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw

VMW_PSP_RR

HW FCoE Switch

LUN

NetApp

NR1000F8080

ESXi 5.5 (EOL Date: 2020-09-19)^{9,kb1}, ESXi 5.5 U1 (EOL Date: 2020-09-19)^{kb1}, ESXi 5.5 U2 (EOL Date: 2020-09-19)^{kb1}, ESXi 5.5 U3 (EOL Date: 2020-09-19)^{kb1}, ESXi 6.0^{6,kb1}, ESXi 6.0 U1^{kb1}, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.0.5, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 7-Mode,
Data ONTAP 8.2 P4
7-Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7-mode, Data
ONTAP 8.2.5 7-mode,
Data ONTAP 9.0,
Data ONTAP 9.1,
ONTAP 8.2.1, ONTAP
9.2, ONTAP 9.3,
ONTAP 9.4, ONTAP
9.5, ONTAP 9.6,
ONTAP 9.7

VMW_SATP_ALUA

lpfc820 ver. 8.2.2.1-18vmw, qla2xxx
ver. 901.k1.1-14vmw, lpfc820 ver.
8.2.3.1-127vmw, qlnativefc ver.
1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw,
lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver.
1.1.14.0, elxnet ver. 10.2.309.6v-1vmw,
lpfc ver. 10.2.309.8-2vmw, qlnativefc ver.
2.1.10.1-1, elxnet ver. 10.0.100.0v-1vmw,
qlnativefc ver. 1.1.71.0-1, qlnativefc ver.
1.1.73.0-1, elxnet ver. 11.1.91.0-1vmw,
lpfc ver. 11.1.0.6-1vmw, brcmfcoe
ver. 11.2.1153.13, brcmfcoe
ver. 11.4.1150.0, qlnativefc ver.
2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw,
elxnet ver. 11.4.1094.0-5vmw,
elxnet ver. 11.4.1095.0-5vmw,
lpfc ver. 11.4.33.3-11vmw, lpfc
ver. 11.4.33.18-12vmw, lpfc ver.
11.4.33.25-14vmw, elxnet ver.
11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw

VMW_PSP_RR

HW FCoE Switch

LUN

NetApp

Hitachi

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Hitachi Virtual Storage Platform	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁵ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	70-06	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw	HW FCoE Switch	N/A

Hitachi Vantara

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Hitachi Virtual Storage Platform	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁵ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	70-06	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw	HW FCoE Switch	N/A
Hitachi Virtual Storage Platform G1000	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁵ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00, 80-00-xx and later, 80-00-xx or later, 80-01, 80-01-xx, 80-01-xx and later, 80-02, 80-03, 80-04, 80-05, 80-06, 83-01	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, bfa ver. 3.2.5.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-1vmw, lpfc ver. 12.4.293.2-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	HW FCoE Switch	"Hitachi "

HP

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
HP 3PAR StoreServ 10000 Storage	NMP	VMW_SATP_ALUA	VMW_PSP_RR	VV
ESXi 6.5 ^{2,kb2} , ESXi 6.5 U1 ^{kb2} , ESXi 6.5 U2 ^{kb2} , 3.1.2, 3.1.3, 3.2.1, ESXi 6.5 U3 ^{kb2} , ESXi 6.7 ^{5,kb2} , ESXi 6.7 U1 ^{kb2} , 3.2.2, 3.3.1, ESXi 6.7 U2 ^{kb2} , ESXi 6.7 U3 ^{kb2}		lpfc820 ver. 8.2.3.1-128vmw, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, qlnativefc ver. 1.1.12.0, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	HW FCoE Switch	3PARdata
HP 3PAR StoreServ 20000 Storage	NMP	VMW_SATP_ALUA	VMW_PSP_RR	VV
ESXi 5.5 (EOL Date: 2020-09-19) ^{1,kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁵ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.2.2, 3.3.1	lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, qlnativefc ver. 1.1.12.0	HW FCoE Switch	3PARdata
HP 3PAR StoreServ 7000 Storage	NMP	VMW_SATP_ALUA	VMW_PSP_RR	VV
ESXi 6.5 ^{2,kb2} , ESXi 6.5 U1 ^{kb2} , ESXi 6.5 U2 ^{kb2} , 3.1.2, 3.1.3, 3.2.1, ESXi 6.5 U3 ^{kb2} , ESXi 6.7 ^{5,kb2} , ESXi 6.7 U1 ^{kb2} , 3.2.2, 3.3.1, ESXi 6.7 U2 ^{kb2} , ESXi 6.7 U3 ^{kb2}		lpfc820 ver. 8.2.3.1-128vmw, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, qlnativefc ver. 1.1.12.0, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	FCoE Metro Cluster Storage	3PARdata

HP 3PAR StoreServ 8000 Storage	NMP	VMW_SATP_ALUA	VMW_PSP_RR	VV
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁵ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.2.2, 3.3.1	lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, qlnativefc ver. 1.1.12.0	HW FCoE Switch	3PARdata
HP StorageWorks P9500	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	OPEN-
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁵ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	70-06	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw	HW FCoE Switch	HP
HP XP7 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁵ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	80-02, 80-03, 80-04, 80-05, 80-06	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.72.53.v55.1-1vmw, lpfc ver. 10.0.575.8, lpfc ver. 10.2.298.12, qlnativefc ver. 2.0.12.0-5vmw, bfa ver. 3.2.5.0, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	HW FCoE Switch	HPQ
P6300	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	HSV340
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	11200000, 11300000	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw	HW FCoE Switch	HP

P6350	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	HSV340
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	11200000, 11300000	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw	HW FCoE Switch	HPQ
P6500	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	HSV340
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	11200000, 11300000	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw	HW FCoE Switch	HP
P6550	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	HSV360
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	11200000, 11300000	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.1.7.0-1, bnx2fc ver. 1.78.16.v55.4, lpfc820 ver. 8.2.3.1-129vmw	HW FCoE Switch	HPQ

Huawei Technologies Co., Ltd.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
5300 V5	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	HW FCoE Switch	Huawei

IBM

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
FlashSystem 840	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	FlashSystem-9840
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1, 1.2	fnic ver. 1.5.0.4-1vmw, fnic ver. 1.5.0.45-3vmw	HW FCoE Switch	IBM
FlashSystem 900	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	FlashSystem
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1, 1.2	fnic ver. 1.5.0.4-1vmw, fnic ver. 1.5.0.45-3vmw	HW FCoE Switch	IBM

Inspur

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AS18000 ESXi 5.5 (EOL Date: 2020-09-19) ⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V10	VMW_SATP_ALUA lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw	VMW_PSP_MRU HW FCoE Switch	AS18000 inspur
AS5600 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V10	VMW_SATP_ALUA lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.2.340.18	VMW_PSP_MRU HW FCoE Switch	AS5600 Inspur

NetApp

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AFF A320 ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP ONTAP 9.6, ONTAP 9.7	VMW_SATP_ALUA lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	VMW_PSP_RR HW FCoE Switch	LUN C-Mode NETAPP
AFF A400 ESXi 6.5 ¹¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP ONTAP 9.7	VMW_SATP_ALUA lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	VMW_PSP_RR SW FCoE Switch	LUN C-Mode NETAPP
AFF C190 ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP ONTAP 9.6, ONTAP 9.7	VMW_SATP_ALUA lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	VMW_PSP_RR HW FCoE Switch	LUN C-Mode NETAPP

AFF8020	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{1,kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, qlnativefc ver. 1.1.73.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NETAPP
AFF8040	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, qlnativefc ver. 1.1.73.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NETAPP

AFF8060	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{1,kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, qlnativefc ver. 1.1.73.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NETAPP
AFF8080	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, qlnativefc ver. 1.1.73.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	FCoE Metro Cluster Storage	NetApp

AFFA200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp
AFFA220	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.71.0-1, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp

AFFA300	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp
AFFA700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp

AFFA700s	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp
AFFA800	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.71.0-1, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp
ASA AFF A220	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 6.5 ¹¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.7	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	SW FCoE Switch	NETAPP
ASA AFF A700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 6.5 ¹¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.7	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	SW FCoE Switch	NETAPP

FAS 8300	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 6.5 ¹¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.7	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	SW FCoE Switch	NETAPP
FAS 8700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 6.5 ¹¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.7	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	SW FCoE Switch	NETAPP
FAS2520	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp

FAS2552	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp
FAS2554	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp

FAS2620	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp
FAS2650	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp

FAS2720	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.71.0-1, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp
FAS2750	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.71.0-1, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp
FAS3040	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, qla2xxx ver. 902.k1.1-12vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1	HW FCoE Switch	NETAPP

FAS3070	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7- mode, ONTAP 9.0	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, qla2xxx ver. 902.k1.1-12vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1	HW FCoE Switch	NETAPP
FAS3100 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, qla2xxx ver. 902.k1.1-12vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	HW FCoE Switch	NETAPP

FAS3140

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.0.5, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7-mode, Data
ONTAP 8.2.5 7-mode,
ONTAP 9.0

VMW_SATP_ALUA

lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, qla2xxx ver. 902.k1.1-12vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw

VMW_PSP_RR

HW FCoE Switch

LUN

NetApp

FAS3160

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.0.5, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7-mode, Data
ONTAP 8.2.5 7-mode,
ONTAP 9.0

VMW_SATP_ALUA

lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, qla2xxx ver. 902.k1.1-12vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw

VMW_PSP_RR

HW FCoE Switch

LUN

NetApp

FAS3170

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.0.5, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7-mode, Data
ONTAP 8.2.5 7-mode,
ONTAP 9.0

VMW_SATP_ALUA

lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, qla2xxx ver. 902.k1.1-12vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw

VMW_PSP_RR

HW FCoE Switch

LUN

NetApp

FAS3200 Series

	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{6,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 U2 ² , ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.5	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	HW FCoE Switch	NETAPP

FAS3210

ESXi 5.5 (EOL Date: 2020-09-19)⁶, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4, Data
ONTAP 8.0.5, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7-mode, Data
ONTAP 8.2.5 7-mode,
ONTAP 8.2.1, ONTAP
9.5

VMW_SATP_ALUA

lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver.
901.k1.1-14vmw, qlnativefc ver. 1.1.14.0,
lpfc ver. 10.2.309.8-2vmw, qlnativefc ver.
1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc
ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc
ver. 11.4.33.25-14vmw

VMW_PSP_RR

HW FCoE Switch

LUN

NetApp

FAS3220

ESXi 5.5 (EOL Date: 2020-09-19)^{6,kb1}, ESXi 5.5 U1 (EOL Date: 2020-09-19)^{kb1}, ESXi 5.5 U2 (EOL Date: 2020-09-19)^{kb1}, ESXi 5.5 U3 (EOL Date: 2020-09-19)^{kb1}, ESXi 6.0^{kb1}, ESXi 6.0 U1^{kb1}, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.0.5, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7-mode, Data
ONTAP 8.2.5 7-mode,
ONTAP 8.2.1, ONTAP
9.0, ONTAP 9.1,
ONTAP 9.5

VMW_SATP_ALUA

lpfc820 ver. 8.2.2.1-18vmw, qla2xxx
ver. 901.k1.1-14vmw, lpfc820 ver.
8.2.3.1-127vmw, qlnativefc ver.
1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw,
qlnativefc ver. 1.1.14.0, lpfc ver.
10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1,
qlnativefc ver. 1.1.73.0-1, lpfc ver.
11.1.0.6-1vmw, qlnativefc ver. 2.1.65.0-1,
lpfc ver. 11.4.33.1-6vmw, lpfc ver.
11.4.33.25-14vmw

VMW_PSP_RR

HW FCoE Switch

LUN

NETAPP

FAS3240

ESXi 5.5 (EOL Date: 2020-09-19)^{6,kb1}, ESXi 5.5 U1 (EOL Date: 2020-09-19)^{kb1}, ESXi 5.5 U2 (EOL Date: 2020-09-19)^{kb1}, ESXi 5.5 U3 (EOL Date: 2020-09-19)^{kb1}, ESXi 6.0^{kb1}, ESXi 6.0 U1^{kb1}, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.0.5, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 7-Mode,
Data ONTAP 8.2 P4
7-Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7-mode, Data
ONTAP 8.2.5 7-mode,
ONTAP 8.2.1, ONTAP
9.5

VMW_SATP_ALUA

lpfc820 ver. 8.2.2.1-18vmw, qla2xxx
ver. 901.k1.1-14vmw, lpfc820 ver.
8.2.3.1-127vmw, qlnativefc ver.
1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw,
lpfc820 ver. 8.2.3.1-129vmw, qlnativefc
ver. 1.1.14.0, lpfc ver. 10.2.309.8-2vmw,
qlnativefc ver. 1.1.73.0-1, lpfc ver.
11.1.0.6-1vmw, qlnativefc ver. 2.1.65.0-1,
lpfc ver. 11.4.33.1-6vmw, lpfc ver.
11.4.33.25-14vmw

VMW_PSP_RR

HW FCoE Switch

LUN

NetApp

FAS3250	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{6,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.5	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	HW FCoE Switch	NETAPP

FAS3270	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{6,kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.5	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	HW FCoE Switch	NETAPP

FAS6000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, qla2xxx ver. 902.k1.1-12vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	HW FCoE Switch	NETAPP
FAS6030	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, qla2xxx ver. 902.k1.1-12vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	HW FCoE Switch	NetApp

FAS6040	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, qla2xxx ver. 902.k1.1-12vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	HW FCoE Switch	NetApp
FAS6070	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, qla2xxx ver. 902.k1.1-12vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	HW FCoE Switch	NetApp

FAS6080

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.0.5, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7-mode, Data
ONTAP 8.2.5 7-mode,
ONTAP 9.0

VMW_SATP_ALUA

lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, qla2xxx ver. 902.k1.1-12vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw

VMW_PSP_RR

HW FCoE Switch

LUN

NetApp

FAS6200 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{6,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 U2 ² , ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.5	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	HW FCoE Switch	NETAPP

FAS6210	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, qla2xxx ver. 902.k1.1-12vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	FCoE Metro Cluster Storage	NetApp

FAS6220	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{6,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.5	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	HW FCoE Switch	NETAPP

FAS6240	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, qla2xxx ver. 902.k1.1-12vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	FCoE Metro Cluster Storage	NetApp

FAS6250	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{6,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.5	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	HW FCoE Switch	NETAPP

FAS6280	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, qla2xxx ver. 902.k1.1-12vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	FCoE Metro Cluster Storage	NetApp

FAS6290	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{6,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.5	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	HW FCoE Switch	NETAPP

FAS8020	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{6,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, qlnativefc ver. 1.1.73.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NETAPP

FAS8040	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{6,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, qlnativefc ver. 1.1.73.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NETAPP

FAS8060	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{6,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, qlnativefc ver. 1.1.73.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NETAPP

FAS8080	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{6,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, qlnativefc ver. 1.1.73.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp

FAS8200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, qlnativefc ver. 1.1.73.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp
FAS9000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.71.0-1, qlnativefc ver. 1.1.73.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, brcmfcoe ver. 11.2.1153.13, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.65.0-1, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, lpfc ver. 12.4.293.3-5vmw	HW FCoE Switch	NetApp

NR1000F9000

NMP

VMW_SATP_DEFAULT_AA

VMW_PSP_RR

LUN

ESXi 5.5 (EOL Date: 2020-09-19)⁸, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5², ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

Data ONTAP 8.2.5 7-
mode, ONTAP 9.5

lpfc ver. 10.2.309.8-2vmw, qlnativefc ver.
1.1.73.0-1, qlnativefc ver. 2.1.65.0-1

HW FCoE Switch

NetApp

ZTE Corporation

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
KS3200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	ZXUSP
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	V1.0	bnx2x ver. 1.72.56.v55.2-1vmw, bnx2x ver. 1.78.80.v60.12-1vmw, bnx2x ver. 2.712.50.v55.6, bnx2x ver. 1.78.80.v60.12-2vmw	SW and HW FCoE Switch	ZTE

Footnotes:

- 1 . Refer to KBs <http://kb.vmware.com/kb/2057513> & <http://kb.vmware.com/kb/2014849> for explanation and details on VAAI Thin Provisioning Space Reclamation support.
- 2 . For VMFS5 datastores, Space reclamation can be initiated using VMware command line tools. Refer to KBs <http://kb.vmware.com/kb/2057513> & <http://kb.vmware.com/kb/2014849> for explanation and details on VAAI Thin Provisioning Space Reclamation support.
- 3 . Support with HW FCoE only.
- 4 . Storage array TP implementation does not set Software thresholds
- 5 . Storage Array reported block transfer size is used for XCOPY (VAAI) command.
- 6 . Veritas Dynamic Multi-Pathing for VMware is a multi-pathing component of the Veritas InfoScale Family and is supported directly by Symantec. Please contact Symantec for any plug-in specific issues (<http://www.symantec.com/business/support/index?page=landing&key=59050>). Veritas InfoScale product information can be found at: <http://www.symantec.com/veritas-infoscale/>
- 7 . ETERNUS VAAI Plug-in is required to use VAAI in any of the following environment: - When using vSphere 4.1. - When using ETERNUS DX400 series or ETERNUS DX8000 series. (including the case that ETERNUS DX S2 series is used with these models) - When using ETERNUS DX S2 series with firmware versions lower than V10L20.
- 8 . Initiating live Storage vMotion in an ESXi 5.5 SAN cluster might experience failure if the VM contains a RDM device. The failure leads to automatic power-off and service disruption of the VM. Attempts to power on the affected VM could fail due to the file locking failure. Please contact VMware support for assistance to recover from such failures.
- 9 . Veritas Dynamic Multi-Pathing 6.2 for VMware is a multi path plug-in supported directly by Symantec. Please contact Symantec for any plug-in specific issues (<http://www.symantec.com/business/support/index?page=landing&key=59050>). Veritas Dynamic Multi-Pathing 6.2 for VMware product information can be found at: <http://www.symantec.com/dynamic-multi-pathing-for-vmware>.
- 10 . Veritas Dynamic Multi-Pathing for VMware is a multi-pathing component of the Veritas InfoScale Family and is supported directly by Veritas. Please contact Veritas for any plug-in specific issues (<https://www.veritas.com/support/>). Veritas InfoScale product information can be found at: <https://www.veritas.com/product/storage-management/infoscale-storage.html>
- 11 . 1GbE and 10 GbE Storage Interfaces are supported

VMware Knowledge Base:

- 1 . For more details see, KB: 2031038 <http://kb.vmware.com/kb/2031038>
- 2 . For more details see, KB: 2055904 <http://kb.vmware.com/kb/2055904>

iSCSI Array (iSCSI)

Aberdeen LLC

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AberNAS N12L ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.0-2440	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	v0_lvol45 SCST_BIO
AberNAS N12W ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.0	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	Virtual HD MSFT
AberNAS N22L ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.0-2440	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	v0_lvol45 SCST_BIO
AberNAS N22W ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 1.0c	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	Virtual HD MSFT
AberNAS N27L ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.0-2440	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	v0_lvol45 SCST_BIO

AberNAS N27W ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP T20150619114051	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	Virtual HD MSFT
AberNAS N32L ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.0-2457	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	v0_lvol45 SCST_BIO
AberNAS N32W ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 1.0c	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	Virtual HD MSFT
AberNAS N47L ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.0-2457	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	v0_lvol45 SCST_BIO
AberNAS N47W ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 1.0c	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	Virtual HD MSFT
AberNAS N49L ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.0-2457	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	v0_lvol45 SCST_BIO
AberNAS N49W ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 1.0c	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	Virtual HD MSFT

AberSAN Z23	NMP	VMW_SATP_ALUA	VMW_PSP_RR	COMSTAR
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.04	N/A	SW iSCSI	NEXENTA
AberSAN Z33	NMP	VMW_SATP_ALUA	VMW_PSP_RR	COMSTAR
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.04	N/A	SW iSCSI	NEXENTA
AberSAN Z43	NMP	VMW_SATP_ALUA	VMW_PSP_RR	COMSTAR
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.04	N/A	SW iSCSI	NEXENTA
AberSAN ZXP4	NMP	VMW_SATP_ALUA	VMW_PSP_RR	COMSTAR
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.04	N/A	SW iSCSI	NEXENTA
AberSAN ZXP4 HA	NMP	VMW_SATP_ALUA	VMW_PSP_RR	COMSTAR
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.04	N/A	SW iSCSI	NEXENTA
Petarack4	NMP	VMW_SATP_ALUA	VMW_PSP_RR	COMSTAR
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.04	N/A	SW iSCSI	NEXENTA

AccelStor Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
NeoSapphire 3400 Series ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 1.0.0	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	NeoSapphire 3400 AStor
NeoSapphire 3706-ES1 ESXi 6.0 ² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 1.1.0	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	NeoSapphire 3706-ES1 AStor
NeoSapphire 3811 ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.0.0	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	NeoSapphire 3800 AStor
NeoSapphire H series ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.2.0, 4.0.0	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	NeoSapphire H series AStor
NeoSapphire P310 ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.0.0	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	NeoSapphire P310 AStor

NeoSapphire P710	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	NeoSapphire P710
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0.0	N/A	SW iSCSI	AStor

Acronis LLC

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Acronis Cyber Infrastructure	NMP	VMW_SATP_ALUA	VMW_PSP_RR	VSTOR-DISK
ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.0	N/A	SW iSCSI	VSTORAGE

American Megatrends Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
2610i ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 5.0.1000	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	StorTrends iTX AMI
3400i ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.8.1000	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	StorTrends iTX AMI
3500i ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.8.1000	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	StorTrends iTX AMI

3600i	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	StorTrends iTX
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0.1000	N/A	SW iSCSI	AMI
3610i	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	StorTrends iTX
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0.1000	N/A	SW iSCSI	AMI

ASUSTOR

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AS6XXXXX ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 2.6.1 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	iSCSI Storage ASUSTOR
AS7XXXXX ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 2.3.0	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	lunx SCSI_FIO

Buffalo, Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
TS-2RZxxxTxxD	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	0x00002017
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.30-0.36, 2.50	N/A	SW iSCSI	10097677
TS51210R	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	0x0000203B
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.40	N/A	SW iSCSI	10097677
TS5x10	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	0x00002032
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.10, 3.40	N/A	SW iSCSI	10097677
TS6x00	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	0x0000203D
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.00	N/A	SW iSCSI	10097677

Bull S.A.S

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Bull Optima1600 (10G iSCSI) ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	NEC_SATP_SPS v550.1.2-010200.0319 N/A	VMW_PSP_MRU SW iSCSI	DISK ARRAY NEC
Bull Optima1600 (1G iSCSI) ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	DISK ARRAY NEC
Bull Optima2000c ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	iStorage 1000 NEC

Bull Optima2000i	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	iStorage 1000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
Bull Optima2600	NMP	NEC_SATP_SPS v550.1.2-010200.0319	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
Bull Optima2600 (10G iSCSI)	NMP	NEC_SATP_SPS v550.1.2-010200.0319	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
Bull Optima3600 (10G iSCSI)	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC

Bull Optima3600 (1G iSCSI)	NMP	NEC_SATP_SPS v550.1.2-010201.0331	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC

Cisco Systems, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
UCS Invicta C3124A Appliance ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 5.0.1.2	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	Appliance Cisco
UCS Invicta Scaling System ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 5.0.1.3	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	INVICTA CISCO

ClearSky Data, Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Global Storage Network (GSN)	NMP	VMW_SATP_ALUA	VMW_PSP_RR	ClearSky Data Edge Cache
ESXi 6.0 U1 ¹ , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	1.0	N/A	SW iSCSI	CLEARSKY

CloudByte Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
CloudByte ElastiStor	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	ElastiStor
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	1.4	N/A	SW iSCSI	CloudByt

Compellent Technologies

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Storage Center	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	Vol
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ⁶ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁷	5.6, 6.3, 6.4, 6.5, 6.6, 6.7, 7.0, 7.1, 7.2, 7.3, 7.4	qlcnic ver. 5.5.164, qla4xxx ver. 634.55.20.0-1vmw, bnx2x ver. 1.72.56.v55.2, HW iSCSI ixgbe ver. 3.7.13.7.14iov-11vmw, qla4xxx ver. 634.55.26.0-1vmw, bnx2x ver. 1.78.80.v60.12-1vmw, ixgbe ver. 3.7.13.7.14iov-20vmw, lpfc ver. 10.2.309.8-2vmw, qla4xxx ver. 644.55.35.0-1, bnx2 ver. 2.2.5f.v50.16, ixgbe ver. 3.7.13.7.14iov-12vmw, qla4xxx ver. 644.55.37.0-1, lpfc ver. 11.1.0.6-1vmw, igbn ver. 0.1.0.0-12vmw, qedentv ver. 3.0.7.5, igbn ver. 0.1.0.0-14vmw, qedil ver. 1.0.22.0, lpfc ver. 11.4.33.1-6vmw, ixgben ver. 1.4.1-11vmw, igbn ver. 0.1.0.0-15vmw, qfle3i ver. 1.0.16.0-1, qedentv ver. 3.7.9.1, qfle3 ver. 1.0.69.0-1OEM, ixgben ver. 1.4.1-16vmw, lpfc ver. 11.4.33.3-11vmw, igbn ver. 0.1.1.0-4vmw, ixgben ver. 1.4.1-18vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, igbn ver. 0.1.1.0-5vmw, ixgben ver. 1.7.1.16-1vmw, igbn ver. 0.1.1.0-6vmw, ixgben ver. 1.7.1.26-1vmw	SW and Independent	Compellent

Cybernetics

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
iSAN 1000 Series ESXi 5.5 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 5.74	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	iSAN_Vault CYBERNET
iSAN 2000 Series ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁰ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 5.74, 6.32, 6.38	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	iSAN_Vault CYBERNET
iSAN 3000 Series ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁰ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 5.78, 6.22	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	iSAN_Vault CYBERNET

iSAN 4000 Series	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	iSAN_Vault
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.78	N/A	SW iSCSI	CYBERNET
iSAN 5000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSAN_Vault
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.92	N/A	SW iSCSI	CYBERNET
iSAN 6000 Series	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	iSAN_Vault
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.75, 6.22	N/A	SW iSCSI	CYBERNET
iSAN-D108/T1	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	iSAN_Vault
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.78	N/A	SW iSCSI	CYBERNET

iSAN-D108/T1.17	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	iSAN_Vault
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.78	N/A	SW iSCSI	CYBERNET
iSAN-D108/T1.28	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	iSAN_Vault
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.78	N/A	SW iSCSI	CYBERNET
iSAN-D108/T2.4	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	iSAN_Vault
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.78	N/A	SW iSCSI	CYBERNET
iSAN-D108/T2.64	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	iSAN_Vault
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.78	N/A	SW iSCSI	CYBERNET

iSAN-D108/T3.2	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	iSAN_Vault
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.78	N/A	SW iSCSI	CYBERNET
iSAN-D108/T4	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	iSAN_Vault
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.78	N/A	SW iSCSI	CYBERNET
miSAN-D Series	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	iSAN_Vault
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁰ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.74, 6.32, 6.38	N/A	SW iSCSI	CYBERNET

Data Robotics, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Drobo B810i	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	Drobo B810i
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.3.2	N/A	SW iSCSI	Drobo

DataCore Software Corporation

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
SANsymphony	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Virtual Disk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 11.0, 9.0	N/A	SW iSCSI	DataCore

DataGravity

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
DG1100 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.0, V2.2	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	Intelligentlscsi DATAG
DG1200 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.0, V2.2	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	Intelligentlscsi DATAG
DG2200 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.0, V2.2	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	Intelligentlscsi DATAG

DG2400	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	Intelligentlscsi
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0, V2.2	N/A	SW iSCSI	DATAG

Datera

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Datera DataFabric 4000 series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	IBLOCK
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.1.3	N/A	SW iSCSI	DATERA
Datera DataFabric 5000 series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	IBLOCK
ESXi 5.5 (EOL Date: 2020-09-19) ¹³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0.1, 2.1	N/A	SW iSCSI	DATERA

DELL

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AX4-5i ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP Flare 23	VMW_SATP_CX N/A	VMW_PSP_MRU SW iSCSI	DPG DEL
Compellent Storage Center ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ⁶ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁷	NMP 5.6, 6.3, 6.4, 6.5, 6.6, 6.7, 7.0, 7.1, 7.2, 7.3, 7.4	VMW_SATP_DEFAULT_AA qlcnlc ver. 5.5.164, qla4xxx ver. 634.55.20.0-1vmw, bnx2x ver. 1.72.56.v55.2, HW iSCSI ixgbe ver. 3.7.13.7.14iov-11vmw, qla4xxx ver. 634.55.26.0-1vmw, bnx2x ver. 1.78.80.v60.12-1vmw, ixgbe ver. 3.7.13.7.14iov-20vmw, lpfc ver. 10.2.309.8-2vmw, qla4xxx ver. 644.5.35.0-1, qla4xxx ver. 644.55.35.0-1, bnx2 ver. 2.2.5f.v50.16, ixgbe ver. 3.7.13.7.14iov-12vmw, qla4xxx ver. 644.55.37.0-1, lpfc ver. 11.1.0.6-1vmw, igbn ver. 0.1.0.0-12vmw, qedentv ver. 3.0.7.5, igbn ver. 0.1.0.0-14vmw, qedil ver. 1.0.22.0, lpfc ver. 11.4.33.1-6vmw, ixgben ver. 1.4.1-11vmw, igbn ver. 0.1.0.0-15vmw, qfle3i ver. 1.0.16.0-1, qedentv ver. 3.7.9.1, qfle3 ver. 1.0.69.0-1OEM, ixgben ver. 1.4.1-16vmw, lpfc ver. 11.4.33.3-11vmw, igbn ver. 0.1.1.0-4vmw, ixgben ver. 1.4.1-18vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, igbn ver. 0.1.1.0-5vmw, ixgben ver. 1.7.1.16-1vmw, igbn ver. 0.1.1.0-6vmw, ixgben ver. 1.7.1.26-1vmw	VMW_PSP_RR SW and Independent	Compellent Vol COMPELNT

Dell/EMC CLARiiON CX4-240	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	Flare 30	N/A	SW iSCSI	EMC
EqualLogic PS-M4110E	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS-M4110X	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS-M4110XS	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC

EqualLogic PS-M4110XV	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS4000E	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS4000X	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC

EqualLogic PS4000XV	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS4100E	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS4100X	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC

EqualLogic PS4100XV	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS4110E	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS4110X	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC

EqualLogic PS4110XV	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS4210E	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 7.1, 8.0, 8.1, 9.0, 9.1	igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS4210X	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 7.1, 8.0, 8.1, 9.0, 9.1	igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS4210XS	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 7.1, 8.0, 8.1, 9.0, 9.1	igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC

EqualLogic PS4210XV	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 7.1, 8.0, 8.1, 9.0, 9.1	igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS5000E	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS5000X	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC

EqualLogic PS5000XV	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS5500E	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6000E	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC

EqualLogic PS6000S	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6000X	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6000XV	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC

EqualLogic PS6000XVS	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6010E	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6010S	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC

EqualLogic PS6010X	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6010XV	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6010XVS	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC

EqualLogic PS6100E	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6100S	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6100X	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC

EqualLogic PS6100XS	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6100XV	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6110E	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC

EqualLogic PS6110S	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6110X	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6110XS	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC

EqualLogic PS6110XV	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6210E	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6210S	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC

EqualLogic PS6210X	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6210XS	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6210XV	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC

EqualLogic PS6500E	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6500ES	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6500X	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC

EqualLogic PS6510E	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6510ES	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6510X	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC

EqualLogic PS6610E	NMP	VMW_SATP_EQL	DELL_PSP_EQL_ROUTING-00 v1.3.0	
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 8.0, 8.1, 9.0, 9.1	igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6610ES	NMP	VMW_SATP_EQL	DELL_PSP_EQL_ROUTING-00 v1.3.0	
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 8.0, 8.1, 9.0, 9.1	igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
EqualLogic PS6610X	NMP	VMW_SATP_EQL	DELL_PSP_EQL_ROUTING-00 v1.3.0	
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 8.0, 8.1, 9.0, 9.1	igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
MD3200i	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MD32xxi
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5	07.84, 08.10, 08.20	N/A	SW iSCSI	DELL

MD3220i	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MD32xxi
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5	07.84, 08.10, 08.20	N/A	SW iSCSI	DELL
MD3260i	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MD32xxi
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5	07.84, 08.10, 08.20	N/A	SW iSCSI	DELL
MD3600i	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MD36xxi
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5	07.84, 08.10, 08.20	N/A	SW iSCSI	DELL
MD3620i	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MD36xxi
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5	07.84, 08.10, 08.20	N/A	SW iSCSI	DELL
MD3660i	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MD36xxi
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5	07.84, 08.10, 08.20	N/A	SW iSCSI	DELL

MD3800i	NMP	VMW_SATP_ALUA	VMW_PSP_RR	MD38xxi
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1	08.10, 08.20, 08.25, 08.30, 08.40	N/A	SW iSCSI	DELL
MD3820i	NMP	VMW_SATP_ALUA	VMW_PSP_RR	MD38xxi
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1	08.10, 08.20, 08.25, 08.30, 08.40	N/A	SW iSCSI	DELL
MD3860i	NMP	VMW_SATP_ALUA	VMW_PSP_RR	MD38xxi
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1	08.10, 08.20, 08.25, 08.30, 08.40	N/A	SW iSCSI	DELL

Dell EMC

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
ME4012C ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP G275, G280	VMW_SATP_ALUA N/A	VMW_PSP_FIXED SW iSCSI	ME4 Dell EMC
ME4012I ESXi 6.5 ¹⁴ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP G275, G280	VMW_SATP_ALUA N/A	VMW_PSP_FIXED SW iSCSI	ME4 Dell EMC
ME4024C ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP G275, G280	VMW_SATP_ALUA N/A	VMW_PSP_FIXED SW iSCSI	ME4 Dell EMC
ME4024I ESXi 6.5 ¹⁴ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP G275, G280	VMW_SATP_ALUA N/A	VMW_PSP_FIXED SW iSCSI	ME4 Dell EMC
ME4084C ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP G275, G280	VMW_SATP_ALUA N/A	VMW_PSP_FIXED SW iSCSI	ME4 Dell EMC
ME4084I ESXi 6.5 ¹⁴ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP G275, G280	VMW_SATP_ALUA N/A	VMW_PSP_FIXED SW iSCSI	ME4 Dell EMC

Digital Networks UK Ltd

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Zetavault	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	Zetavault
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁵ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.0, 3.1	N/A	SW iSCSI	ZVAULT

Dot Hill

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
3330/3320 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP TS250, TS251, TS252 be2iscsi ver. 4.6.261.0	VMW_SATP_ALUA	VMW_PSP_MRU SW and Independent HW iSCSI	DH3000 DotHill
3430/3420 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP TS250, TS251, TS252 qla4xxx ver. 634.55.20.0-1vmw, be2iscsi ver. 4.6.261.0	VMW_SATP_ALUA	VMW_PSP_MRU SW and Independent HW iSCSI	DH3000 DotHill
3930/3920 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP TS250, TS251, TS252 lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bfa ver. 3.2.3.0, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.662.204, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_SATP_ALUA	VMW_PSP_MRU 8G FC Direct Attach	DH3000 DotHill

AssuredSAN 3824	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DH3824
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	GL105, GL200, GL210, GL220, GL225	qla4xxx ver. 634.55.26.0-1vmw	SW and Independent HW iSCSI	DotHill
AssuredSAN 3834	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DH3834
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	GL105, GL200, GL210, GL220, GL225	qla4xxx ver. 634.55.26.0-1vmw	SW and Independent HW iSCSI	DotHill
AssuredSAN 4824	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DH4824
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	GL101, GL105, GL200, GL210, GL220, GL225	be2iscsi ver. 4.6.261.0, qla4xxx ver. 634.55.26.0-1vmw	SW and Independent HW iSCSI	DotHill
AssuredSAN 4834	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DH4834
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	GL101, GL105, GL200, GL210, GL220, GL225	be2iscsi ver. 4.6.261.0, qla4xxx ver. 634.55.26.0-1vmw	SW and Independent HW iSCSI	DotHill

AssuredSAN 4844	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DH4844
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	GL105, GL200, GL210, GL220, GL225	qla4xxx ver. 634.55.26.0-1vmw	SW and Independent HW iSCSI	DotHill
AssuredSAN 4854	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	DH4854
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	GL210, GL220, GL225	qla4xxx ver. 634.55.26.0-1vmw	SW and Independent HW iSCSI	DotHill
AssuredSAN 5420	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	AssuredSAN 5420
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	CS100	N/A	SW iSCSI	DotHill
AssuredSAN 6854	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	AssuredSAN 6854
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	GL205	N/A	SW iSCSI	DotHill

Drobo Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Drobo B1200i	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	DroboB1200i
ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	1.2.0	N/A	SW iSCSI	Drobo

Dell EMC

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AX4-5i ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	NMP Flare 23	VMW_SATP_CX N/A	VMW_PSP_MRU SW iSCSI	DGC EMC
Celerra CNS ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	NMP Flare 30	VMW_SATP_ALUA_CX N/A	VMW_PSP_RR SW iSCSI	Celerra EMC
Celerra NS-120 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	NMP Flare 30	VMW_SATP_ALUA_CX N/A	VMW_PSP_RR SW iSCSI	Celerra EMC
Celerra NS-480 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	NMP Flare 30	VMW_SATP_ALUA_CX N/A	VMW_PSP_RR SW iSCSI	Celerra EMC
Celerra NS-960 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	NMP Flare 30	VMW_SATP_ALUA_CX N/A	VMW_PSP_RR SW iSCSI	Celerra EMC
CLARiiON CX4-120 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	NMP Flare 30	VMW_SATP_ALUA_CX N/A	VMW_PSP_RR SW iSCSI	DGC EMC

CLARiiON CX4-120 C8 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	NMP Flare 30	VMW_SATP_ALUA_CX N/A	VMW_PSP_RR SW iSCSI	DMC EMC
CLARiiON CX4-120 C8X ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	NMP Flare 30	VMW_SATP_ALUA_CX N/A	VMW_PSP_RR SW iSCSI	DGC EMC
CLARiiON CX4-240 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	NMP Flare 30	VMW_SATP_ALUA_CX N/A	VMW_PSP_RR SW iSCSI	DGC EMC
CLARiiON CX4-240 C8 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	NMP Flare 30	VMW_SATP_ALUA_CX N/A	VMW_PSP_RR SW iSCSI	DMC EMC
CLARiiON CX4-240 C8X ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	NMP Flare 30	VMW_SATP_ALUA_CX N/A	VMW_PSP_RR SW iSCSI	DGC EMC
CLARiiON CX4-480 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	NMP Flare 30	VMW_SATP_ALUA_CX N/A	VMW_PSP_RR SW iSCSI	DGC EMC
CLARiiON CX4-480 C8 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	NMP Flare 30	VMW_SATP_ALUA_CX N/A	VMW_PSP_RR SW iSCSI	DMC EMC

CLARiiON CX4-480 C8X	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	Flare 30	N/A	SW iSCSI	EMC
CLARiiON CX4-960	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	Flare 30	N/A	SW iSCSI	EMC
CLARiiON CX4-960 C8	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	Flare 30	N/A	SW iSCSI	EMC
CLARiiON CX4-960 C8X	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	Flare 30	N/A	SW iSCSI	EMC
PowerMax 2000	NMP	VMW_SATP_SYMM	VMW_PSP_RR	EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.811.784, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	N/A	SW iSCSI	EMC

PowerMax 8000	NMP	VMW_SATP_SYMM	VMW_PSP_RR	EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.811.784, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	N/A	SW iSCSI	EMC
PowerStore 1000T	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	PowerStore
ESXi 6.5 ¹⁶ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	N/A	SW iSCSI	Dell EMC
PowerStore 1000X	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	PowerStore
ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ¹⁶ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	N/A	SW iSCSI	Dell EMC
PowerStore 3000T	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	PowerStore
ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ¹⁶ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	N/A	SW iSCSI	Dell EMC
PowerStore 3000X	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	PowerStore
ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ¹⁶ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	N/A	SW iSCSI	Dell EMC
PowerStore 5000T	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	PowerStore
ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ¹⁶ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	N/A	SW iSCSI	Dell EMC

PowerStore 5000X	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	PowerStore
ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ¹⁶ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	N/A	SW iSCSI	Dell EMC
PowerStore 7000T	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	PowerStore
ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ¹⁶ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	N/A	SW iSCSI	Dell EMC
PowerStore 7000X	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	PowerStore
ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ¹⁶ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	N/A	SW iSCSI	Dell EMC
PowerStore 9000T	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	PowerStore
ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ¹⁶ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	N/A	SW iSCSI	Dell EMC
PowerStore 9000X	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	PowerStore
ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ¹⁶ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	N/A	SW iSCSI	Dell EMC
ScaleIO	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2}	1.21, 1.30, 1.31	N/A	SW iSCSI	N/A

Symmetrix VMAX	NMP	VMW_SATP_SYMM	VMW_PSP_RR	Symmetrix
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5875.300.232, 5876.229.145, 5876.251.161, 5876.268.174, 5876.288.195	N/A	SW iSCSI	EMC
Symmetrix VMAX 10K	NMP	VMW_SATP_SYMM	VMW_PSP_RR	EMC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5875.300.232, 5876.229.145, 5876.251.161, 5876.268.174, 5876.288.195	N/A	SW iSCSI	EMC
Symmetrix VMAX 20K	NMP	VMW_SATP_SYMM	VMW_PSP_RR	Symmetrix
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5875.300.232, 5876.229.145, 5876.251.161, 5876.268.174, 5876.288.195	N/A	SW iSCSI	EMC
Symmetrix VMAX 40K	NMP	VMW_SATP_SYMM	VMW_PSP_RR	Symmetrix
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5875.300.232, 5876.229.145, 5876.251.161, 5876.268.174, 5876.288.195	N/A	SW iSCSI	EMC

Symmetrix VMAXe	NMP	VMW_SATP_SYMM	VMW_PSP_RR	SYMM
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5875.300.232, 5876.229.145, 5876.251.161, 5876.268.174, 5876.288.195	N/A	SW iSCSI	EMC
Unity 300	Powerpath/VE 5.9	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2 ¹⁶ , ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.5, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0, Unity OE 5.0.1, V11	N/A	SW iSCSI	EMC
Unity 300F	Powerpath/VE 5.9	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2 ¹⁶ , ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.5, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0, Unity OE 5.0.1, V11	N/A	SW iSCSI	EMC
Unity 350F	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	VRAID
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁶ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.5, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0, Unity OE 5.0.1, V11	N/A	SW iSCSI	DGC

Unity 400	Powerpath/VE 5.9	N/A		VRAID
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2 ¹⁶ , ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0, Unity OE 5.0.1	N/A	SW iSCSI	DGC
Unity 400F	Powerpath/VE 5.9	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2 ¹⁶ , ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.5, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0, Unity OE 5.0.1, V11	N/A	SW iSCSI	EMC
Unity 450F	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	VRAID
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁶ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.5, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0, Unity OE 5.0.1, V11	N/A	SW iSCSI	DGC
Unity 500	Powerpath/VE 5.9	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2 ¹⁶ , ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.5, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0, Unity OE 5.0.1, V11	N/A	SW iSCSI	EMC

Unity 500F	Powerpath/VE 5.9	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2 ¹⁶ , ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.5, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0, Unity OE 5.0.1, V11	N/A	SW iSCSI	EMC
Unity 550F	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	VRAID
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁶ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.5, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0, Unity OE 5.0.1, V11	N/A	SW iSCSI	DGC
Unity 600	Powerpath/VE 5.9	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2 ¹⁶ , ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.5, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0, Unity OE 5.0.1, V11	N/A	SW iSCSI	EMC
Unity 600F	Powerpath/VE 5.9	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2 ¹⁶ , ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.5, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0, Unity OE 5.0.1, V11	N/A	SW iSCSI	DGC

Unity 650F	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	VRAID
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁶ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.5, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0, Unity OE 5.0.1, V11	N/A	SW iSCSI	DGC
Unity XT 380	PowerPath/VE 6.5	N/A		VRAID
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2 ¹⁶ , ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Unity OE 4.4, Unity OE 5.0, Unity OE 5.0.1	N/A	SW iSCSI	DGC
Unity XT 380F	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	VRAID
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2 ¹⁶ , ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ³ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Unity OE 4.4, Unity OE 5.0, Unity OE 5.0.1	N/A	SW iSCSI	DGC
Unity XT 480	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	VRAID
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2 ¹⁶ , ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ³ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Unity OE 4.4, Unity OE 5.0, Unity OE 5.0.1	N/A	SW iSCSI	DGC
Unity XT 480F	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	VRAID
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2 ¹⁶ , ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ³ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Unity OE 4.4, Unity OE 5.0, Unity OE 5.0.1	N/A	SW iSCSI	DGC

Unity XT 680	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2 ¹⁶ , ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ³ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Unity OE 4.4, Unity OE 5.0, Unity OE 5.0.1	N/A	SW iSCSI	N/A
Unity XT 680F	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	VRAID
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2 ¹⁶ , ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ³ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Unity OE 4.4, Unity OE 5.0, Unity OE 5.0.1	N/A	SW iSCSI	DGC
Unity XT 880	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2 ¹⁶ , ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ³ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Unity OE 4.4, Unity OE 5.0, Unity OE 5.0.1	N/A	SW iSCSI	N/A
Unity XT 880F	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	VRAID
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2 ¹⁶ , ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ³ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Unity OE 4.4, Unity OE 5.0, Unity OE 5.0.1	N/A	SW iSCSI	DGC
UnityVSA	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	VRAID
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2 ¹⁶ , ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.5, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0, Unity OE 5.0.1, V11	N/A	SW iSCSI	DGC

VMAX 100K	PowerPath/VE 5.9 SP1 P02	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁸ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2190809, 5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952..892, 5977.952.892, 5978.144.144, 5978.444.444	N/A	SW iSCSI	EMC
VMAX 200K	NMP	VMW_SATP_SYMM	VMW_PSP_RR	EMC
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁸ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952..892, 5977.952.892, 5978.144.144, 5978.444.444	N/A	SW iSCSI	SYMMETRIX
VMAX 250F	NMP	VMW_SATP_SYMM	VMW_PSP_RR	EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.811.784, 5977.945.890, 5977.952..892, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	N/A	SW iSCSI	EMC

VMAX 250FX	NMP	VMW_SATP_SYMM	VMW_PSP_RR	EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.811.784, 5977.945.890, 5977.952.892, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	N/A	SW iSCSI	SYMMETRIX
VMAX 400K	PowerPath/VE 5.9 SP1 P02	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁸ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5977.952.892, 5978.144.144, 5978.444.444	N/A	SW iSCSI	EMC
VMAX 450F	Powerpath/VE 6.0	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁷ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	N/A	SW iSCSI	EMC

VMAX 450FX	Powerpath/VE 6.0	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁷ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	N/A	SW iSCSI	EMC
VMAX 850F	Powerpath/VE 6.0	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁷ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	N/A	SW iSCSI	EMC
VMAX 850FX	Powerpath/VE 6.0	N/A		EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁷ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	N/A	SW iSCSI	EMC

VMAX 950F	NMP	VMW_SATP_SYMM	VMW_PSP_RR	EMC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.811.784, 5977.952.892, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	N/A	SW iSCSI	SYMMETRIX
VMAX 950FX	NMP	VMW_SATP_SYMM	VMW_PSP_RR	EMC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.811.784, 5977.952.892, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	N/A	SW iSCSI	SYMMETRIX
VNX5100	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ²⁰ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	05.32, VNX Block OE 05.32	N/A	SW iSCSI	EMC
VNX5200	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX Block OE 05.32	N/A	SW iSCSI	RAID5

VNX5300	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ²⁰ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	05.32, VNX Block OE 05.32	N/A	SW iSCSI	EMC
VNX5400	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX Block OE 05.33	N/A	SW iSCSI	RAID5
VNX5500	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ²⁰ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	05.32, VNX Block OE 05.32	N/A	SW iSCSI	EMC
VNX5600	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX Block OE 05.33	N/A	SW iSCSI	RAID5

VNX5700	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ²⁰ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	05.32, VNX Block OE 05.32	N/A	SW iSCSI	EMC
VNX5800	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX Block OE 05.33	N/A	SW iSCSI	RAID5
VNX7500	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ²⁰ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	05.32, VNX Block OE 05.32	N/A	SW iSCSI	EMC
VNX7600	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX Block OE 05.33	N/A	SW iSCSI	RAID5

VNX8000	Powerpath/VE 5.9	N/A		DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX Block OE 05.33	N/A	SW iSCSI	RAID5
VNXe1600	Powerpath/VE 6.0	N/A		RAID
ESXi 5.5 (EOL Date: 2020-09-19) ² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.0, 3.1	N/A	SW iSCSI	DGC
VNXe3100	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	2.4	N/A	SW iSCSI	EMC
VNXe3150	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	Celerra
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	2.4	N/A	SW iSCSI	EMC

VNXe3200	NMP	VMW_SATP_ALUA_CX	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.0, 3.1	N/A	SW iSCSI	EMC
VNXe3300	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	2.4	N/A	SW iSCSI	EMC
XtremIO	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XtremApp
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.2, 2.4, 3.0, 4.0	N/A	SW iSCSI	XtremIO
XtremIO X2-R	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XtremApp
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0, 6.1, 6.2, 6.3	N/A	SW iSCSI	XtremIO

XtremIO X2-S	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XtremApp
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0, 6.1, 6.2, 6.3	N/A	SW iSCSI	XtremIO
XtremIO X2-T	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XtremApp
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0, 6.1, 6.2, 6.3	N/A	SW iSCSI	XtremIO

Enhance Technology, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
UltraStor ES2000P6 ESXi 5.5 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 1.1.0	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	ES2000P6 ETI
UltraStor ES4200P6 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.2.2	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	ES4200-P6 ETI
UltraStor ES4200TG ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.2.2	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	ES4200-TG ETI

UltraStor ES4600TG	NMP	VMW_SATP_ALUA	VMW_PSP_RR	ES4600TG
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.2.2	N/A	SW iSCSI	ETI

EqualLogic

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
PS100E	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
PS200E	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
PS300E	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC

PS3600X	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
PS3700X	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
PS3800XV	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC

PS3900XV	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
PS400E	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC
PS50E	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC

PS70E	NMP	VMW_SATP_EQL	VMW_PSP_FIXED	100E-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 5.2, 6.0, 7.0, 7.1, 8.0, 8.1, 9.0, 9.1	bnx2 ver. 2.0.15g.v50.11-5vmw, igb ver. 2.1.11.1-3vmw, bnx2 ver. 2.2.3h.v55.2-1vmw, bnx2x ver. 1.72.56.v55.2, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.5d.v55.2, bnx2x ver. 1.7a.10.v55.1, bnx2 ver. 2.2.4f.v60.10-2vmw, bnx2x ver. 1.78.80.v60.12-1vmw, igb ver. 5.0.5.1.1-5vmw, bnx2x ver. 1.78.80.v60.12-2vmw	SW and Dependent HW iSCSI	EQLOGIC

FalconStor Software

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
NSS VA	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	IPSTOR DISK
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0 ^{kb3} , ESXi 6.0 U1 ^{kb3} , ESXi 6.0 U2 ^{kb3} , ESXi 6.0 U3 ^{kb3} , ESXi 6.5 ^{kb3} , ESXi 6.5 U1 ^{kb3} , ESXi 6.5 U2 ^{kb3} , ESXi 6.5 U3 ^{kb3} , ESXi 6.7 ^{kb3} , ESXi 6.7 U1 ^{kb3} , ESXi 6.7 U2 ^{kb3} , ESXi 6.7 U3 ^{kb3} , ESXi 7.0 ^{kb3}	v7.50, v7.60, v7.70, v7.80, v8.00	N/A	SW iSCSI	FALCON

Fujitsu

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
ETERNUS NR1000 A200 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	LUN C-Mode NETAPP
ETERNUS NR1000 A220 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	LUN C-Mode NETAPP
ETERNUS NR1000 A300 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	LUN C-Mode NetApp

ETERNUS NR1000 A700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp
ETERNUS NR1000 A700s	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp
ETERNUS NR1000 A800	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NETAPP
ETERNUS NR1000 F2620	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NETAPP

ETERNUS NR1000 F2650	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp
ETERNUS NR1000 F2720	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.9, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NETAPP
ETERNUS NR1000 F2750	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NETAPP

ETERNUS NR1000F3000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode	N/A	SW iSCSI	NetApp

ETERNUS NR1000F3100 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode	N/A	SW iSCSI	NetApp

ETERNUS NR1000F3200 Series	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 9.2, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp

ETERNUS NR1000F6000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode	N/A	SW iSCSI	NetApp

ETERNUS NR1000F6200 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 9.2, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp

ETERNUS NR1000F8200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ²¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.9, Data ONTAP 8.2.5 7-mode, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp
ETERNUS NR1000F9000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ²¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.9, Data ONTAP 8.2.5 7-mode, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp
ETERNUS VX710	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	FUJITSU
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	SW iSCSI	ETERNUS_VX700
ETERNUS VX740	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	FUJITSU
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 4.6.142.2	SW and Independent HW iSCSI	ETERNUS_VX700

FUJITSU Storage ETERNUS 2000 Model 100	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	E2000
ESXi 5.5 (EOL Date: 2020-09-19) ²² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	SW iSCSI	Fujitsu
FUJITSU Storage ETERNUS 2000 Model 200	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	E2000
ESXi 5.5 (EOL Date: 2020-09-19) ²² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	SW iSCSI	Fujitsu
FUJITSU Storage ETERNUS 2000 Model 50NMP	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	E2000
ESXi 5.5 (EOL Date: 2020-09-19) ²² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	SW iSCSI	Fujitsu

FUJITSU Storage ETERNUS 4000 Model 400	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	E4000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10, V20	be2iscsi ver. 4.4.264.0	SW iSCSI	Fujitsu
FUJITSU Storage ETERNUS 4000 Model 600	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	E4000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10, V20	be2iscsi ver. 4.4.264.0	SW iSCSI	Fujitsu
FUJITSU Storage ETERNUS 8000 Model 1200	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	E8000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10, V20	be2iscsi ver. 4.4.264.0	SW iSCSI	Fujitsu

FUJITSU Storage ETERNUS 8000 Model 2200	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	E8000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10, V20	be2iscsi ver. 4.4.264.0	SW iSCSI	Fujitsu
FUJITSU Storage ETERNUS 8000 Model 800	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	E8000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10, V20	be2iscsi ver. 4.4.264.0	SW iSCSI	Fujitsu
FUJITSU Storage ETERNUS AF150 S3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	Fujitsu
FUJITSU Storage ETERNUS AF250	NMP	fjt-satp-eternus v1.1.2(VVOL compatible)	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 10.2.250.0	SW iSCSI	Fujitsu

FUJITSU Storage ETERNUS AF250 S2	NMP	fjt-satp-eternus v1.1.2(VVOL compatible)	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 10.2.250.0	SW iSCSI	Fujitsu
FUJITSU Storage ETERNUS AF250 S3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	Fujitsu
FUJITSU Storage ETERNUS AF650	NMP	fjt-satp-eternus v1.1.2(VVOL compatible)	VMW_PSP_MRU	ETERNUS_DXM
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 10.2.250.0	SW iSCSI	Fujitsu
FUJITSU Storage ETERNUS AF650 S2	NMP	fjt-satp-eternus v1.1.2(VVOL compatible)	VMW_PSP_MRU	ETERNUS_DXM
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 10.2.250.0	SW iSCSI	Fujitsu
FUJITSU Storage ETERNUS AF650 S3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXM
ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	Fujitsu

FUJITSU Storage ETERNUS DX100 S3	NMP	fjt-satp-eternus v1.1.0	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 10.2.250.0	SW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX100 S4	NMP	fjt-satp-eternus v1.1.2(VVOL compatible)	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 10.2.250.0	SW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX100 S5	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX200 S3	NMP	fjt-satp-eternus v1.1.0	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 10.2.250.0	SW iSCSI	Fujitsu

FUJITSU Storage ETERNUS DX200 S4	NMP	fjt-satp-eternus v1.1.2(VVOL compatible)	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 10.2.250.0	SW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX200 S5	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX200F	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 10.2.250.0	SW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX410	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DX400
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10, V20	be2iscsi ver. 4.4.264.0	SW iSCSI	Fujitsu

FUJITSU Storage ETERNUS DX410 S2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DX400
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 4.4.264.0	SW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX440	NMP	fjt-satp-eternus v1.1.0	VMW_PSP_MRU	ETERNUS_DX400
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V20	be2iscsi ver. 4.4.264.0	SW and Dependent HW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX440 S2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DX400
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 4.4.264.0, be2iscsi ver. 4.6.261.0	HW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX500 S3	NMP	fjt-satp-eternus v1.1.0	VMW_PSP_MRU	ETERNUS_DXM
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 10.2.250.0	SW iSCSI	Fujitsu

FUJITSU Storage ETERNUS DX500 S4	NMP	fjt-satp-eternus v1.1.2(VVOL compatible)	VMW_PSP_MRU	ETERNUS_DXM
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 10.2.250.0	SW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX500 S5	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXM
ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX60	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ²² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	SW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX60 S2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V20	N/A	SW iSCSI	Fujitsu

FUJITSU Storage ETERNUS DX60 S3	NMP	fjt-satp-eternus v1.1.1	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 10.2.250.0	SW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX60 S4	NMP	fjt-satp-eternus v1.1.2(VVOL compatible)	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 10.2.250.0	SW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX60 S5	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX600 S3	NMP	fjt-satp-eternus v1.1.0	VMW_PSP_MRU	ETERNUS_DXM
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 10.2.250.0	SW iSCSI	Fujitsu

FUJITSU Storage ETERNUS DX600 S4	NMP	fjt-satp-eternus v1.1.2(VVOL compatible)	VMW_PSP_MRU	ETERNUS_DXM
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 10.2.250.0	SW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX600 S5	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXM
ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX80	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ²² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	SW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX80 S2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 4.4.264.0, be2iscsi ver. 4.6.261.0	HW iSCSI	Fujitsu

FUJITSU Storage ETERNUS DX8100 NMP ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 V20 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	fjt-satp-eternus v1.1.0 be2iscsi ver. 4.4.264.0	VMW_PSP_MRU SW and Dependent HW iSCSI	ETERNUS_DX8000 Fujitsu
FUJITSU Storage ETERNUS DX8100 S2 NMP ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 V10 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VMW_SATP_ALUA be2iscsi ver. 4.4.264.0, be2iscsi ver. 4.6.261.0	VMW_PSP_MRU HW iSCSI	ETERNUS_DX8000 Fujitsu
FUJITSU Storage ETERNUS DX8100 S3 NMP ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 V10 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	fjt-satp-eternus v1.1.2(VVOL compatible) be2iscsi ver. 10.2.250.0	VMW_PSP_MRU SW iSCSI	ETERNUS_DXH Fujitsu
FUJITSU Storage ETERNUS DX8400 NMP ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 V20 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	fjt-satp-eternus v1.1.0 be2iscsi ver. 4.4.264.0	VMW_PSP_MRU SW and Dependent HW iSCSI	ETERNUS_DX8000 Fujitsu

FUJITSU Storage ETERNUS DX8700	NMP	fjt-satp-eternus v1.1.0	VMW_PSP_MRU	ETERNUS_DX8000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V20	be2iscsi ver. 4.4.264.0	SW and Dependent HW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX8700 S2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DX8000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 4.4.264.0, be2iscsi ver. 4.6.261.0	HW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX8700 S3	NMP	fjt-satp-eternus v1.1.2(VVOL compatible)	VMW_PSP_MRU	ETERNUS_DXH
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 10.2.250.0	SW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX8900 S3	NMP	fjt-satp-eternus v1.1.2(VVOL compatible)	VMW_PSP_MRU	ETERNUS_DXH
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 10.2.250.0	SW iSCSI	Fujitsu

FUJITSU Storage ETERNUS DX8900 S4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXH
ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX90 S2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 4.4.264.0, be2iscsi ver. 4.6.261.0	HW iSCSI	Fujitsu
FUJITSU Storage ETERNUS DX900 S5	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXH
ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	Fujitsu

NR1000F2220

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5³, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7-Mode, Data
ONTAP 8.2.5 7-mode,
Data ONTAP 9.0,
Data ONTAP 9.1,
ONTAP 9.2, ONTAP
9.4, ONTAP 9.5,
ONTAP 9.6, ONTAP
9.7

VMW_SATP_ALUA

N/A

VMW_PSP_RR

SW iSCSI

LUN

NetApp

NR1000F2240-2

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5³, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.1.4 7-mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7-Mode, Data
ONTAP 8.2.5 7-mode,
Data ONTAP 9.0,
Data ONTAP 9.1,
ONTAP 9.2, ONTAP
9.4, ONTAP 9.5,
ONTAP 9.6, ONTAP
9.7

VMW_SATP_ALUA

N/A

VMW_PSP_RR

SW iSCSI

LUN

NetApp

NR1000F2240-4

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5³, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.1.4 7-mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7-Mode, Data
ONTAP 8.2.5 7-mode,
Data ONTAP 9.0,
Data ONTAP 9.1,
ONTAP 9.2, ONTAP
9.4, ONTAP 9.5,
ONTAP 9.6, ONTAP
9.7

VMW_SATP_ALUA

N/A

VMW_PSP_RR

SW iSCSI

LUN

NetApp

NR1000F2520

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5³, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7-Mode, Data
ONTAP 8.2.5 7-mode,
Data ONTAP 9.0,
Data ONTAP 9.1,
ONTAP 9.2, ONTAP
9.3, ONTAP 9.4,
ONTAP 9.5, ONTAP
9.6, ONTAP 9.7

VMW_SATP_ALUA

N/A

VMW_PSP_RR

SW iSCSI

LUN

NetApp

NR1000F2552

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5³, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.1.4 7-mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7-Mode, Data
ONTAP 8.2.5 7-mode,
Data ONTAP 9.0,
Data ONTAP 9.1,
ONTAP 9.2, ONTAP
9.3, ONTAP 9.4,
ONTAP 9.5, ONTAP
9.6, ONTAP 9.7

VMW_SATP_ALUA

N/A

VMW_PSP_RR

SW iSCSI

LUN

NetApp

NR1000F2554

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5³, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.1.4 7-mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7-Mode, Data
ONTAP 8.2.5 7-mode,
Data ONTAP 9.0,
Data ONTAP 9.1,
ONTAP 9.2, ONTAP
9.3, ONTAP 9.4,
ONTAP 9.5, ONTAP
9.6, ONTAP 9.7

VMW_SATP_ALUA

N/A

VMW_PSP_RR

SW iSCSI

LUN

NetApp

NR1000F2620	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp
NR1000F2650	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp
NR1000F3220	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ²³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	N/A	SW iSCSI	NetApp
NR1000F3250	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ²³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	N/A	SW iSCSI	NetApp

NR1000F3270	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ²³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	N/A	SW iSCSI	NetApp
NR1000F6220	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ²³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	N/A	SW iSCSI	NetApp
NR1000F6240	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ²³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	N/A	SW iSCSI	NetApp
NR1000F6250	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ²³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	N/A	SW iSCSI	NetApp

NR1000F6280

NMP

VMW_SATP_DEFAULT_AA

VMW_PSP_RR

LUN

ESXi 5.5 (EOL Date: 2020-09-19)²³, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

Data ONTAP 8.2.5 7- mode
N/A

SW iSCSI

NetApp

NR1000F6290

NMP

VMW_SATP_DEFAULT_AA

VMW_PSP_RR

LUN

ESXi 5.5 (EOL Date: 2020-09-19)²³, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

Data ONTAP 8.2.5 7- mode
N/A

SW iSCSI

NetApp

NR1000F8020

ESXi 5.5 (EOL Date: 2020-09-19)^{kb4}, ESXi 5.5 U1 (EOL Date: 2020-09-19)^{kb4}, ESXi 5.5 U2 (EOL Date: 2020-09-19)^{kb4}, ESXi 5.5 U3 (EOL Date: 2020-09-19)^{kb4}, ESXi 6.0^{1,kb4}, ESXi 6.0 U1^{kb4}, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5²¹, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

AOS 5.9, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7

VMW_SATP_ALUA

N/A

VMW_PSP_RR

SW iSCSI

LUN

NetApp

NR1000F8040

ESXi 5.5 (EOL Date: 2020-09-19)^{kb4}, ESXi 5.5 U1 (EOL Date: 2020-09-19)^{kb4}, ESXi 5.5 U2 (EOL Date: 2020-09-19)^{kb4}, ESXi 5.5 U3 (EOL Date: 2020-09-19)^{kb4}, ESXi 6.0^{1,kb4}, ESXi 6.0 U1^{kb4}, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5²¹, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

AOS 5.9, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7

VMW_SATP_ALUA

N/A

VMW_PSP_RR

SW iSCSI

LUN

NetApp

NR1000F8060

ESXi 5.5 (EOL Date: 2020-09-19)^{kb4}, ESXi 5.5 U1 (EOL Date: 2020-09-19)^{kb4}, ESXi 5.5 U2 (EOL Date: 2020-09-19)^{kb4}, ESXi 5.5 U3 (EOL Date: 2020-09-19)^{kb4}, ESXi 6.0^{1,kb4}, ESXi 6.0 U1^{kb4}, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5²¹, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

AOS 5.9, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7

VMW_SATP_ALUA

N/A

VMW_PSP_RR

SW iSCSI

LUN

NetApp

NR1000F8080

ESXi 5.5 (EOL Date: 2020-09-19)^{kb4}, ESXi 5.5 U1 (EOL Date: 2020-09-19)^{kb4}, ESXi 5.5 U2 (EOL Date: 2020-09-19)^{kb4}, ESXi 5.5 U3 (EOL Date: 2020-09-19)^{kb4}, ESXi 6.0^{1,kb4}, ESXi 6.0 U1^{kb4}, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5²¹, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

AOS 5.9, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.2 P4 7-mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7

VMW_SATP_ALUA

N/A

VMW_PSP_RR

SW iSCSI

LUN

NetApp

Fusion-io, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
ION Accelerator ESXi 5.5 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.4	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	ION LUN FUSIONIO
ION Data Accelerator ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.3, 2.5.4	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	ION LUN FUSIONIO
n5 ESXi 5.5 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.0, 3.1.0, 3.5.0, 4.0.0, N/A 4.0.2	VMW_SATP_ALUA	VMW_PSP_MRU SW iSCSI	TierStore Fusion-io

GreenBytes

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
HA-2200	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GBFS
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	4.x	N/A	SW iSCSI	GB
IO Offload Engine	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GBFS
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	4.x	N/A	SW iSCSI	GB
vIO	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GBFS
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	4.x	N/A	SW iSCSI	GB

Hewlett Packard Enterprise

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
HPE 3PAR StoreServ 9000 Storage ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.3.1	VMW_SATP_ALUA be2iscsi ver. 4.6.261.0, be2iscsi ver. 10.5.101.0, bnx2x ver. 2.712.50.v60.6	VMW_PSP_MRU SW iSCSI	VV 3PARdata
HPE Hyper Converged 250 System ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb5} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb5} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb5} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb5} , ESXi 6.0 ^{kb6} , ESXi 6.0 U1 ^{kb6} , ESXi 6.0 U2 ^{kb6} , ESXi 6.0 U3 ^{kb6} , ESXi 6.5 ^{kb6} , ESXi 6.5 U1 ^{kb6} , ESXi 6.5 U2 ^{kb6} , ESXi 6.5 U3 ^{kb6} , ESXi 6.7 ^{kb6} , ESXi 6.7 U1 ^{kb6} , ESXi 6.7 U2 ^{kb6} , ESXi 6.7 U3 ^{kb6} , ESXi 7.0 ^{kb6}	NMP SANiQ 11.5, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	iSCSIDisk LEFTHAND
HPE MSA 1050 SAN ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP VE100, VE270	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	MSA 1050 SAN HPE

HPE MSA 2042 SAN	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	MSA 2040 SAN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1	GL220, GL225	qla4xxx ver. 634.55.26.0-1vmw	SW and Independent HW iSCSI	HP
HPE MSA 2050 SAN	NMP	VMW_SATP_ALUA	VMW_PSP_RR	MSA 2050 SAN
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VL100, VL270	N/A	SW iSCSI	HPE
HPE MSA 2052 SAN	NMP	VMW_SATP_ALUA	VMW_PSP_RR	MSA 2050 SAN
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VL100, VL270	N/A	SW iSCSI	HPE
HPE StoreEasy 1650 Expanded	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N9Y08A
ESXi 5.5 (EOL Date: 2020-09-19) ¹³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012 R2	N/A	SW iSCSI	HPE
HPE XP8 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	XP8
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	be2iscsi ver. 12.0.1108.0	SW and Independent HW iSCSI	HPE

SV3200	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	LH iSCSIDisk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	13.5, 13.6	N/A	SW iSCSI	LEFTHAND

Hitachi

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AMS 2010	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08C3/E and above, 08C3/N and above	N/A	SW iSCSI	N/A
AMS 2100	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08C3/E and above, 08C3/N and above	N/A	SW iSCSI	N/A
AMS 2300	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08C3/E and above, 08C3/N and above	N/A	SW iSCSI	N/A

AMS 2500	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08C3/E and above, 08C3/N and above	N/A	SW iSCSI	N/A
BR1200	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	N/A	SW iSCSI	LSI
BR1600E	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08C3/E and above, 08C3/N and above	N/A	SW iSCSI	N/A
BR1600S	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08C3/E and above, 08C3/N and above	N/A	SW iSCSI	N/A

Hitachi Unified Storage 110	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	0930/A-H and later, 0930/A-H or above, 0983/A	N/A	SW iSCSI	N/A
Hitachi Unified Storage 130	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	0930/A-H and later, 0930/A-H or above, 0983/A	N/A	SW iSCSI	N/A
Hitachi Unified Storage 150	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	0930/A-H and later, 0930/A-H or above, 0983/A	N/A	SW iSCSI	N/A
Hitachi Virtual Storage Platform E990 (Hitachi VSP E990)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	93-01	ixgbe ver. 3.7.13.7.14iov-20vmw, ntg3 ver. 4.1.0.0-1vmw, ntg3 ver. 4.1.2.0-1vmw, ntg3 ver. 4.1.3.0-1vmw, ntg3 ver. 4.1.3.2-1vmw	SW and Dependent HW iSCSI	N/A

Hitachi Virtual Storage Platform F1500 (Hitachi VSP F1500)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-05, 80-06	be2iscsi ver. 4.6.261.0, qlnativefc ver. 1.1.7.0-1, bnx2x ver. 1.72.56.v55.2, lpfc ver. 10.0.575.8, bfa ver. 3.2.5.0, be2iscsi ver. 10.7.110.10	SW and Independent HW iSCSI	"HITACHI "
Hitachi Virtual Storage Platform F350	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	elxnet ver. 10.2.309.6v-1vmw, elxnet ver. 11.1.91.0-1vmw, be2iscsi ver. 11.4.1210.0, be2iscsi ver. 12.0.1108.0, ixgben ver. 1.7.10	SW and Dependent HW iSCSI	N/A
Hitachi Virtual Storage Platform F370	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	elxnet ver. 10.2.309.6v-1vmw, elxnet ver. 11.1.91.0-1vmw, be2iscsi ver. 11.4.1210.0, be2iscsi ver. 12.0.1108.0, ixgben ver. 1.7.10	SW and Dependent HW iSCSI	N/A

Hitachi Virtual Storage Platform F400 (VSPNMP F400)

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

VMW_SATP_DEFAULT_AA

VMW_PSP_FIXED

"OPEN- "

be2iscsi ver. 4.6.261.0, be2iscsi ver. 10.4.255.17

SW iSCSI

"HITACHI "

Hitachi Virtual Storage Platform F600 (VSPNMP F600)

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

VMW_SATP_DEFAULT_AA

VMW_PSP_FIXED

"OPEN- "

be2iscsi ver. 4.6.261.0, be2iscsi ver. 10.4.255.17

SW iSCSI

"HITACHI "

Hitachi Virtual Storage Platform F700 NMP

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

VMW_SATP_DEFAULT_AA

VMW_PSP_MRU

N/A

elxnet ver. 10.2.309.6v-1vmw, elxnet ver. 11.1.91.0-1vmw, be2iscsi ver. 11.4.1210.0, be2iscsi ver. 12.0.1108.0, ixgben ver. 1.7.10

SW and Dependent
HW iSCSI

N/A

Hitachi Virtual Storage Platform F800 (VSPNMP F800)

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

VMW_SATP_DEFAULT_AA

VMW_PSP_FIXED

"OPEN- "

be2iscsi ver. 4.6.261.0, be2iscsi ver. 10.4.255.17

SW iSCSI

"HITACHI "

Hitachi Virtual Storage Platform F900

NMP

VMW_SATP_DEFAULT_AA

VMW_PSP_MRU

N/A

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

elxnet ver. 10.2.309.6v-1vmw, elxnet ver. 11.1.91.0-1vmw, be2iscsi ver. 11.4.1210.0, be2iscsi ver. 12.0.1108.0, ixgben ver. 1.7.10

SW and Dependent
HW iSCSI

N/A

Hitachi Virtual Storage Platform G100 (VSP G100)

NMP

VMW_SATP_DEFAULT_AA

VMW_PSP_FIXED

"OPEN- "

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

be2iscsi ver. 4.6.261.0, be2iscsi ver. 10.4.255.17

SW iSCSI

"HITACHI "

Hitachi Virtual Storage Platform G1000 (Hitachi VSP G1000)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-03, 80-04, 80-05, 80-06, 83-01, 83-03	be2iscsi ver. 4.6.261.0, qlnativefc ver. 1.1.7.0-1, bnx2x ver. 1.72.56.v55.2, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3d.v55.2-1vmw, bfa ver. 3.2.5.0, qla4xxx ver. 644.6.04.0-1, be2iscsi ver. 10.7.110.10	SW and Independent HW iSCSI	"HITACHI "
Hitachi Virtual Storage Platform G130	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-02, 88-03	elxnet ver. 10.2.309.6v-1vmw, elxnet ver. 11.1.91.0-1vmw, be2iscsi ver. 11.4.1210.0, be2iscsi ver. 12.0.1108.0, ixgben ver. 1.7.10	SW and Dependent HW iSCSI	N/A
Hitachi Virtual Storage Platform G150	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	elxnet ver. 10.2.309.6v-1vmw, elxnet ver. 11.1.91.0-1vmw, be2iscsi ver. 11.4.1210.0, be2iscsi ver. 12.0.1108.0, ixgben ver. 1.7.10	SW and Dependent HW iSCSI	N/A
Hitachi Virtual Storage Platform G1500 (Hitachi VSP G1500)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-05, 80-06	be2iscsi ver. 4.6.261.0, qlnativefc ver. 1.1.7.0-1, bnx2x ver. 1.72.56.v55.2, lpfc ver. 10.0.575.8, bfa ver. 3.2.5.0, be2iscsi ver. 10.7.110.10	SW and Independent HW iSCSI	"HITACHI "

Hitachi Virtual Storage Platform G200 (VSP G200)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	83-01, 83-01 or later, 83-02, 83-03, 83-04, 83-05	be2iscsi ver. 4.6.261.0, be2iscsi ver. 10.4.255.17	SW iSCSI	"HITACHI "
Hitachi Virtual Storage Platform G350	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	elxnet ver. 10.2.309.6v-1vmw, elxnet ver. 11.1.91.0-1vmw, be2iscsi ver. 11.4.1210.0, be2iscsi ver. 12.0.1108.0, ixgben ver. 1.7.10	SW and Dependent HW iSCSI	N/A
Hitachi Virtual Storage Platform G370	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	elxnet ver. 10.2.309.6v-1vmw, elxnet ver. 11.1.91.0-1vmw, be2iscsi ver. 11.4.1210.0, be2iscsi ver. 12.0.1108.0, ixgben ver. 1.7.10	SW and Dependent HW iSCSI	N/A

Hitachi Virtual Storage Platform G400 (VSP G400)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	83-01, 83-01 or later, 83-02, 83-03, 83-04, 83-05	be2iscsi ver. 4.6.261.0, be2iscsi ver. 10.4.255.17	SW iSCSI	"HITACHI "
Hitachi Virtual Storage Platform G600 (VSP G600)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	83-01, 83-01 or later, 83-02, 83-03, 83-04, 83-05	be2iscsi ver. 4.6.261.0, be2iscsi ver. 10.4.255.17	SW iSCSI	"HITACHI "
Hitachi Virtual Storage Platform G700 (Hitachi VSP G700)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	elxnet ver. 10.2.309.6v-1vmw, elxnet ver. 11.1.91.0-1vmw, be2iscsi ver. 11.4.1210.0, be2iscsi ver. 12.0.1108.0, ixgben ver. 1.7.10	SW and Dependent HW iSCSI	N/A

Hitachi Virtual Storage Platform G800 (VSP G800)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 83-01, 83-01 or later, 83-02, 83-03, 83-04, 83-05	be2iscsi ver. 4.6.261.0, be2iscsi ver. 10.4.255.17	SW iSCSI	"HITACHI "
Hitachi Virtual Storage Platform G900	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	elxnet ver. 10.2.309.6v-1vmw, elxnet ver. 11.1.91.0-1vmw, be2iscsi ver. 11.4.1210.0, be2iscsi ver. 12.0.1108.0, ixgben ver. 1.7.10	SW and Dependent HW iSCSI	N/A
SMS100	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	08C3/E and above, 08C3/N and above	N/A	SW iSCSI	N/A
Virtual Storage Platform 5100 (VSP 5100)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	be2iscsi ver. 12.0.1108.0	SW and Independent HW iSCSI	N/A

Virtual Storage Platform 5100H (VSP 5100H)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	be2iscsi ver. 12.0.1108.0	SW and Independent HW iSCSI	N/A
Virtual Storage Platform 5500 (VSP 5500)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	be2iscsi ver. 12.0.1108.0	SW and Independent HW iSCSI	N/A
Virtual Storage Platform 5500H (VSP 5500H)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	be2iscsi ver. 12.0.1108.0	SW and Independent HW iSCSI	N/A

Hitachi Vantara

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AMS 2100 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	NMP 08C3/E and above, 08C3/N and above	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	N/A N/A
AMS 2300 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	NMP 08C3/E and above, 08C3/N and above	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	N/A N/A
AMS 2500 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	NMP 08C3/E and above, 08C3/N and above	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	N/A N/A
Hitachi NAS 3080 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	NMP 11.x or later, 12.x or later	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	BlueArc NAS Platform 6.5

Hitachi NAS 3090	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	NAS platform 6.5
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	11.x or later, 12.x or later	N/A	SW iSCSI	BlueArc
Hitachi NAS 4040	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	NA
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	11.x or later, 12.x or later	N/A	SW iSCSI	NA
Hitachi NAS 4060	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	NA
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.x or later, 12.x or later	N/A	SW iSCSI	NA
Hitachi NAS 4080	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	NA
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.x or later, 12.x or later	N/A	SW iSCSI	NA

Hitachi NAS 4100	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.x or later, 12.x or later	N/A	SW iSCSI	N/A
Hitachi Unified Storage 110	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	0930/A-H and later, 0930/A-H or above, 0983/A	N/A	SW iSCSI	N/A
Hitachi Unified Storage 130	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	0930/A-H and later, 0930/A-H or above, 0983/A	N/A	SW iSCSI	N/A
Hitachi Unified Storage 150	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	0930/A-H and later, 0930/A-H or above, 0983/A	N/A	SW iSCSI	N/A

Hitachi Virtual Storage Platform E990 (Hitachi VSP E990)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	93-01	ixgbe ver. 3.7.13.7.14iov-20vmw, ntg3 ver. 4.1.0.0-1vmw, ntg3 ver. 4.1.2.0-1vmw, ntg3 ver. 4.1.3.0-1vmw, ntg3 ver. 4.1.3.2-1vmw	SW and Dependent HW iSCSI	N/A
Hitachi Virtual Storage Platform F1500 (Hitachi VSP F1500)	NMP	HTI_SATP_HDLM v08.5.0-00	VMW_PSP_RR	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 80-05, 80-06	be2iscsi ver. 4.6.261.0, qlnativefc ver. 1.1.7.0-1, bnx2x ver. 1.72.56.v55.2, lpfc ver. 10.0.575.8, bnx2x ver. 1.72.56.v55.2-1vmw, bfa ver. 3.2.5.0, be2iscsi ver. 10.7.110.10	SW iSCSI	"HITACHI "
Hitachi Virtual Storage Platform F350	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	elxnet ver. 10.2.309.6v-1vmw, elxnet ver. 11.1.91.0-1vmw, be2iscsi ver. 11.4.1210.0, be2iscsi ver. 12.0.1108.0, ixgben ver. 1.7.10	SW and Dependent HW iSCSI	N/A
Hitachi Virtual Storage Platform F370	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	elxnet ver. 10.2.309.6v-1vmw, elxnet ver. 11.1.91.0-1vmw, be2iscsi ver. 11.4.1210.0, be2iscsi ver. 12.0.1108.0, ixgben ver. 1.7.10	SW and Dependent HW iSCSI	N/A

Hitachi Virtual Storage Platform F400 (VSPNMP F400)

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

VMW_SATP_DEFAULT_AA

VMW_PSP_FIXED

"OPEN- "

be2iscsi ver. 4.6.261.0, be2iscsi ver. 10.4.255.17

SW iSCSI

"HITACHI "

Hitachi Virtual Storage Platform F600 (VSPNMP F600)

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

VMW_SATP_DEFAULT_AA

VMW_PSP_FIXED

"OPEN- "

be2iscsi ver. 4.6.261.0, be2iscsi ver. 10.4.255.17

SW iSCSI

"HITACHI "

Hitachi Virtual Storage Platform F700 NMP

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

VMW_SATP_DEFAULT_AA

VMW_PSP_MRU

N/A

elxnet ver. 10.2.309.6v-1vmw, elxnet ver. 11.1.91.0-1vmw, be2iscsi ver. 11.4.1210.0, be2iscsi ver. 12.0.1108.0, ixgben ver. 1.7.10

SW and Dependent
HW iSCSI

N/A

Hitachi Virtual Storage Platform F800 (VSPNMP F800)

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

VMW_SATP_DEFAULT_AA

VMW_PSP_FIXED

"OPEN- "

be2iscsi ver. 4.6.261.0, be2iscsi ver. 10.4.255.17

SW iSCSI

"HITACHI "

Hitachi Virtual Storage Platform F900

NMP

VMW_SATP_DEFAULT_AA

VMW_PSP_MRU

N/A

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

elxnet ver. 10.2.309.6v-1vmw, elxnet ver. 11.1.91.0-1vmw, be2iscsi ver. 11.4.1210.0, be2iscsi ver. 12.0.1108.0, ixgben ver. 1.7.10

SW and Dependent
HW iSCSI

N/A

Hitachi Virtual Storage Platform G100 (VSP G100)

NMP

HTI_SATP_HDLM v08.1.4-00

VMW_PSP_MRU

"OPEN- "

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

be2iscsi ver. 4.6.261.0, be2iscsi ver. 10.4.255.17

SW iSCSI

"HITACHI "

Hitachi Virtual Storage Platform G1000 (Hitachi VSP G1000)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 80-03, 80-04, 80-05, 80-06, 83-03	be2iscsi ver. 4.6.261.0, qlnativefc ver. 1.1.7.0-1, bnx2x ver. 1.72.56.v55.2, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3d.v55.2-1vmw, bnx2 ver. 2.2.4f.v60.10-2vmw, bfa ver. 3.2.5.0, qla4xxx ver. 644.6.04.0-1, be2iscsi ver. 10.7.110.10	SW and Independent HW iSCSI	"HITACHI "
Hitachi Virtual Storage Platform G130	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-02, 88-03	elxnet ver. 10.2.309.6v-1vmw, elxnet ver. 11.1.91.0-1vmw, be2iscsi ver. 11.4.1210.0, be2iscsi ver. 12.0.1108.0, ixgben ver. 1.7.10	SW and Dependent HW iSCSI	N/A
Hitachi Virtual Storage Platform G1500 (Hitachi VSP G1500)	NMP	HTI_SATP_HDLM v08.5.0-00	VMW_PSP_RR	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 80-05, 80-06	be2iscsi ver. 4.6.261.0, qlnativefc ver. 1.1.7.0-1, bnx2x ver. 1.72.56.v55.2, lpfc ver. 10.0.575.8, bfa ver. 3.2.5.0, be2iscsi ver. 10.7.110.10	SW iSCSI	"HITACHI "
Hitachi Virtual Storage Platform G200 (VSP G200)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 80-01-xx and later, 83-01 or later, 83-02, 83-03, 83-04, 83-05	be2iscsi ver. 4.6.261.0, be2iscsi ver. 10.4.255.17	SW and Dependent HW iSCSI	"HITACHI "

Hitachi Virtual Storage Platform G350	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	elxnet ver. 10.2.309.6v-1vmw, elxnet ver. 11.1.91.0-1vmw, be2iscsi ver. 11.4.1210.0, be2iscsi ver. 12.0.1108.0, ixgben ver. 1.7.10	SW and Dependent HW iSCSI	N/A
Hitachi Virtual Storage Platform G370	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	elxnet ver. 10.2.309.6v-1vmw, elxnet ver. 11.1.91.0-1vmw, be2iscsi ver. 11.4.1210.0, be2iscsi ver. 12.0.1108.0, ixgben ver. 1.7.10	SW and Dependent HW iSCSI	N/A
Hitachi Virtual Storage Platform G400 (VSP G400)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 80-01-xx and later, 83-01 or later, 83-02, 83-03, 83-04, 83-05	be2iscsi ver. 4.6.261.0, be2iscsi ver. 10.4.255.17	SW and Dependent HW iSCSI	"HITACHI "

Hitachi Virtual Storage Platform G600 (VSP G600)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 80-01-xx and later, 83-01 or later, 83-02, 83-03, 83-04, 83-05	be2iscsi ver. 4.6.261.0, be2iscsi ver. 10.4.255.17	SW and Dependent HW iSCSI	"HITACHI "
Hitachi Virtual Storage Platform G700	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	elxnet ver. 10.2.309.6v-1vmw, elxnet ver. 11.1.91.0-1vmw, be2iscsi ver. 11.4.1210.0, be2iscsi ver. 12.0.1108.0, ixgben ver. 1.7.10	SW and Dependent HW iSCSI	N/A
Hitachi Virtual Storage Platform G800 (VSP G800)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 80-01-xx and later, 83-01 or later, 83-02, 83-03, 83-04, 83-05	be2iscsi ver. 4.6.261.0, be2iscsi ver. 10.4.255.17	SW iSCSI	"HITACHI "

Hitachi Virtual Storage Platform G900	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02, 88-03	elxnet ver. 10.2.309.6v-1vmw, elxnet ver. 11.1.91.0-1vmw, be2iscsi ver. 11.4.1210.0, be2iscsi ver. 12.0.1108.0, ixgben ver. 1.7.10	SW and Dependent HW iSCSI	N/A
Hitachi Virtual Storage Platform N400	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	83-06	be2iscsi ver. 12.0.1108.0	SW and Dependent HW iSCSI	"HITACHI "
Hitachi Virtual Storage Platform N600	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	83-06	be2iscsi ver. 12.0.1108.0	SW and Dependent HW iSCSI	"HITACHI "
Hitachi Virtual Storage Platform N800	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	83-06	be2iscsi ver. 12.0.1108.0	SW and Dependent HW iSCSI	"HITACHI "
SMS100	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	08C3/E and above, 08C3/N and above	N/A	SW iSCSI	N/A

Virtual Storage Platform 5100 (VSP 5100)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	be2iscsi ver. 12.0.1108.0	SW and Independent HW iSCSI	N/A
Virtual Storage Platform 5100H (VSP 5100H)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	be2iscsi ver. 12.0.1108.0	SW and Independent HW iSCSI	N/A
Virtual Storage Platform 5500 (VSP 5500)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	be2iscsi ver. 12.0.1108.0	SW and Independent HW iSCSI	N/A
Virtual Storage Platform 5500H (VSP 5500H)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	be2iscsi ver. 12.0.1108.0	SW and Independent HW iSCSI	N/A

HP

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
4130	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDISK
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 11.5, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, be2net ver. 4.6.100.0v-1vmw, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND
4330 (iSCSI only)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDISK
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 11.5, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, be2net ver. 4.6.100.0v-1vmw, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND
4330FC (iSCSI)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDISK
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	SANiQ 10.5, SANiQ 11.0, SANiQ 11.5, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, be2net ver. 4.6.100.0v-1vmw, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND

4335 (iSCSI only)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDISK
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 11.5, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, be2net ver. 4.6.100.0v-1vmw, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND
4530	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDISK
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 11.5, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, be2net ver. 4.6.100.0v-1vmw, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND
4630	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDISK
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 11.5, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, be2net ver. 4.6.100.0v-1vmw, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND
4730 (iSCSI only)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDISK
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 11.5, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, be2net ver. 4.6.100.0v-1vmw, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND

4730FC (Hybrid FC & iSCSI)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDISK
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 11.5, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, be2net ver. 4.6.100.0v-1vmw, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND
HP 3PAR F-Class Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	VV
ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.1, 3.1.2, 3.1.3, 3.2.1, 3.2.2, 3.3.1	be2iscsi ver. 4.6.261.0, elxnet ver. 10.0.575.7, be2iscsi ver. 10.2.250.1, be2iscsi ver. 10.5.101.0, bnx2x ver. 2.712.50.v60.6, bnx2i ver. 2.712.50.v60.4	SW iSCSI	3PARdata
HP 3PAR StoreServ 10000 Storage	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	VV
ESXi 6.5 ^{3,kb7} , ESXi 6.5 U1 ^{kb7} , ESXi 6.5 U2 ^{kb7} , ESXi 6.5 U3 ^{kb7} , ESXi 6.7 ^{4,kb7} , ESXi 6.7 U1 ^{kb7} , ESXi 6.7 U2 ^{kb7} , ESXi 6.7 U3 ^{kb7}	3.1.2, 3.1.3, 3.2.1, 3.2.2, 3.3.1	be2iscsi ver. 4.6.261.0, elxnet ver. 10.0.575.7, be2iscsi ver. 10.2.250.1, be2iscsi ver. 10.5.65.7, be2iscsi ver. 10.5.101.0, bnx2x ver. 2.712.50.v60.6, bnx2i ver. 2.712.50.v60.4, bnx2i ver. 2.712.50.v55.4	SW and Independent HW iSCSI	3PARdata
HP 3PAR StoreServ 20000 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	VV
ESXi 5.5 (EOL Date: 2020-09-19) ^{1,kb7} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb7} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb7} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb7} , ESXi 6.0 ^{kb7} , ESXi 6.0 U1 ^{kb7} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.2.1, 3.2.2, 3.3.1	be2iscsi ver. 4.6.261.0, be2iscsi ver. 10.2.250.1, be2iscsi ver. 10.5.65.7, be2iscsi ver. 10.5.101.0, bnx2x ver. 2.712.50.v60.6, bnx2i ver. 2.712.50.v60.4, bnx2i ver. 2.712.50.v55.4	iSCSI Metro Cluster Storage	3PARdata
HP 3PAR StoreServ 7000 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	VV
ESXi 6.5 ^{3,kb7} , ESXi 6.5 U1 ^{kb7} , ESXi 6.5 U2 ^{kb7} , ESXi 6.5 U3 ^{kb7} , ESXi 6.7 ^{4,kb7} , ESXi 6.7 U1 ^{kb7} , ESXi 6.7 U2 ^{kb7} , ESXi 6.7 U3 ^{kb7}	3.1.2, 3.1.3, 3.2.1, 3.2.2, 3.3.1	be2iscsi ver. 4.6.261.0, elxnet ver. 10.0.575.7, be2iscsi ver. 10.2.250.1, be2iscsi ver. 10.5.65.7, be2iscsi ver. 10.5.101.0, bnx2x ver. 2.712.50.v60.6, bnx2i ver. 2.712.50.v60.4, bnx2i ver. 2.712.50.v55.4	SW iSCSI	3PARdata

HP 3PAR StoreServ 8000 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	VV
ESXi 5.5 (EOL Date: 2020-09-19) ^{1,kb7} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb7} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb7} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb7} , ESXi 6.0 ^{kb7} , ESXi 6.0 U1 ^{kb7} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.2.1, 3.2.2, 3.3.1	be2iscsi ver. 4.6.261.0, be2iscsi ver. 10.2.250.1, be2iscsi ver. 10.5.65.7, be2iscsi ver. 10.5.101.0, bnx2x ver. 2.712.50.v60.6, bnx2i ver. 2.712.50.v60.4, bnx2i ver. 2.712.50.v55.4, bnx2x ver. 2.712.50.v55.6	iSCSI Metro Cluster Storage	3PARdata
HP 3PAR StoreServ File Controller v2 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012 R2	N/A	SW iSCSI	MSFT
HP 3PAR StoreServ File Controller v3 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows 2012 R2	N/A	SW iSCSI	MSFT
HP 3PAR T-Class Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	VV
ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.1.2, 3.1.3, 3.2.1, 3.2.2, 3.3.1	be2iscsi ver. 4.6.261.0, be2iscsi ver. 10.2.250.1, be2iscsi ver. 10.5.101.0, bnx2x ver. 2.712.50.v60.6, bnx2i ver. 2.712.50.v60.4	SW iSCSI	3PARdata

HP CS 200-HC StoreVirtual System	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDISK
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb5} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb6} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb6} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb6} , ESXi 6.0 ^{kb6} , ESXi 6.0 U1 ^{kb6} , ESXi 6.0 U2 ^{kb6} , ESXi 6.0 U3 ^{kb6} , ESXi 6.5 ^{kb6} , ESXi 6.5 U1 ^{kb6} , ESXi 6.5 U2 ^{kb6} , ESXi 6.5 U3 ^{kb6} , ESXi 6.7 ^{kb6} , ESXi 6.7 U1 ^{kb6} , ESXi 6.7 U2 ^{kb6} , ESXi 6.7 U3 ^{kb6} , ESXi 7.0 ^{kb6}	11.5, 12.0, SANiQ 11.5, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	N/A	SW iSCSI	LEFTHAND
HP CS 250-HC StoreVirtual System	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	iSCSIDISK
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb5} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb5} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb5} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb5} , ESXi 6.0 ^{kb6} , ESXi 6.0 U1 ^{kb6} , ESXi 6.0 U2 ^{kb6} , ESXi 6.0 U3 ^{kb6} , ESXi 6.5 ^{kb6} , ESXi 6.5 U1 ^{kb6} , ESXi 6.5 U2 ^{kb6} , ESXi 6.5 U3 ^{kb6} , ESXi 6.7 ^{kb6} , ESXi 6.7 U1 ^{kb6} , ESXi 6.7 U2 ^{kb6} , ESXi 6.7 U3 ^{kb6} , ESXi 7.0 ^{kb6}	12.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	N/A	iSCSI Metro Cluster Storage	LEFTHAND
HP MSA 1040 SAN	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MSA 1040 SAN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1	GL105, GL200, GL210, GL220, GL225	qla4xxx ver. 634.55.26.0-1vmw	SW and Independent HW iSCSI	HP
HP MSA 2040 SAN	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MSA 2040 SAN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1	GL101, GL105, GL200, GL210, GL220, GL225	be2iscsi ver. 4.6.261.0, qla4xxx ver. 634.55.26.0-1vmw	SW and Independent HW iSCSI	HP

HP P4000 VSA

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹⁴, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8

VMW_SATP_DEFAULT_AA

be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.203, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0

VMW_PSP_RR

SW and Independent HW iSCSI

iSCSIDisk

LEFTHAND

HP P4300 G2

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹⁴, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 11.5, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8

VMW_SATP_DEFAULT_AA

be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, be2net ver. 4.6.100.0v-1vmw, bnx2 ver. 2.2.3t.v55.7, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0

VMW_PSP_RR

SW and Independent HW iSCSI

iSCSIDisk

LEFTHAND

HP P4900 G2

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹⁴, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 11.5, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8

VMW_SATP_DEFAULT_AA

be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, be2net ver. 4.6.100.0v-1vmw, bnx2 ver. 2.2.3t.v55.7, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0

VMW_PSP_RR

SW and Independent HW iSCSI

iSCSIDisk

LEFTHAND

HP StoreEasy 1400 Storage

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

window storage server N/A 2012

VMW_SATP_DEFAULT_AA**VMW_PSP_MRU**

SW iSCSI

Virtual HD

MSFT

HP StoreEasy 1440 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012 R2	N/A	SW iSCSI	MSFT
HP StoreEasy 1500 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	window storage server 2012	N/A	SW iSCSI	MSFT
HP StoreEasy 1540 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012 R2	N/A	SW iSCSI	MSFT
HP StoreEasy 1550 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows 2012 R2	N/A	SW iSCSI	MSFT

HP StoreEasy 1600 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	WSS 2012	N/A	SW iSCSI	MSFT
HP StoreEasy 1640 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012 R2	N/A	SW iSCSI	MSFT
HP StoreEasy 1800 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	WSS 2012	N/A	SW iSCSI	MSFT
HP StoreEasy 1840 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012 R2	N/A	SW iSCSI	MSFT

HP StoreEasy 1850 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows 2012 R2	N/A	SW iSCSI	MSFT
HP StoreEasy 3800 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	WSS 2012	N/A	SW iSCSI	MSFT
HP StoreEasy 3800sb Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows storage server 2012	N/A	SW iSCSI	MSFT
HP StoreEasy 3840 Gateway Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012 R2	N/A	SW iSCSI	MSFT

HP StoreEasy 3840 Gateway Storage Blade	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012 R2	N/A	SW iSCSI	MSFT
HP StoreEasy 3850 Gateway Storage Blade	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows 2012 R2	N/A	SW iSCSI	MSFT
HP StoreEasy 3850 Gateway Storage Blade	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows 2012 R2	N/A	SW iSCSI	MSFT
HP StoreEasy 5000 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows storage server 2012	N/A	SW iSCSI	MSFT

HP StoreVirtual VSA 2014	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDisk
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb5} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb8} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb8} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb8} , ESXi 6.0 ^{kb6} , ESXi 6.0 U1 ^{kb6} , ESXi 6.0 U2 ^{kb6} , ESXi 6.0 U3 ^{kb6} , ESXi 6.5 ^{kb6} , ESXi 6.5 U1 ^{kb6} , ESXi 6.5 U2 ^{kb6} , ESXi 6.5 U3 ^{kb6} , ESXi 6.7 ^{kb6} , ESXi 6.7 U1 ^{kb6} , ESXi 6.7 U2 ^{kb6} , ESXi 6.7 U3 ^{kb6} , ESXi 7.0 ^{kb6}	11.0, 11.5, 12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 11.5, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	N/A	SW iSCSI	LEFTHAND
HP XP7 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	OPEN-
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx and later, 80-03, 80-04, 80-05, 80-06, 83-03	be2iscsi ver. 4.6.261.0, qlnativefc ver. 1.1.7.0-1, bnx2x ver. 1.72.56.v55.2, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3d.v55.2-1vmw, bfa ver. 3.2.5.0, qla4xxx ver. 644.6.04.0-1, be2iscsi ver. 10.7.110.10	SW and Independent HW iSCSI	HP
Lefthand	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDisk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND

LeftHand P4500	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDisk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND
P2000 G3 10G iSCSI MSA	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	P2000 G3 iSCSI
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	TS250, TS251, TS252	qla4xxx ver. 634.55.20.0-1vmw, be2iscsi ver. 4.6.261.0	SW and Independent HW iSCSI	HP
P2000 G3 1GbE iSCSI MSA	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	P2000 G3 iSCSI
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	TS250, TS251, TS252	be2iscsi ver. 4.6.261.0	SW and Independent HW iSCSI	HP
P2000 G3 MSA FC/iSCSI	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	P2000 G3 FC/iSCSI
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	TS250, TS251, TS252	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bfa ver. 3.2.3.0, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.662.204	8G FC Direct Attach	HP
P4000sb	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDisk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 11.5, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, be2net ver. 4.6.100.0v-1vmw, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND

P4300	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDisk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND
P4500 G2	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDisk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 11.5, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, be2net ver. 4.6.100.0v-1vmw, bnx2 ver. 2.2.3t.v55.7, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND
P4800 G2	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDisk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 11.5, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, be2net ver. 4.6.100.0v-1vmw, bnx2 ver. 2.2.3t.v55.7, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND
P6300 - 1GbE iSCSI	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	HSV340
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	11200000, 11300000	be2iscsi ver. 4.6.261.0, qla4xxx ver. 634.55.26.0-1vmw	SW and Independent HW iSCSI	HP

P6300 10GbE iSCSI	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	HSV340
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	11200000, 11300000	qla4xxx ver. 634.55.20.0-1vmw, be2iscsi ver. 4.6.261.0	SW and Independent HW iSCSI	HP
P6350 10GbE iSCSI	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	HSV340
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	11200000, 11300000	qla4xxx ver. 634.55.20.0-1vmw, be2iscsi ver. 4.6.261.0	SW and Independent HW iSCSI	HPQ
P6350 1Gb iSCSI	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	HSV340
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	11200000, 11300000	be2iscsi ver. 4.6.261.0, qla4xxx ver. 634.55.26.0-1vmw	SW and Independent HW iSCSI	HPQ
P6500 - 1GbE iSCSI	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	HSV340
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	11200000, 11300000	be2iscsi ver. 4.6.261.0, qla4xxx ver. 634.55.26.0-1vmw	SW and Independent HW iSCSI	HP
P6500 10GbE iSCSI	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	HSV360
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	11200000, 11300000	qla4xxx ver. 634.55.20.0-1vmw, be2iscsi ver. 4.6.261.0	SW and Independent HW iSCSI	HP
P6550 10Gb iSCSI	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	HSV360
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	11200000, 11300000	qla4xxx ver. 634.55.20.0-1vmw, be2iscsi ver. 4.6.261.0	SW and Independent HW iSCSI	HPQ

P6550 – 1Gb iSCSI	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	HSV360
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	11200000, 11300000	be2iscsi ver. 4.6.261.0, qla4xxx ver. 634.55.26.0-1vmw	SW and Independent HW iSCSI	HPQ
StoreEasy 1450	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows 2012 R2	N/A	SW iSCSI	MSFT
StoreEasy 1650	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows 2012 R2	N/A	SW iSCSI	MSFT

Huawei Technologies Co., Ltd.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
18500 V5 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V500R007	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	XSG1 Huawei
18500F V5 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V500R007	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	XSG1 Huawei
18510 V5 ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3 ¹ , ESXi 7.0	NMP V500R007	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	XSG1 Huawei
18510F V5 ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3 ¹ , ESXi 7.0	NMP V500R007	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	XSG1 Huawei

18800 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	SW iSCSI	Huawei
18800F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	SW iSCSI	Huawei
18810 V5	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XSG1
ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3 ¹ , ESXi 7.0	V500R007	N/A	SW iSCSI	Huawei
18810F V5	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XSG1
ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3 ¹ , ESXi 7.0	V500R007	N/A	SW iSCSI	Huawei

2100 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R006	N/A	SW iSCSI	HUAWEI
2200 V3	UltraPath 8.06.010	N/A		XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R003, V300R005, V300R006	N/A	SW iSCSI	HSC
2600 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R003, V300R005, V300R006	N/A	SW iSCSI	HSC
2600F V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R003, V300R006	N/A	SW iSCSI	HUAWEI

2800 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R003 N/A		SW iSCSI	HWT
2800 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	SW iSCSI	HUAWEI
2810 V5	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	SW iSCSI	Huawei
5110 V5	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	SW iSCSI	Huawei

5110F V5	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	SW iSCSI	Huawei
5210 V5	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	SW iSCSI	Huawei
5210F V5	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	SW iSCSI	Huawei
5300 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002, V300R003, V300R005, V300R006	N/A	SW iSCSI	HUAWEI

5300 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	SW iSCSI	Huawei
5300F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	SW iSCSI	HUAWEI
5310 V5	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	SW iSCSI	Huawei
5310F V5	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	SW iSCSI	Huawei

5500 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002, V300R003, V300R005, V300R006	N/A	SW iSCSI	HUAWEI
5500 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	SW iSCSI	Huawei
5500F V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R003, V300R006	N/A	SW iSCSI	HUAWEI
5500F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	SW iSCSI	HUAWEI

5510 V5	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XSG1
ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3 ¹ , ESXi 7.0	V500R007	N/A	SW iSCSI	Huawei
5510F V5	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XSG1
ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3 ¹ , ESXi 7.0	V500R007	N/A	SW iSCSI	Huawei
5600 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002, V300R003, V300R005, V300R006	N/A	SW iSCSI	HUAWEI
5600 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	SW iSCSI	Huawei

5600F V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R003, V300R006 N/A		SW iSCSI	HUAWEI
5600F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	SW iSCSI	HUAWEI
5610 V5	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XSG1
ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3 ¹ , ESXi 7.0	V500R007	N/A	SW iSCSI	Huawei
5610F V5	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XSG1
ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3 ¹ , ESXi 7.0	V500R007	N/A	SW iSCSI	Huawei

5800 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002, V300R003, V300R005, V300R006	N/A	SW iSCSI	HUAWEI
5800 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	SW iSCSI	Huawei
5800F V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R003, V300R006	N/A	SW iSCSI	HUAWEI
5800F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	SW iSCSI	HUAWEI

5810 V5 ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3 ¹ , ESXi 7.0	NMP V500R007	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	XSG1 Huawei
5810F V5 ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3 ¹ , ESXi 7.0	NMP V500R007	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	XSG1 Huawei
6800 V3 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V300R001, V300R002, V300R003, V300R005, V300R006	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	XSG1 HUAWEI
6800 V5 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V500R007	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	XSG1 Huawei

6800F V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R003, V300R006 N/A		SW iSCSI	HUAWEI
6800F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	SW iSCSI	HUAWEI
6810 V5	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XSG1
ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3 ¹ , ESXi 7.0	V500R007	N/A	SW iSCSI	Huawei
6810F V5	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XSG1
ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3 ¹ , ESXi 7.0	V500R007	N/A	SW iSCSI	Huawei

6900 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002, V300R003, V300R005, V300R006	N/A	SW iSCSI	HUAWEI
Dorado18000 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002	N/A	SW iSCSI	HUAWEI
Dorado3000 V3	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R002	N/A	SW iSCSI	HUAWEI
Dorado5000 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002	N/A	SW iSCSI	Huawei

Dorado5100	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Dorado5100
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1R1	N/A	SW iSCSI	HUAWEI
Dorado6000 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002	N/A	SW iSCSI	HUAWEI
FusionCube	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	FusionCube
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0, V100	N/A	SW iSCSI	Huawei
FusionStorage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	FusionStorage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	8.0, V100	N/A	SW iSCSI	Huawei

OceanStor 100D	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	VBS fileIO
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	8.0	N/A	SW iSCSI	Huawei
OceanStor 18500	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	OceanStor 18500
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V100R001	N/A	SW iSCSI	HUAWEI
OceanStor 18500 V3	UltraPath 8.03.002	N/A		XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002, V300R003, V300R005, V300R006	N/A	SW iSCSI	HUAWEI
OceanStor 18500F V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R003, V300R006	N/A	SW iSCSI	HUAWEI

OceanStor 18800	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	OceanStor 18800
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V100R001	N/A	SW iSCSI	HUAWEI
OceanStor 18800 V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R001, V300R002, V300R003, V300R005, V300R006	N/A	SW iSCSI	HUAWEI
OceanStor 18800F	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	OceanStor 18800F
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V100R001	N/A	SW iSCSI	HUAWEI
OceanStor 18800F V3	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R003, V300R006	N/A	SW iSCSI	HUAWEI

OceanStor Dorado 18000 V6 ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 6.0, 6.1	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	XSG1 HUAWEI
OceanStor Dorado 18500 V6 ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 6.0, 6.1	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	XSG1 HUAWEI
OceanStor Dorado 18800 V6 ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 6.0, 6.1	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	XSG1 HUAWEI
OceanStor Dorado 3000 V6 ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 6.0, 6.1	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	XSG1 HUAWEI
OceanStor Dorado 5000 V6 ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 6.0, 6.1	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	XSG1 HUAWEI
OceanStor Dorado 5300 V6 ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 6.0, 6.1	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	XSG1 HUAWEI
OceanStor Dorado 5500 V6 ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 6.0, 6.1	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	XSG1 HUAWEI
OceanStor Dorado 5600 V6 ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 6.0, 6.1	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	XSG1 HUAWEI

OceanStor Dorado 6000 V6 ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 6.0, 6.1	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	XSG1 HUAWEI
OceanStor Dorado 6800 V6 ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 6.0, 6.1	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	XSG1 HUAWEI
OceanStor Dorado 8000 V6 ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 6.0, 6.1	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	XSG1 HUAWEI
S2200T ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V1R5, V200R002	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	S2200T HUAWEI
S2600T ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V1R5, V200R002	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	S2600T HUAWEI

S2900	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	S2900
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1R5, V200R002	N/A	SW iSCSI	HUAWEI
S3900	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	S3900
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1R5, V200R002	N/A	SW iSCSI	HUAWEI
S5500T	NMP	VMW_SATP_ALUA	VMW_PSP_RR	S5500T
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1R5, V200R002	N/A	SW iSCSI	HUAWEI
S5600T	NMP	VMW_SATP_ALUA	VMW_PSP_RR	S5600T
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1R5, V200R002	N/A	SW iSCSI	HUAWEI

S5800T	NMP	VMW_SATP_ALUA	VMW_PSP_RR	S5800T
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1R5, V200R002	N/A	SW iSCSI	HUAWEI
S5900	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	S5900
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1R5, V200R002	N/A	SW iSCSI	HUAWEI
S6800T	NMP	VMW_SATP_ALUA	VMW_PSP_RR	S6800T
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1R5, V200R002	N/A	SW iSCSI	HUAWEI
S6900	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	S6900
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1R5, V200R002	N/A	SW iSCSI	HUAWEI

IBM

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
DCS3700+ ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 07.84, 07.86	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	1818 FASTT IBM
DS3300 ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 07.84, 07.86	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	1726-HC3 IBM
DS3500 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 07.84, 07.86	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	INF-01-00 IBM

DS3950	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	1814
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	N/A	SW iSCSI	IBM
DS5020	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	1814
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	N/A	SW iSCSI	IBM
DS5100	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	1818
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	N/A	SW iSCSI	IBM
DS5300	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	1818
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	N/A	SW iSCSI	IBM

FlashSystem 840	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	FlashSystem
ESXi 5.5 (EOL Date: 2020-09-19) ²⁴ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.4	N/A	SW iSCSI	IBM
FlashSystem 900	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	FlashSystem
ESXi 5.5 (EOL Date: 2020-09-19) ²⁴ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.4	N/A	SW iSCSI	IBM
FlashSystem 9100	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ³ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	8.2, 8.3	N/A	SW iSCSI	IBM
IBM FlashSystem 5000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	8.2, 8.3	N/A	SW iSCSI	N/A

IBM FlashSystem 7000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	8.3	N/A	SW iSCSI	N/A
IBM FlashSystem 9000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	8.3	N/A	SW iSCSI	N/A
IBM FlashSystem A9000 Family	NMP	VMW_SATP_ALUA	VMW_PSP_RR	IBM FlashSystem A9000 Family
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ²⁵ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, 12.0.1, 12.0.2, 12.0.3, 12.1, 12.2, 12.3	N/A	SW iSCSI	IBM

N6000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode	N/A	SW iSCSI	NETAPP

N7000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode	N/A	SW iSCSI	N/A
Spectrum Accelerate	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Spectrum Accelerate
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.5, 11.5.1, 11.5.4	elxnet ver. 10.2.309.6v	SW iSCSI	IBM

Spectrum Accelerate	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Spectrum Accelerate
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb9} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb9} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb9} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb9} , ESXi 6.0 ^{kb9} , ESXi 6.0 U1 ^{kb9} , ESXi 6.0 U2 ^{kb9} , ESXi 6.0 U3 ^{kb9}	11.5, 11.5.4	N/A	SW iSCSI	IBM
Storwize V3500	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.4, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1.2, 8.2, 8.3	N/A	SW iSCSI	IBM
Storwize V3700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.4, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.3	N/A	SW iSCSI	IBM
Storwize V5000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1.2, 8.2, 8.3	N/A	SW iSCSI	IBM

Storwize V7000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.4, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1.2, 8.2, 8.3	N/A	SW iSCSI	IBM
XIV	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XIV
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.2.4, 11.1, 11.2, 11.3, 11.4, 11.5, 11.5.1, 11.5.4, 11.6	N/A	SW iSCSI	IBM

Information

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Nexsan BEAST ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP R011	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	NXS-B01-000 NEXSAN
Nexsan E18 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP Q011	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	NXS-B01-000 NEXSAN
Nexsan E18V ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP R011	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	NXS-B01-000 NEXSAN
Nexsan E32V ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP R011	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	NXS-B01-000 NEXSAN

Nexsan E48	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NXS-B01-000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	Q011	N/A	SW iSCSI	NEXSAN
Nexsan E48V	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NXS-B01-000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	R011	N/A	SW iSCSI	NEXSAN
Nexsan E60	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NXS-B01-000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	Q011	N/A	SW iSCSI	NEXSAN
Nexsan E60V	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NXS-B01-000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	R011	N/A	SW iSCSI	NEXSAN

Nexsan NST2000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NestOS
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.1, 3.2, v3.1	N/A	SW iSCSI	Nexsan
Nexsan NST4000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NestOS
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.1, 3.2, v3.1	N/A	SW iSCSI	Nexsan
Nexsan NST5100	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NST5000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	2.2.0, 3.1, 3.2	N/A	SW iSCSI	NEXSAN
Nexsan NST5300	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NST5000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	2.2.0, 3.1, 3.2	N/A	SW iSCSI	NEXSAN

Nexsan NST5500	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NST5000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	2.2.0, 3.1, 3.2	N/A	SW iSCSI	NEXSAN
Nexsan NST6000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NestOS
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.1, 3.2	N/A	SW iSCSI	Nexsan
Nexsan NST6500	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NestOS
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.0	N/A	SW iSCSI	NEXSAN

Infinidat

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
F-Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	InfiniBox
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.0, 4.0, 5.0	N/A	SW iSCSI	NFINIDAT

Infortrend Technology, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
EonNAS 1000 Series ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 1.9.x	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	EonNAS 1000 Infortrend
EonNAS 3012 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.1.x	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	EonNAS 3012 Infortrend
EonNAS 3016 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.1.x	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	EonNAS 3016 Infortrend

ESDS 1000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_1000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	N/A	SW iSCSI	IFT
ESDS 2000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_2000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.12Q.04	N/A	SW iSCSI	IFT
ESDS 3000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_3000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x, 6.11, 6.61H.08	N/A	SW iSCSI	Infortrend
ESDS 4000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_4000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.5x, 6.61H.08	N/A	SW iSCSI	IFT

ESDS 4000U Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_4000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.51i.07	N/A	SW iSCSI	Infortrend
ESDS B12E-G2140-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_B12E-G2140
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qla4xxx ver. 5.01.03.2-3vmw, qla4xxx ver. 5.01.03.2-6vmw, qla4xxx ver. 5.01.03.2-7vmw	SW and Independent HW iSCSI	IFT
ESDS B12E-R2140-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_B12E-R2140-4
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qla4xxx ver. 5.01.03.2-3vmw, qla4xxx ver. 5.01.03.2-6vmw, qla4xxx ver. 5.01.03.2-7vmw	SW and Independent HW iSCSI	IFT
ESDS B24E-G2142-6	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_B24E-G2142-6
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qla4xxx ver. 5.01.03.2-3vmw, qla4xxx ver. 5.01.03.2-6vmw, qla4xxx ver. 5.01.03.2-7vmw	SW and Independent HW iSCSI	IFT

ESDS B24E-R2142-6	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_B12E-R2140
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qla4xxx ver. 5.01.03.2-3vmw, qla4xxx ver. 5.01.03.2-6vmw, qla4xxx ver. 5.01.03.2-7vmw	SW and Independent IFT HW iSCSI	
ESDS S12E-G1140-2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S12E-G1140-2
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qla4xxx ver. 5.01.03.2-3vmw, qla4xxx ver. 5.01.03.2-6vmw, qla4xxx ver. 5.01.03.2-7vmw	SW and Independent IFT HW iSCSI	
ESDS S12E-G2140-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S12E-G2140
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qla4xxx ver. 5.01.03.2-3vmw, qla4xxx ver. 5.01.03.2-6vmw, qla4xxx ver. 5.01.03.2-7vmw	SW and Independent IFT HW iSCSI	
ESDS S12E-G2140-4A	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S12E-G2140
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qla4xxx ver. 5.01.03.2-3vmw, qla4xxx ver. 5.01.03.2-6vmw, qla4xxx ver. 5.01.03.2-7vmw	SW and Independent IFT HW iSCSI	

ESDS S12E-G2250	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S12E-G2250
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	N/A	SW iSCSI	IFT
ESDS S12E-G2251	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S12E-G2251
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	N/A	SW iSCSI	IFT
ESDS S12E-R2140-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16E-R2140-4
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qla4xxx ver. 5.01.03.2-3vmw, qla4xxx ver. 5.01.03.2-6vmw, qla4xxx ver. 5.01.03.2-7vmw	SW and Independent HW iSCSI	IFT
ESDS S12E-R2250	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S12E-R2250
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	N/A	SW iSCSI	IFT

ESDS S12E-R2251	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S12E-R2251
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	N/A	SW iSCSI	IFT
ESDS S16E-G1140-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16E-G1140-4
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qla4xxx ver. 5.01.03.2-3vmw, qla4xxx ver. 5.01.03.2-6vmw, qla4xxx ver. 5.01.03.2-7vmw	SW and Independent HW iSCSI	IFT
ESDS S16E-G2142-6	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16E-G2142-6
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qla4xxx ver. 5.01.03.2-3vmw, qla4xxx ver. 5.01.03.2-6vmw, qla4xxx ver. 5.01.03.2-7vmw	SW and Independent HW iSCSI	IFT
ESDS S16E-G2240	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16E-G2240
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qla4xxx ver. 5.01.03.2-3vmw, qla4xxx ver. 5.01.03.2-6vmw, qla4xxx ver. 5.01.03.2-7vmw	SW and Independent HW iSCSI	IFT

ESDS S16E-G2250	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16E-G2250
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	N/A	SW iSCSI	IFT
ESDS S16E-G2251	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16E-G2251
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	N/A	SW iSCSI	IFT
ESDS S16E-R1140-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16E-R1140-4
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qla4xxx ver. 5.01.03.2-3vmw, qla4xxx ver. 5.01.03.2-6vmw, qla4xxx ver. 5.01.03.2-7vmw	SW and Independent HW iSCSI	IFT
ESDS S16E-R2142-6	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16E-R2142-6
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qla4xxx ver. 5.01.03.2-3vmw, qla4xxx ver. 5.01.03.2-6vmw, qla4xxx ver. 5.01.03.2-7vmw	SW and Independent HW iSCSI	IFT

ESDS S16E-R2250	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS S16E-R2250
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	N/A	SW iSCSI	IFT
ESDS S16E-R2251	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16E-R2251
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	N/A	SW iSCSI	IFT
ESDS S24E-G2142-6	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S24E-G2142-6
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	qla4xxx ver. 5.01.03.2-3vmw, qla4xxx ver. 5.01.03.2-6vmw, qla4xxx ver. 5.01.03.2-7vmw	SW and Independent HW iSCSI	IFT
ESGS 1000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ESGS 1000 Series
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.11E.05, 1.36P.07, 1.43.A32	N/A	SW iSCSI	IFT

ESGS 2000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GS_2000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.33F.02	N/A	SW iSCSI	Infortrend
ESGS 3000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GS_3000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.11E.05, 1.36P.07, 1.43.A32	N/A	SW iSCSI	Infortrend
ESGS 4000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GS_4000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.11S.50	N/A	SW iSCSI	Infortrend
ESGS 5000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GS_2000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.33F.02	N/A	SW iSCSI	Infortrend

ESGSa 2000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ESGSa 2000 Series
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.36S.06	N/A	SW iSCSI	IFT
ESGSa 3000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ESGSa 3000 Series
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.36S.06	N/A	SW iSCSI	IFT
ESGSa 5000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ESGSa 5000 Series
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.36S.06	N/A	SW iSCSI	IFT
ESGSc 3000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GSc_3000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.38.A41	N/A	SW iSCSI	Infortrend

ESGSc 5000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GSc_5000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.38.B20	N/A	SW iSCSI	Infortrend
ESGSe 3000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GSe_3000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.11B.05	N/A	SW iSCSI	Infortrend
ESGSe Pro 100 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GSePro_100
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.38i.09	N/A	SW iSCSI	Infortrend
ESGSe Pro 1000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GSePro_1000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.36B.08	N/A	SW iSCSI	Infortrend

ESGSe Pro 3000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GSePro_3000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.36B.08	N/A	SW iSCSI	Infortrend
ESVA E75-2230	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ESVA_E75-2230
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.9x	N/A	SW iSCSI	IFT
GSa 3000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	GSa 3000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.36S.06	N/A	SW iSCSI	Infortrend

Inspur

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AS1000G6 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 07.84, 07.86	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	AS1000G6 Inspur
AS13000-M1 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP ICFS-3.7	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	ICFS Inspur
AS13000-M3 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP ICFS-3.7	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	ICFS Inspur

AS13000-M5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	ICFS
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ICFS-3.7	N/A	SW iSCSI	Inspur
AS13000G5-E36	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	ICFS
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ICFS-3.7	N/A	SW iSCSI	Inspur
AS13000G5-M12	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	ICFS
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ICFS-3.7	N/A	SW iSCSI	Inspur
AS13000G5-M25	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	ICFS
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ICFS-3.7	N/A	SW iSCSI	Inspur

AS13000G5-M36	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	ICFS
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ICFS-3.7	N/A	SW iSCSI	Inspur
AS13000G5-M72	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	ICFS
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ICFS-3.7	N/A	SW iSCSI	Inspur
AS18000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	AS18000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 4.4.264.0, be2iscsi ver. 4.6.261.0	SW iSCSI	inspur
AS18000G5	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MCS
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	MCS3.1.6.8	N/A	SW iSCSI	Inspur

AS500H	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	AS500H
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	N/A	SW iSCSI	inspur
AS520E-M1	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	AS520E-M1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	N/A	SW iSCSI	Inspur
AS5500G2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MCS
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	MCS3.1.6.8	N/A	SW iSCSI	Inspur
AS5600	NMP	fjt-satp-eternus v1.1.2(VVOL compatible)	VMW_PSP_MRU	AS5600
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	be2iscsi ver. 4.6.261.0, be2iscsi ver. 10.2.250.0	SW iSCSI	Inspur

AS600G3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	AS600G3
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	N/A	SW iSCSI	inspur
AS8000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	AS8000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.0, 11.0, 9.0	N/A	SW iSCSI	inspur
AS8000-M2	NMP	VMW_SATP_ALUA	VMW_PSP_RR	AS8000-M2
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.4, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1.2, 8.2, 8.3	N/A	SW iSCSI	Inspur

Intelligent Systems Services Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
STORCIUM	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	STORCIUM
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.3	N/A	SW iSCSI	STORCIUM

ioSafe, Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
ioSafe 1515+	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	v4510, v4989	N/A	SW iSCSI	SYNO

iXsystems, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
TrueNAS	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	iSCSI Disk
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.1, 9.10, 9.10.1, 9.2.1, 9.3.1	N/A	SW iSCSI	FreeBSD

Kaminario

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
v5.2 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 5.2	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW & HW iSCSI	K2 KMNRIO
v5.8 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 5.8	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	K2 KMNRIO
v6.0 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 6.0	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	K2 KMNRIO

LeftHand Networks

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Dell 2950	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDisk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND
HP ProLiant DL380	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDISK
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND
IBM x3650	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDISK
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND

NSM 160	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDisk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND
NSM 185	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDisk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND
NSM 2060	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDisk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND
NSM 2060 G2	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDisk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND

NSM 2060 G2	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDisk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND
NSM 2120	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDisk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND
NSM 2120 G2	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDisk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND
NSM 260	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDISK
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND

NSM 320	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDisk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND
NSM 326	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDisk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND
NSM 3650	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDisk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND
NSM 380	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	iSCSIDisk
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁴ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8	be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0	SW and Independent HW iSCSI	LEFTHAND

NSM 4150

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹⁴, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8

VMW_SATP_DEFAULT_AA

be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0

VMW_PSP_RR

SW and Independent HW iSCSI

iSCSIDisk

LEFTHAND

VSA

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹⁴, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

NMP

12.0, SANiQ 10.5, SANiQ 11.0, SANiQ 12.0, SANiQ 12.5, SANiQ 12.6, SANiQ 12.7, SANiQ 12.8

VMW_SATP_DEFAULT_AA

be2iscsi ver. 4.6.261.0, lpfc ver. 10.0.575.8, bnx2 ver. 2.2.3t.v55.7, elxnet ver. 10.0.725.2, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.725.203, bnx2 ver. 2.2.4f.v55.3, be2iscsi ver. 10.2.250.1, bnx2 ver. 2.2.5f.v55.16, elxnet ver. 10.5.65.4, be2iscsi ver. 11.0.231.0, elxnet ver. 11.2.1149.0

VMW_PSP_RR

SW and Independent HW iSCSI

iSCSIDisk

LEFTHAND

Lenovo

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
DE2000H ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 11.50	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	DE_Series LENOVO
DE4000F ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 11.50	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	DE_Series LENOVO
DE4000H ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 11.50	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	DE_Series LENOVO
DE6000F ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 11.50	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	DE_Series LENOVO
DE6000H ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 11.50	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	DE_Series LENOVO

DM3000H	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.9, ONTAP 9.4, N/A ONTAP 9.5, ONTAP 9.6, ONTAP 9.7		SW iSCSI	NetApp
DM5000F	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp
DM5000H	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp
DM7000F	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp

DM7000H	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1 ²¹ , ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.9, ONTAP 9.4, N/A ONTAP 9.5, ONTAP 9.6, ONTAP 9.7		SW iSCSI	NetApp
DM7100F	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.7	N/A	SW iSCSI	NETAPP
DM7100H	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.7	N/A	SW iSCSI	NETAPP
DS2200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	DS2200
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	G250, G265, G280	be2iscsi ver. 11.2.1153.2, elxiscsi ver. 12.0.1108.0	SW and Independent HW iSCSI	Lenovo
DS4200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Lenovo
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	G250, G265, G280	be2iscsi ver. 11.2.1153.2, elxiscsi ver. 12.0.1108.0	SW and Independent HW iSCSI	DS4200

DS6200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	DS6200
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	G250, G265, G280	igb ver. 5.0.5.1, elxnet ver. 10.4.255.13, bnx2x ver. 2.713.10.v60.4, elxiscsi ver. 12.0.1108.0	SW and Independent HW iSCSI	Lenovo
IBM Storwize V3500 (MT: 6096)	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1.2, 8.2, 8.3	N/A	SW iSCSI	IBM
IBM Storwize V3700 (MT: 6099)	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1.2, 8.2, 8.3	N/A	SW iSCSI	IBM
IBM Storwize V5000 (Model 6194)	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1.2, 8.2, 8.3	N/A	SW iSCSI	IBM

IBM Storwize V7000 (Model 6195)	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1.2, 8.2, 8.3	N/A	SW iSCSI	IBM
Lenovo Storage V3700 V2	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1.2, 8.2, 8.3	N/A	SW iSCSI	IBM
Lenovo Storage V3700 V2 XP	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1.2, 8.2, 8.3	N/A	SW iSCSI	IBM
Lenovo Storage V5030	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1.2, 8.2, 8.3	N/A	SW iSCSI	IBM

Lenovo-HDS AMS2100	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08C3/E and above, 08C3/N and above	N/A	SW iSCSI	N/A
Lenovo-HDS AMS2300	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08C3/E and above, 08C3/N and above	N/A	SW iSCSI	N/A
Lenovo® EMC® px12-400r Network Storage Array	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LIFELINE-DISK
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	SW iSCSI	LENOVO

Lenovo® EMC® px12-450r Network Storage Array	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LIFELINE-DISK
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	SW iSCSI	LENOVO
Lenovo® EMC® px2-300d Network Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LIFELINE-DISK
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	SW iSCSI	LENOVO
Lenovo® EMC® px4-300d Network Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LIFELINE-DISK
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	SW iSCSI	LENOVO

Lenovo® EMC® px4-300r Network Storage NMP Array

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 4.1 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

VMW_SATP_DEFAULT_AA

VMW_PSP_RR

LIFELINE-DISK

N/A

SW iSCSI

LENOVO

Lenovo® EMC® px4-400d Network Storage NMP

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 4.1 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

VMW_SATP_DEFAULT_AA

VMW_PSP_RR

LIFELINE-DISK

N/A

SW iSCSI

LENOVO

Lenovo® EMC® px6-300d Network Storage NMP

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 4.1 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

VMW_SATP_DEFAULT_AA

VMW_PSP_RR

LIFELINE-DISK

N/A

SW iSCSI

LENOVO

Lenovo® ix2 Network Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LIFELINE-DISK
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	SW iSCSI	LENOVO
Lenovo® ix2-dl Network Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LIFELINE-DISK
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	SW iSCSI	LENOVO
Lenovo® ix4-300d Network Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LIFELINE-DISK
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	SW iSCSI	LENOVO
PX4-400r	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	SW iSCSI	N/A

S2200

NMP

VMW_SATP_ALUA

VMW_PSP_FIXED S2200

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

G22x, GL210

be2iscsi ver. 4.6.261.0, bnx2 ver. 2.2.3t.v55.7, be2iscsi ver. 10.2.250.0

SW and Independent Lenovo
HW iSCSI

S3200

NMP

VMW_SATP_ALUA

VMW_PSP_FIXED S3200

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

G22x, GL210

qla4xxx ver. 634.55.26.0-1vmw, be2iscsi ver. 10.2.250.0
SW and Independent Lenovo
HW iSCSI

MacroSAN Technologies Co., Ltd.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
MS2500 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 1.1.3	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	LU MacroSAN
MS2500G2 ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V1.2.18	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	LU MacroSAN
MS3000 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 1.1.3	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	LU MacroSAN
MS3000G2 ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V1.2.18	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	LU MacroSAN

MS5000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	LU
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1.3	N/A	SW iSCSI	MacroSAN
MS5500G2	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LU
ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.2.18	N/A	SW iSCSI	MacroSAN
MS7000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	LU
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1.3	N/A	SW iSCSI	MacroSAN
MS7000G2	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LU
ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V1.2.18	N/A	SW iSCSI	MacroSAN

Microsoft

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
8100	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	MSFT STORSIMPLE 8100
ESXi 5.5 U2 (EOL Date: 2020-09-19) ²⁶ , ESXi 1.0 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0		N/A	SW iSCSI	MSFT

NEC

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
iStorage D3-30 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	iStorage 1000 NEC
iStorage D3-30i ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	iStorage 1000 NEC
iStorage D4-30 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	iStorage 1000 NEC

iStorage D4-30i	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	iStorage 1000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
iStorage E1-10	NMP	VMW_SATP_CX	VMW_PSP_MRU	DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Flare 23	N/A	SW iSCSI	EMC
iStorage M100 (10G iSCSI)	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
iStorage M100 (1G iSCSI)	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC

iStorage M10e (10G iSCSI)	NMP	NEC_SATP_SPS v550.1.2-010200.0319	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
iStorage M10e (1G iSCSI)	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
iStorage M110	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC

iStorage M11e	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
iStorage M120	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
iStorage M12e	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
iStorage M300 (10G iSCSI)	NMP	NEC_SATP_SPS v550.1.2-010200.0319	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC

iStorage M300 (1G iSCSI)	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
iStorage M310	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
iStorage M310F	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC

iStorage M320	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
iStorage M320F	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
iStorage M500 (10G iSCSI)	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
iStorage M500 (1G iSCSI)	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC

iStorage M5000 (10G iSCSI)	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
iStorage M5000 (1G iSCSI)	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
iStorage M510	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
iStorage M700 (10G iSCSI)	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC

iStorage M700 (1G iSCSI)	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
iStorage M710	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
iStorage M710F	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
Symmetrix V-Max	NMP	VMW_SATP_SYMM	VMW_PSP_RR	Symmetrix
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5875.300.232, 5876.229.145, 5876.251.161, 5876.268.174, 5876.288.195	N/A	SW iSCSI	EMC

NetApp

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
4900 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	NMP 07.84	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	INF-01-00 LSI
7900 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	NMP 07.84	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	INF-01-00 LSI
AFF A320 ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP ONTAP 9.6, ONTAP 9.7	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	LUN C-Mode NETAPP
AFF A400 ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP ONTAP 9.7	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	LUN C-Mode NETAPP
AFF C190 ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP ONTAP 9.6, ONTAP 9.7	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	LUN C-Mode NETAPP

AFF8020	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NETAPP
AFF8040	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{1, kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ²¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.9, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NETAPP

AFF8060	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ²¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.9, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	iSCSI Metro Cluster Storage	NETAPP
AFF8080	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ²¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.9, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	iSCSI Metro Cluster Storage	NetApp
AFFA200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp

AFFA220	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp
AFFA300	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp
AFFA700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp
AFFA700s	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp

AFFA800	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp
ASA AFF A220	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.7	N/A	SW iSCSI	NETAPP
ASA AFF A700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.7	N/A	SW iSCSI	NETAPP
E2600	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3	07.84, 07.86, 08.10, 08.20	N/A	SW iSCSI	LSI
E2700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08.10, 08.20, 08.25, 08.30, 08.40	N/A	SW iSCSI	NETAPP

E2800	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08.30, 11.40, 11.50	N/A	SW iSCSI	NETAPP
E5400	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3	07.84, 07.86, 08.10, 08.20	N/A	SW iSCSI	LSI
E5500	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	08.10, 08.20, 08.25	N/A	SW iSCSI	NETAPP
E5600	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08.20, 08.25, 08.30, 08.40	N/A	SW iSCSI	NETAPP

E5700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.40, 11.50	N/A	SW iSCSI	NetApp
EF280	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.40, 11.50	N/A	SW iSCSI	NETAPP
EF540	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3	07.84, 07.86, 08.10, 08.20	N/A	SW iSCSI	LSI
EF550	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	08.10, 08.20, 08.25	N/A	SW iSCSI	NETAPP

EF560	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08.20, 08.25, 08.30, 08.40	N/A	SW iSCSI	NETAPP
EF570	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.40, 11.50	N/A	SW iSCSI	NETAPP
FAS 8300	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.7	N/A	SW iSCSI	NETAPP
FAS 8700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 6.5 ² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.7	N/A	SW iSCSI	NETAPP

FAS2220

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5³, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7-Mode, Data
ONTAP 8.2.5 7-mode,
ONTAP 9.0, ONTAP
9.1, ONTAP 9.2

VMW_SATP_ALUA

N/A

VMW_PSP_RR

SW iSCSI

LUN

NETAPP

FAS2240-2

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5³, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.1.4 7-mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7-Mode, Data
ONTAP 8.2.5 7-mode,
ONTAP 9.0, ONTAP
9.1, ONTAP 9.2,
ONTAP 9.4

VMW_SATP_ALUA

N/A

VMW_PSP_RR

SW iSCSI

LUN

NETAPP

FAS2240-4

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5³, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.1.4 7-mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7-Mode, Data
ONTAP 8.2.5 7-mode,
ONTAP 9.0, ONTAP
9.1, ONTAP 9.2,
ONTAP 9.4

VMW_SATP_ALUA

N/A

VMW_PSP_RR

SW iSCSI

LUN

NETAPP

FAS2520	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp

FAS2552	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp

FAS2554	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp
FAS2620	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp

FAS2650	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp
FAS2720	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.9, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp
FAS2750	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp

FAS3040

	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	1.1, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	SW iSCSI	NETAPP

FAS3070

	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	1.1, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	SW iSCSI	NETAPP

FAS3100 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	1.1, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	SW iSCSI	NETAPP

FAS3140	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	1.1, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.5 7- mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	SW iSCSI	NetApp

FAS3160	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	1.1, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.5 7- mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	SW iSCSI	NetApp

FAS3170	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	1.1, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.5 7- mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	SW iSCSI	NetApp

FAS3200 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.1	N/A	SW iSCSI	NETAPP

FAS3210

ESXi 5.5 (EOL Date: 2020-09-19)²³, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4, Data
ONTAP 8.0.5, Data
ONTAP 8.1.4 7-mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7-Mode, Data
ONTAP 8.2.5 7-mode,
ONTAP 8.2.1

VMW_SATP_ALUA

N/A

VMW_PSP_RR

SW iSCSI

LUN

NetApp

FAS3220	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1	N/A	SW iSCSI	NETAPP

FAS3240	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1	N/A	SW iSCSI	NetApp

FAS3250	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.9, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1	N/A	SW iSCSI	NETAPP

FAS3270	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.9, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1	N/A	SW iSCSI	NETAPP

FAS6000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	1.1, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.5 7- mode, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	SW iSCSI	NETAPP
FAS6030	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	1.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.5 7- mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	SW iSCSI	NetApp

FAS6040	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	1.1, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.5 7- mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	SW iSCSI	NetApp
FAS6070	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	1.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.5 7- mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	SW iSCSI	NetApp

FAS6080	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	1.1, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.5 7- mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	SW iSCSI	NetApp

FAS6200 Series	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.1	N/A	SW iSCSI	NETAPP

FAS6210	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	1.1, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.5 7- mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	SW iSCSI	NetApp

FAS6220	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.9, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1	N/A	SW iSCSI	NETAPP

FAS6240	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	1.1, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7- Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.5 7- mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	SW iSCSI	NetApp

FAS6250	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1	N/A	SW iSCSI	NETAPP

FAS6280

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5³, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.0.5, Data
ONTAP 8.1.4 7-mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.5 7-
mode, ONTAP 8.2.2
7-Mode, ONTAP 9.0,
ONTAP 9.1

VMW_SATP_ALUA

N/A

VMW_PSP_RR

SW iSCSI

LUN

NetApp

FAS6290	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.9, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1	N/A	SW iSCSI	NETAPP

FAS8020

ESXi 5.5 (EOL Date: 2020-09-19)^{kb4}, ESXi
 5.5 U1 (EOL Date: 2020-09-19)^{1, kb4}, ESXi
 5.5 U2 (EOL Date: 2020-09-19)^{kb4}, ESXi 5.5
 U3 (EOL Date: 2020-09-19)^{kb4}, ESXi 6.0^{kb4},
 ESXi 6.0 U1^{kb4}, ESXi 6.0 U2, ESXi 6.0 U3,
 ESXi 6.5²¹, ESXi 6.5 U1, ESXi 6.5 U2, ESXi
 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2,
 ESXi 6.7 U3, ESXi 7.0

NMP

AOS 5.9, Clustered
 Data ONTAP 8.2.1,
 Clustered Data
 ONTAP 8.2.2,
 Clustered Data
 ONTAP 8.2.3,
 Clustered Data
 ONTAP 8.2.4,
 Clustered Data
 ONTAP 8.3, Clustered
 Data ONTAP 8.3.1,
 Clustered Data
 ONTAP 8.3.2, Data
 ONTAP 8.2.1 7-Mode,
 Data ONTAP 8.2.2 7-
 Mode, Data ONTAP
 8.2.3 7-Mode, Data
 ONTAP 8.2.4 7-Mode,
 Data ONTAP 8.2.5 7-
 mode, ONTAP 8.2.1,
 ONTAP 9.0, ONTAP
 9.1, ONTAP 9.2,
 ONTAP 9.3, ONTAP
 9.4, ONTAP 9.5,
 ONTAP 9.6, ONTAP
 9.7

VMW_SATP_DEFAULT_AA

N/A

VMW_PSP_RR

SW iSCSI

LUN

NETAPP

FAS8040	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ²¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.9, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NETAPP

FAS8060	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ²¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.9, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NETAPP

FAS8080	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ²¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.9, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp
FAS8200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ²¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.9, Data ONTAP 8.2.5 7-mode, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp

FAS9000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ²¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.9, Data ONTAP 8.2.5 7-mode, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	SW iSCSI	NetApp
H300S	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	SSD SAN
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10, 11, 12	N/A	SW iSCSI	SolidFir
H410S05	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	SSD SAN
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10, 11, 12	N/A	SW iSCSI	SolidFir
H410S1	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	SSD SAN
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10, 11, 12	N/A	SW iSCSI	SolidFir
H410S2	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	SSD SAN
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10, 11, 12	N/A	SW iSCSI	SolidFir

H500S	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	SSD SAN
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10, 11, 12	N/A	SW iSCSI	SolidFir
H610S-70211	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	SSD SAN
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁴	11, 12	N/A	SW iSCSI	SolidFir
H610S1	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	SSD SAN
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10, 11, 12	N/A	SW iSCSI	SolidFir
H610S2	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	SSD SAN
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10, 11, 12	N/A	SW iSCSI	SolidFir
H610S4	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	SSD SAN
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10, 11, 12	N/A	SW iSCSI	SolidFir
H700S	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	SSD SAN
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10, 11, 12	N/A	SW iSCSI	SolidFir

NR1000F9000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.5	N/A	SW iSCSI	NetApp
SF19210	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	SSD SAN
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10, 11, 12, 8, 9	N/A	SW iSCSI	SolidFir
SF2405	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	SSD SAN
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10, 11, 12, 7, 8, 9	N/A	SW iSCSI	SolidFir
SF3010	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	SSD SAN
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10, 11, 12, 5, 6, 7, 8, 9 N/A	N/A	SW iSCSI	SolidFir
SF38410	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	SSD SAN
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10, 11, 12, 9	N/A	SW iSCSI	SolidFir

SF4805

NMP

VMW_SATP_DEFAULT_AA

VMW_PSP_RR

SSD SAN

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5³, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

N/A

SW iSCSI

SolidFir

SF6010

NMP

VMW_SATP_DEFAULT_AA

VMW_PSP_RR

SSD SAN

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5³, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1⁴, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

N/A

SW iSCSI

SolidFir

SF9010

NMP

VMW_SATP_DEFAULT_AA

VMW_PSP_RR

SSD SAN

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5³, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1⁴, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

N/A

SW iSCSI

SolidFir

SF9605

NMP

VMW_SATP_DEFAULT_AA

VMW_PSP_RR

SSD SAN

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5³, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

N/A

SW iSCSI

SolidFir

SF9608

NMP

VMW_SATP_DEFAULT_AA

VMW_PSP_RR

SSD SAN

ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5³, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

10, 11, 12, 8, 9

N/A

SW iSCSI

SolidFir

NetApp (formerly Engenio)

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
4900	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	N/A	SW iSCSI	LSI
EF540	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08.10, 08.20	N/A	SW iSCSI	LSI

NETGEAR

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
ReadyNAS 2300 Series ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 6.7.5	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	FILEIO LIO-ORG
ReadyNAS 312 ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 6.4.2	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	FILEIO LIO-ORG
ReadyNAS 3138 ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 6.4.1	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	FILEIO LIO-ORG
ReadyNAS 314 ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 6.4.1	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	FILEIO LIO-ORG
ReadyNAS 316 ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 6.4.2	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	FILEIO LIO-ORG
ReadyNAS 3312 ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 6.5.1	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	FILEIO LIO-ORG

ReadyNAS 420 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	FILEIO
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.7.1	N/A	SW iSCSI	LIO-ORG
ReadyNAS 4220	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	FILEIO
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.4.1	N/A	SW iSCSI	LIO-ORG
ReadyNAS 4300 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	FILEIO
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.7.0	N/A	SW iSCSI	LIO-ORG
ReadyNAS 4312	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	FILEIO
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.5.1	N/A	SW iSCSI	LIO-ORG
ReadyNAS 516	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	FILEIO
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.4.2	N/A	SW iSCSI	LIO-ORG
ReadyNAS 520 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	FILEIO
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.7.1	N/A	SW iSCSI	LIO-ORG

ReadyNAS 526X	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	FILEIO
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.5.1	N/A	SW iSCSI	LIO-ORG
ReadyNAS 620 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	FILEIO
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.7.1	N/A	SW iSCSI	LIO-ORG
ReadyNAS 626X	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	FILEIO
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.5.1	N/A	SW iSCSI	LIO-ORG
ReadyNAS 716X	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	FILEIO
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.4.1	N/A	SW iSCSI	LIO-ORG

New H3C Technologies Co.,Ltd

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
ONESstor ESXi 6.7 U2 ⁴ , ESXi 6.7 U3, ESXi 7.0	NMP R2130	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	VIRTUAL-DISK IET
Unistor X10000 ESXi 6.7 ³ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP E1308	VMW_SATP_DEFAULT_AA qfle3 ver. 1.0.50.11-9vmw, igbn ver. 0.1.0.0-15vmw, igbn ver. 0.1.1.0-4vmw, igbn ver. 0.1.1.0-5vmw, igbn ver. 0.1.1.0-6vmw, qfle3 ver. 1.0.66.0-5vmw	VMW_PSP_FIXED HW iSCSI	VIRTUAL-DISK IET

Nexenta Systems

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
NexentaStor	NMP	VMW_SATP_ALUA	VMW_PSP_RR	NexentaStor
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	4.0, 5.0	N/A	SW iSCSI	NexentaStor

NexGen Storage, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
N5-100 ESXi 5.5 (EOL Date: 2020-09-19) ¹⁴ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁰ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.0, 3.1.0, 3.5.0, 4.0.0, N/A 4.0.2	VMW_SATP_ALUA	VMW_PSP_RR SW iSCSI	TierStore NexGen
N5-1000 ESXi 5.5 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.0, 3.1.0, 3.5.0, 4.0.0, N/A 4.0.2	VMW_SATP_ALUA	VMW_PSP_MRU SW iSCSI	NexGen N5 NexGen
N5-150 ESXi 5.5 (EOL Date: 2020-09-19) ¹⁴ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁰ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.0, 3.1.0, 3.5.0, 4.0.0, N/A 4.0.2	VMW_SATP_ALUA	VMW_PSP_RR SW iSCSI	TierStore NexGen

N5-1500	NMP	VMW_SATP_ALUA	VMW_PSP_RR	TierStore
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁴ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁰ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.5.0, 4.0.0, 4.0.2	N/A	SW iSCSI	NexGen
N5-200	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NexGen N5
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.0, 3.1.0, 3.5.0, 4.0.0, N/A 4.0.2		SW iSCSI	NexGen
N5-300	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NexGen N5
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.0, 3.1.0, 3.5.0, 4.0.0, N/A 4.0.2		SW iSCSI	NexGen
N5-50	NMP	VMW_SATP_ALUA	VMW_PSP_RR	TierStore
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁴ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁰ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.0, 3.1.0, 3.5.0, 4.0.0, N/A 4.0.2		SW iSCSI	NexGen

N5-500	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NexGen N5
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.0, 3.1.0, 3.5.0, 4.0.0, N/A 4.0.2		SW iSCSI	NexGen

Nexsan Technologies

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
E-Series 18P ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP S011	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	NestOS Nexsan
E-Series 48P ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP S011	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	NXS-B01-000 Nexsan
E-Series 60P ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP S011	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	NestOS Nexsan
E18 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP Q011	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	NXS-B01-000 NEXSAN
E48 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP Q011	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	NXS-B01-000 NEXSAN

E60	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NXS-B01-000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Q011	N/A	SW iSCSI	NEXSAN
E60V	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NXS-B01-000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Q011	N/A	SW iSCSI	NEXSAN
Nexsan NST5000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NST5000
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.3	N/A	SW iSCSI	Nexsan
Nexsan UNITY5000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NST5000
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1	N/A	SW iSCSI	Nexsan
NST2000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NST5000
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.3	N/A	SW iSCSI	Nexsan

NST4000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NST5000
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.3	N/A	SW iSCSI	Nexsan
NST5100	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NST5000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.2.0, 3.1, 3.2	N/A	SW iSCSI	NEXSAN
NST5300	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	E5000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.2.0, 3.1, 3.2	N/A	SW iSCSI	NEXSAN
NST5500	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NST5000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.2.0, 3.1, 3.2	N/A	SW iSCSI	NEXSAN

NST6000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NestOS
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.3	N/A	SW iSCSI	Nexsan
Unity2000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NestOS
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1	N/A	SW iSCSI	Nexsan
Unity4000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NestOS
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1	N/A	SW iSCSI	Nexsan
Unity6000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NestOS
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1	N/A	SW iSCSI	Nexsan

Nfina Technologies, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Nfina 2208Rs ESXi 7.0	NMP JDSSup28	VMW_SATP_DEFAULT_AA i40en ver. 1.8.1.16-1vmw	VMW_PSP_RR HW iSCSI	Nfina 2208Rs Nfina
Nfina 714i22s ESXi 6.0 U2 ¹ , ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP JovianDSS v.1.0	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	Nfina 714i22s Nfina
Nfina 7212Ri20s ESXi 7.0	NMP JDSSup28	VMW_SATP_DEFAULT_AA i40en ver. 1.8.1.16-1vmw	VMW_PSP_RR HW iSCSI	Nfina 7212Ri20s Nfina
Nfina 814i22s ESXi 6.0 U2 ¹ , ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP JovianDSS v.1.0	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	Nfina 814i22s Nfina
Nfina 8224Ri20s ESXi 7.0	NMP JDSSup28	VMW_SATP_DEFAULT_AA i40en ver. 1.8.1.16-1vmw	VMW_PSP_RR HW iSCSI	Nfina 8224Ri20s Nfina

Nihon Unisys

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
SANARENA 1930	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	08C3/E and above, 08C3/N and above	N/A	SW iSCSI	N/A
SANARENA 1970	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	08C3/E and above, 08C3/N and above	N/A	SW iSCSI	N/A
SANARENA 1990	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	08C3/E and above, 08C3/N and above	N/A	SW iSCSI	N/A

SANARENA MV110	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	0930/A-H and later, 0930/A-H or above, 0983/A	N/A	SW iSCSI	N/A
SANARENA MV130	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	0930/A-H and later, 0930/A-H or above, 0983/A	N/A	SW iSCSI	N/A
SANARENA MV150	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	0930/A-H and later, 0930/A-H or above, 0983/A	N/A	SW iSCSI	N/A

Nimble Storage, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AF1000	NMP	VMW_SATP_ALUA	nimble-psp 3.1.0-600010(VVOL compatible)	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ¹⁵	3, 4, 5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble
AF20	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ¹⁵	5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble
AF3000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ¹⁵	3, 4, 5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble

AF40	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ¹⁵	5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble
AF5000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ¹⁵	3, 4, 5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble
AF60	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ¹⁵	5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble

AF7000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ¹⁵	3, 4, 5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble
AF80	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ¹⁵	5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble
AF9000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ¹⁵	3, 4, 5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble

CS1000	NMP	VMW_SATP_ALUA	nimble-psp v3.3.0-600013	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ¹⁵	3, 4, 5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble
CS210	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.4, 2.0, 2.1, 2.2, 2.3, 3, 4, 5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble
CS215	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁸	2.1, 2.2, 2.3, 3, 4, 5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble

CS220	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.4, 2.0, 2.1, 2.2, 2.3, 3, 4, 5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble
CS235	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁸	2.3, 3, 4, 5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble
CS240	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.4, 2.0, 2.1, 2.2, 2.3, 3, 4, 5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble

CS260	NMP	VMW_SATP_ALUA	VMW_PSP_RR SW iSCSI	Server Nimble
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.4, 2.0, 2.1, 2.2, 2.3, 3, 4, 5.0, 5.1, 5.2	N/A		
CS300	NMP	VMW_SATP_ALUA	VMW_PSP_RR SW iSCSI	Server Nimble
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁸	2.1, 2.2, 2.3, 3, 4, 5.0, 5.1, 5.2	N/A		
CS3000	NMP	VMW_SATP_ALUA	nimble-psp v3.1.0-600010 SW iSCSI	Server Nimble
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ¹⁵	3, 4, 5.0, 5.1, 5.2	N/A		

CS420	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.4, 2.0, 2.1, 2.2, 2.3, 3, 4, 5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble
CS440	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.4, 2.0, 2.1, 2.2, 2.3, 3, 4, 5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble
CS460	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.4, 2.0, 2.1, 2.2, 2.3, 3, 4, 5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble

CS500	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁸	2.1, 2.2, 2.3, 3, 4, 5.0, N/A 5.1, 5.2		SW iSCSI	Nimble
CS5000	NMP	VMW_SATP_ALUA	nimble-psp v3.1.0-600010	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ¹⁵	3, 4, 5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble
CS700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁸	2.1, 2.2, 2.3, 3, 4, 5.0, N/A 5.1, 5.2		SW iSCSI	Nimble

CS7000	NMP	VMW_SATP_ALUA	nimble-psp v3.1.0-600010	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ¹⁵	3, 4, 5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble
HF20	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ¹⁵	5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble
HF40	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ¹⁵	5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble

HF60	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Server
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ¹⁵	5.0, 5.1, 5.2	N/A	SW iSCSI	Nimble

Open-E

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
DSS V7 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V7	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	DSS V7 Open-E
JovianDSS ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 1.0	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	JovianDSS Open-E

Oracle

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Pillar Axiom 300 ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 05.04	VMW_SATP_ALUA qla4xxx ver. 5.01.03.2-7vmw	VMW_PSP_RR SW iSCSI	Axiom 300 Pillar
Pillar Axiom 500 ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 05.04	VMW_SATP_ALUA qla4xxx ver. 5.01.03.2-7vmw	VMW_PSP_RR SW iSCSI	Axiom 500 N/A
Pillar Axiom 600 ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 05.04	VMW_SATP_ALUA qla4xxx ver. 5.01.03.2-7vmw	VMW_PSP_RR SW iSCSI	Axiom 600 Pillar

Oracle America, Inc (formerly Sun Microsystems, Inc)

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
7120 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2013.1, OS 8.8	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	ZFS Storage 7120 SUN
7320 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2013.1, OS 8.8	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	ZFS Storage 7320 SUN
7420 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2013.1, OS 8.8	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	ZFS Storage 7420 SUN

Oracle ZFS Storage ZS3-2	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	ZFS Storage 7330
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	N/A	SW iSCSI	SUN
Oracle ZFS Storage ZS3-4	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	N/A	SW iSCSI	N/A
Oracle ZFS Storage ZS4-4	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	ZFS Storage 7430
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	N/A	SW iSCSI	SUN
Oracle ZFS Storage ZS5-2	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	7350
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	N/A	SW iSCSI	Sun ZFS Storage

Oracle ZFS Storage ZS5-4	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	7450
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	N/A	SW iSCSI	Sun ZFS Storage
Oracle ZFS Storage ZS7-2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	OS 8.8	N/A	SW iSCSI	N/A
StorageTek 2510	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.84, 07.86	N/A	SW iSCSI	N/A
Sun ZFS Storage 7120	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	ZFS Storage 7120
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	N/A	SW iSCSI	SUN

Sun ZFS Storage 7320	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	ZFS Storage 7320
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	N/A	SW iSCSI	SUN
Sun ZFS Storage 7420	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	ZFS Storage 7420
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	N/A	SW iSCSI	SUN
ZS3-2	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	ZFS Storage 7330
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	N/A	SW iSCSI	SUN
ZS3-4	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	ZFS Storage 7430
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	N/A	SW iSCSI	SUN

ZS4-4	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	ZFS Storage 7430
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	N/A	SW iSCSI	SUN
ZS5-2	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	7350
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	N/A	SW iSCSI	Sun ZFS Storage
ZS5-4	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	7450
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8	N/A	SW iSCSI	Sun ZFS Storage

OSNEXUS Corporation

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
QuantaStor ESXi 6.0 ²⁷ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 4.0.2	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	QuantaStor OSNEXUS

Overland Storage

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
SnapSAN S3000 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	NEC_SATP_SPS v550.1.2-010200.0319 N/A	VMW_PSP_MRU SW iSCSI	SNAPSAN OVERLAND
SnapSAN S3000(1G iSCSI) ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	SNAPSAN OVERLAND
SnapSAN S5000 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	NEC_SATP_SPS v550.1.2-010200.0319 N/A	VMW_PSP_MRU SW iSCSI	SNAPSAN OVERLAND

SnapSAN S5000(1G iSCSI)	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	SNAPSAN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	OVERLAND
SnapScale	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	BLKDISK
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	SW iSCSI	SNAP
SnapServer DX2	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	BLKDISK
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	7.6	N/A	SW iSCSI	SNAP
SnapServer XSR 120	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	BLKDISK
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.5	N/A	SW iSCSI	SNAP

Pavilion Data Systems

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Pavilion NVMe-OF Storage Array	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	Pavilion Data Systems
ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.3	N/A	SW iSCSI	Pavilion

Pivot3

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Pivot3 G2 vSTAC Appliance ESXi 5.5 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 6.5.0	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	RAIGE VOLUME PIVOT3
Pivot3 HCI Flash-R 13g ESXi 5.5 U2 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 6.5.0	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	RAIGE VOLUME PIVOT3
Pivot3 HCI Hybrid-R 13g ESXi 5.5 U2 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 6.5.0	piv-satp-vstac v2.0.2-140626 N/A	piv-ppsp-vstac V2.0.2-140626 SW iSCSI	RAIGE VOLUME PIVOT3

Pivot3 HCI-B 13g	NMP	piv-satp-vstac v2.0.2-140626	piv-psp-vstac V2.0.2-140626	N/A
ESXi 5.5 U2 (EOL Date: 2020-09-19) ¹⁰ , ESXi 6.5.0 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0		N/A	SW iSCSI	N/A
Pivot3 HCI-FXB 13g	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	RAIGE VOLUME
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁰ , ESXi 6.5.0 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0		N/A	SW iSCSI	PIVOT3
Pivot3 vSTAC Appliance	NMP	piv-satp-vstac v2.0.2-140626	piv-psp-vstac V2.0.2-140626	RAIGE VOLUME
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁰ , ESXi 6.5.0 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0		N/A	SW iSCSI	PIVOT3
V5-2000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	N/A
ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 10.6.5, 10.7.1, 10.7.2 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0		N/A	SW iSCSI	Pivot3
V5-2005	NMP	VMW_SATP_ALUA	VMW_PSP_RR	X5 Acuity
ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 10.7.2 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0		N/A	SW iSCSI	Pivot3

V5-6400	NMP	VMW_SATP_ALUA	VMW_PSP_RR	N/A
ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.6.5, 10.7.1, 10.7.2	N/A	SW iSCSI	Pivot3
VHB2	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	RAIGE VOLUME
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.5.0	N/A	SW iSCSI	PIVOT3
vSTAC Data	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	RAIGE VOLUME
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.5.0	N/A	SW iSCSI	PIVOT3
vSTAC Edge R2	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	RAIGE VOLUME
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.5.0	N/A	SW iSCSI	PIVOT3

vSTAC R2S	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	RAIGE VOLUME
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.5.0	N/A	SW iSCSI	PIVOT3
vSTAC Trend	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	RAIGE VOLUME
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.5.0	N/A	SW iSCSI	PIVOT3
vSTAC VDI R2	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	RAIGE VOLUME
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.5.0	N/A	SW iSCSI	PIVOT3
vSTAC Watch	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	RAIGE VOLUME
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.5.0	N/A	SW iSCSI	PIVOT3

vSTAC Watch R2	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	RAIGE VOLUME
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.5.0	N/A	SW iSCSI	PIVOT3
X3-2000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	X5 Acuity
ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.4, 10.6, 10.6.1, 10.6.5, 10.7.1, 10.7.2, 2.3.3	N/A	SW iSCSI	Pivot3
X3-2500	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	X5 Acuity
ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.4, 10.6, 10.6.1, 10.6.5, 10.7.1, 10.7.2, 2.3.3	N/A	SW iSCSI	Pivot3
X3-6000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	X5 Acuity
ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.4, 10.6, 10.6.1, 10.6.5, 10.7.1, 10.7.2, 2.3.3	N/A	SW iSCSI	Pivot3
X3-6500	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	X5 Acuity
ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.4, 10.6, 10.6.1, 10.6.5, 10.7.1, 10.7.2, 2.3.3	N/A	SW iSCSI	Pivot3
X5-2000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	X5 Acuity
ESXi 6.0 ¹⁰ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.4, 10.6, 10.6.1, 10.6.5, 10.7.1, 10.7.2, 2.1, 2.3.2, 2.3.3	N/A	SW iSCSI	Pivot3

X5-2500	NMP	VMW_SATP_ALUA	VMW_PSP_RR	X5 Acuity
ESXi 6.0 ¹⁰ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.4, 10.6, 10.6.1, 10.6.5, 10.7.1, 10.7.2, 2.1, 2.3.2, 2.3.3	N/A	SW iSCSI	Pivot3
X5-6000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	X5 Acuity
ESXi 6.0 ¹⁰ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.4, 10.6, 10.6.1, 10.6.5, 10.7.1, 10.7.2, 2.1, 2.3.2, 2.3.3	N/A	SW iSCSI	Pivot3
X5-6500	NMP	VMW_SATP_ALUA	VMW_PSP_RR	X5 Acuity
ESXi 6.0 ¹⁰ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	10.4, 10.6, 10.6.1, 10.6.5, 10.7.1, 10.7.2, 2.1, 2.3.2, 2.3.3	N/A	SW iSCSI	Pivot3

Promise Technology, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Vess R2600 ESXi 5.5 (EOL Date: 2020-09-19) ² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 1.03	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	Vess R2600xxx Promise
Vess R3K Series ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 13.03.0000.07	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	Vess R3K Series Promise Technology, Inc.
VTrak D5000 Series ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 13.02.0000.04, 13.03.0000.01	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	Promise Technology Promise Technology, Inc.

ProphetStor Data Services, Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
StellarFlash SH-1000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	StellarFlash
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0	N/A	SW iSCSI	Prophet

Pure Storage, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
FA-300 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 330	VMW_SATP_ALUA be2iscsi ver. 4.6.261.0	VMW_PSP_RR SW iSCSI	FLASHARRAY PURE
FA-400 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 330	VMW_SATP_ALUA be2iscsi ver. 4.6.261.0	VMW_PSP_RR SW iSCSI	FLASHARRAY PURE

FA-400 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Flash Array
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0.7, 4.10.1, 4.5.0, 4.6.9, 4.7.0, 4.8.0, 4.9.0, 5.0.0, 5.1.0, 5.2.0, 5.3.0, 5.3.6	qlnativefc ver. 1.0.12.0-1vmw, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, be2iscsi ver. 10.6.150.3, qlnativefc ver. 2.1.30.0-1, be2iscsi ver. 10.7.110.10, elxnet ver. 10.0.100.0v-1vmw, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, elxnet ver. 12.0.1250.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	SW and Independent HW iSCSI	Pure
FlashArray//C	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Flash Array
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.3.1	qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, be2iscsi ver. 10.7.110.10, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, elxnet ver. 12.0.1250.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	SW and Independent HW iSCSI	PURE

FlashArray//M	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Flash Array
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.10.1, 4.5.0, 4.6.9, 4.7.0, 4.8.0, 4.9.0, 5.0.0, 5.1.0, 5.2.0, 5.3.0, 5.3.6	qlnativefc ver. 1.0.12.0-1vmw, be2iscsi ver. 4.9.303.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, be2iscsi ver. 10.6.150.3, qlnativefc ver. 2.1.30.0-1, be2iscsi ver. 10.7.110.10, elxnet ver. 10.0.100.0v-1vmw, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, elxnet ver. 12.0.1250.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	SW and Independent HW iSCSI	Pure

FlashArray//X	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Flash Array
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.10.1, 5.0.0, 5.1.0, 5.2.0, 5.3.0, 5.3.6	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, be2iscsi ver. 10.6.150.3, qlnativefc ver. 2.1.30.0-1, be2iscsi ver. 10.7.110.10, elxnet ver. 10.0.100.0v-1vmw, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, elxnet ver. 12.0.1250.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	SW and Independent HW iSCSI	Pure

QNAP Systems, Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
ES-1686dc ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.1	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	ISCSI Storage QNAP
ES-2486dc ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.1	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	ISCSI Storage QNAP
ES1640dc ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 1.1	VMW_SATP_ALUA N/A	VMW_PSP_FIXED SW iSCSI	iSCSI Storage QNAP
ES1640dc v2 ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 2.1	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	NAS QNP

SS-x79U-SAS Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0, 4.2	N/A	SW iSCSI	QNAP
TDS-16489U	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.2	N/A	SW iSCSI	QNAP
TDS-16489U R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	QES 2.1	N/A	SW iSCSI	QNAP
TES-x85U	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1, QES 2.1	N/A	SW iSCSI	QNAP
TS-2088XU	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.4	N/A	SW iSCSI	QNAP

TS-2888X	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.4	N/A	SW iSCSI	QNAP
TS-hx77XU series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	h4.5	N/A	SW iSCSI	QNAP
TS-hx83XU series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	N/A
ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	h4.5	N/A	SW iSCSI	N/A
TS-x31X/x31XU Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3	N/A	SW iSCSI	QNAP
TS-x32XU	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3	N/A	SW iSCSI	QNAP
TS-x53 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.2	N/A	SW iSCSI	QNAP
TS-x53A Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.2	N/A	SW iSCSI	QNAP

TS-x70 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0, 4.2	N/A	SW iSCSI	QNAP
TS-x73xU	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI storage
ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.4	N/A	SW iSCSI	QNAP
TS-x77 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3	N/A	SW iSCSI	QNAP
TS-x77XU	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	QNAP
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3	N/A	SW iSCSI	iSCSI storage
TS-x79 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0, 4.2	N/A	SW iSCSI	QNAP

TS-x79U-SAS Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0, 4.1, 4.2	N/A	SW iSCSI	QNAP
TS-x80 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1, 4.2	N/A	SW iSCSI	QNAP
TS-x83XU	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3	N/A	SW iSCSI	QNAP
TS-x86XU	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.4	N/A	SW iSCSI	QNAP
TVS-x63 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.2	N/A	SW iSCSI	QNAP

TVS-x71 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.2	N/A	SW iSCSI	QNAP
TVS-x72XU	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.4	N/A	SW iSCSI	QNAP
TVS-x80U-SAS Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.2	N/A	SW iSCSI	QNAP
TVS-x82/x82T/x82T3/x82BR Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3	N/A	SW iSCSI	QNAP

QSAN Technology, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
P400Q ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.2.2	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	P400Q Qsan
P600Q ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.2.2	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	P600Q Qsan
P600Q-D424 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.2.2	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	P600Q-D424 Qsan

Q500	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Q500
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.4.1	N/A	SW iSCSI	Qsan
U120	NMP	VMW_SATP_ALUA	VMW_PSP_RR	U120
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.2.3	N/A	SW iSCSI	Qsan
U210	NMP	VMW_SATP_ALUA	VMW_PSP_RR	U210
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.2.3	N/A	SW iSCSI	Qsan
U221	NMP	VMW_SATP_ALUA	VMW_PSP_RR	U221
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.2.3	N/A	SW iSCSI	Qsan

U300	NMP	VMW_SATP_ALUA	VMW_PSP_RR	U300
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.4.0	N/A	SW iSCSI	Qsan
V100-P10	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	V100-P10
ESXi 5.5 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1.0	N/A	SW iSCSI	Qsan
V100-P20	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	V100-P20
ESXi 5.5 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1.0	N/A	SW iSCSI	Qsan
XCubeNAS 8000R	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XN8000R
ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.2.0	N/A	SW iSCSI	QSAN
XCubeSAN XS1200	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	XS1200
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1.2	N/A	SW iSCSI	QSAN

XCubeSAN XS3200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XS5200
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0.0	N/A	SW iSCSI	Qsan
XCubeSAN XS5200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	XS5200
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0.0	N/A	SW iSCSI	Qsan

Quantum

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
QXS-3 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP GL220, GL225	VMW_SATP_ALUA qla4xxx ver. 634.55.26.0-1vmw	VMW_PSP_FIXED SW and Independent HW iSCSI	QXS Quantum
QXS-4 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP GL220, GL225	VMW_SATP_ALUA qla4xxx ver. 634.55.26.0-1vmw	VMW_PSP_FIXED SW and Independent HW iSCSI	QXS Quantum
QXS-6 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP g22x	VMW_SATP_ALUA N/A	VMW_PSP_RR SW & HW iSCSI	QXS Quantum

Reduxio

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
HX550 ESXi 6.0 ¹¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP v2.7	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	TCAS REDUXIO

Riverbed Technology

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
VSFE1000 ESXi 6.0 ^{kb10} , ESXi 6.0 U1 ^{kb10} , ESXi 6.0 U2 ^{kb10} , ESXi 6.0 U3 ^{kb10} , ESXi 6.5 ^{kb10} , ESXi 6.5 U1 ^{kb10} , ESXi 6.5 U2 ^{kb10} , ESXi 6.5 U3 ^{kb10} , ESXi 6.7 ^{kb10} , ESXi 6.7 U1 ^{kb10} , ESXi 6.7 U2 ^{kb10} , ESXi 6.7 U3 ^{kb10} , ESXi 7.0 ^{kb10}	NMP 5.1.0	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	VA RIVERBED
VSFE1100 ESXi 6.0 ^{kb10} , ESXi 6.0 U1 ^{kb10} , ESXi 6.0 U2 ^{kb10} , ESXi 6.0 U3 ^{kb10} , ESXi 6.5 ^{kb10} , ESXi 6.5 U1 ^{kb10} , ESXi 6.5 U2 ^{kb10} , ESXi 6.5 U3 ^{kb10} , ESXi 6.7 ^{kb10} , ESXi 6.7 U1 ^{kb10} , ESXi 6.7 U2 ^{kb10} , ESXi 6.7 U3 ^{kb10} , ESXi 7.0 ^{kb10}	NMP 4.3.0-vsfd1, 5.1.0	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	VA RIVERBED
VSFE1200 ESXi 6.0 ^{kb10} , ESXi 6.0 U1 ^{kb10} , ESXi 6.0 U2 ^{kb10} , ESXi 6.0 U3 ^{kb10} , ESXi 6.5 ^{kb10} , ESXi 6.5 U1 ^{kb10} , ESXi 6.5 U2 ^{kb10} , ESXi 6.5 U3 ^{kb10} , ESXi 6.7 ^{kb10} , ESXi 6.7 U1 ^{kb10} , ESXi 6.7 U2 ^{kb10} , ESXi 6.7 U3 ^{kb10} , ESXi 7.0 ^{kb10}	NMP 5.1.0	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	VA RIVERBED

Rorke Data, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
RGS300 (10G iSCSI) ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 010A	NEC_SATP_SPS v550.1.2-010200.0319 N/A	VMW_PSP_MRU SW iSCSI	DISK ARRAY RGS
RGS300 (1G iSCSI) ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 010A	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	DISK ARRAY RGS

SANBlaze Technology

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
VirtualLUN	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	SANBlaze VLUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	7.3	N/A	SW iSCSI	SANBlaze VLUN

Seagate

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
4835 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP G250, G265, G280	VMW_SATP_ALUA be2iscsi ver. 11.2.1153.2, elxiscsi ver. 12.0.1108.0	VMW_PSP_FIXED SW and Independent HW iSCSI	4835 SEAGATE
4865 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP G265, G280	VMW_SATP_ALUA be2iscsi ver. 11.2.1153.2, elxiscsi ver. 12.0.1108.0	VMW_PSP_FIXED SW and Independent HW iSCSI	4865 SEAGATE
5835 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP G250, G265, G280	VMW_SATP_ALUA igb ver. 5.0.5.1, elxnet ver. 10.4.255.13, bnx2x ver. 2.713.10.v60.4, be2iscsi ver. 11.2.1153.2, elxiscsi ver. 12.0.1108.0	VMW_PSP_FIXED SW and Independent HW iSCSI	5835 SEAGATE

SGI

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
IS220-SP ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 07.84, 07.86	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	INF-01-00 LSI
IS4100-SP ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 07.84, 07.86	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	INF-01-00 LSI
IS4600-SP ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 07.84, 07.86	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	INF-01-00 LSI
IS5000-SP ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 07.84, 07.86	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	INF-01-00 LSI

IS5500-SP	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	07.84, 07.86	N/A	SW iSCSI	LSI

ShenZhen Sandstone Data Technology CO.,Ltd.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
USP ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP USP V2.0	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	VIRTUAL-DISK StoneSAN

Skyera

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
skyHawk	NMP	VMW_SATP_ALUA	VMW_PSP_RR	skyHawk
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	1.0	N/A	SW iSCSI	Skyera

SolidFire

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
SF3010 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 10, 11, 5, 6, 7, 8, 9	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	SSD SAN SolidFir
SF4805 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 10, 11, 7, 8, 9	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	SSD SAN SolidFir
SF6010 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 10, 11, 5, 6, 7, 8, 9	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	SSD SAN SolidFir

SF9010

NMP

VMW_SATP_DEFAULT_AA

VMW_PSP_FIXED

SSD SAN

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5³, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

N/A

SW iSCSI

SolidFir

SF9605

NMP

VMW_SATP_DEFAULT_AA

VMW_PSP_RR

SSD SAN

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5³, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

N/A

SW iSCSI

SolidFir

SolidFire SF2405

NMP

VMW_SATP_DEFAULT_AA

VMW_PSP_RR

SSD SAN

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5³, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

N/A

SW iSCSI

SolidFir

starline Computer GmbH

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
NDL-21200R-PRO ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP v2.x	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	NDL-21200R-PRO starline
NDL-21600R-PRO ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP v2.x	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	NDL-21600R-PRO starline
NDL-2810R ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP v2.x	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	NDL-2810R starline

NDL-2880R	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NDL-2880R
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v2.x	N/A	SW iSCSI	starline
TopRAID M100	NMP	NEC_SATP_SPS v550.1.2-010200.0319	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
TopRAID M100	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
TopRAID M110	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC

TopRAID M120	NMP	NEC_SATP_SPS 600.3.1-030101.0544	VMW_PSP_FIXED	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
TopRAID M300	NMP	NEC_SATP_SPS v550.1.2-010200.0319	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
TopRAID M300	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
TopRAID M310	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC

TopRAID M320	NMP	NEC_SATP_SPS 600.3.1-030101.0544	VMW_PSP_FIXED	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC
TopRAID M320F	NMP	NEC_SATP_SPS 600.3.1-030101.0544	VMW_PSP_FIXED	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SW iSCSI	NEC

StarWind Software Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
StarWind Virtual SAN	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	STARWIND
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	8	N/A	SW iSCSI	STARWIND

Storageflex Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
3945N LSS ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V7	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_FIXED SW iSCSI	DSS V7 Open-e
HA 3969 iSCSI ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.1.x	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	S16E-R1130 IFT

StorMagic, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
SvSAN	NMP	VMW_SATP_ALUA	VMW_PSP_MRU SW iSCSI	iSCSI Volume StorMagc
ESXi 5.5 (EOL Date: 2020-09-19) ^{10,kb11} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb11} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb11} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb11} , ESXi 6.0 ^{kb11} , ESXi 6.0 U1 ^{kb11} , ESXi 6.0 U2 ^{kb11} , ESXi 6.0 U3 ^{kb11} , ESXi 6.5 ^{kb11} , ESXi 6.5 U1 ^{kb11} , ESXi 6.5 U2 ^{kb11} , ESXi 6.5 U3 ^{kb11} , ESXi 6.7 ^{kb11} , ESXi 6.7 U1 ^{kb11} , ESXi 6.7 U2 ^{kb11} , ESXi 6.7 U3 ^{kb11} , ESXi 7.0 ^{kb11}	5.1, 5.2, 5.3, 6.0, 6.1, 6.2	N/A		

StorOne

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
S1 ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.0	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	S1 StorONE

Sugon

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
DS600 G10 ESXi 5.5 (EOL Date: 2020-09-19) ² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 1.03	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	N/A N/A
DS600 G20 ESXi 5.5 (EOL Date: 2020-09-19) ² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 1.03	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	N/A N/A
DS800-G25 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 1.1.3	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	DS800 Sugon
DS800-G35 ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP V1.2.18	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	DS800 Sugon

DS800-G35H	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	LU
ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	V1.2.18	N/A	SW iSCSI	Sugon

SUSE

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Suse Enterprise Storage	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Suse Enterprise Storage 5.5
ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.5	N/A	SW iSCSI	Suse

Synology Incorporated

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
DiskStation Plus Series ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP DSM6.1	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	iSCSI Storage SYNO
DiskStation Series ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP DSM 6.2	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	iSCSI Storage SYNO
DiskStation XS(+) Series ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP DSM6.1	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	iSCSI Storage SYNO
DS1515+ ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP v4510, v4989	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	iSCSI Storage SYNO

DS1517+	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v4510	N/A	SW iSCSI	SYNO
DS1815+	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v4510	N/A	SW iSCSI	SYNO
DS1817	NMP	VMW_SATP_ALUA	VMW_PSP_RR	iSCSI Storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM6.1	N/A	SW iSCSI	SYNO
DS1817+	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v4510	N/A	SW iSCSI	SYNO

DS2015xs	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v4989	N/A	SW iSCSI	SYNO
DS2415+	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v4510	N/A	SW iSCSI	SYNO
DS3615xs	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v4458	N/A	SW iSCSI	SYNO
DS3617xs	NMP	VMW_SATP_ALUA	VMW_PSP_RR	iSCSI
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.0	N/A	SW iSCSI	SYNO

DS415+	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	SCSI Storage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v4503	N/A	SW iSCSI	SYNO
DS716+	NMP	VMW_SATP_ALUA	VMW_PSP_RR	iSCSI
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 5.2	N/A	SW iSCSI	SYNO
DS916+	NMP	VMW_SATP_ALUA	VMW_PSP_RR	iSCSI
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.0	N/A	SW iSCSI	SYNO
FlashStation Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	iSCSI Storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.2	N/A	SW iSCSI	SYNO
FS2017	NMP	VMW_SATP_ALUA	VMW_PSP_RR	iSCSI Storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM6.1	N/A	SW iSCSI	SYNO
FS3017	NMP	VMW_SATP_ALUA	VMW_PSP_RR	iSCSI
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.0	N/A	SW iSCSI	SYNO

RackStation Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	iSCSI Storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.2	N/A	SW iSCSI	SYNO
RC18015xs+	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v5273	N/A	SW iSCSI	SYNO
RS10613xs+	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v4493	N/A	SW iSCSI	SYNO
RS18016xs+	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iCSI
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v5293	N/A	SW iSCSI	SYNO

RS18017xs+	NMP	VMW_SATP_ALUA	VMW_PSP_RR	iSCSI
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.0	N/A	SW iSCSI	SYNO
RS2212(RP)+	NMP	VMW_SATP_ALUA	VMW_PSP_RR	iSCSI Storage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 5.2	N/A	SW iSCSI	SYNO
RS2416(RP)+	NMP	VMW_SATP_ALUA	VMW_PSP_RR	iSCSI
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 5.2	N/A	SW iSCSI	SYNO
RS3614RPxs	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v4458	N/A	SW iSCSI	SYNO

RS3614xs	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v4458	N/A	SW iSCSI	SYNO
RS3614xs+	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v4407	N/A	SW iSCSI	SYNO
RS3617RPxs	NMP	VMW_SATP_ALUA	VMW_PSP_RR	iSCSI
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.0	N/A	SW iSCSI	SYNO
RS3617xs	NMP	VMW_SATP_ALUA	VMW_PSP_RR	iSCSI
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.0	N/A	SW iSCSI	SYNO
RS3617xs+	NMP	VMW_SATP_ALUA	VMW_PSP_RR	iSCSI
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.0	N/A	SW iSCSI	SYNO

RS4017xs+	NMP	VMW_SATP_ALUA	VMW_PSP_RR	iSCSI Storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.0	N/A	SW iSCSI	SYNO
RS815(RP)+	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSCSI Storage
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v4510	N/A	SW iSCSI	SYNO
SA Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	iSCSI Storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.2	N/A	SW iSCSI	SYNO
SA3200D	NMP	VMW_SATP_ALUA	VMW_PSP_RR	iSCSI Storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.2	N/A	SW iSCSI	SYNO
UC3200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	iSCSI Storage
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSMUC3.0	N/A	SW iSCSI	SYNO

Tegile Systems Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
IntelliFlash HA series	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	ZEBI-ISCSI
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0.3, 2.1, 3.5	N/A	SW iSCSI	TEGILE
IntelliFlash N Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INTELLIFLASH
ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.9	N/A	SW iSCSI	TEGILE
IntelliFlash T series	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	ZEBI-ISCSI
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.1, 3.0, 3.10, 3.5, 3.7	N/A	SW iSCSI	Tegile System Inc.

Thecus Technology Corp

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
N12000PRO ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP v2.x	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	N12000PRO Thecus
N16000PRO ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP v2.x	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	N16000PRO Thecus
N7710 series ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP v2.x	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	N7710series Thecus
N7770 series ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP v2.x	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	N7770 series Thecus

N8810 series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	N8810series
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	v2.x	N/A	SW iSCSI	Thecus
N8880 series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	N8880series
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	v2.x	N/A	SW iSCSI	Thecus
N8900	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	N8900
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	v2.x	N/A	SW iSCSI	Thecus

Toshiba Corporation

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
FL6000 Series	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	SAN ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V6.3.3.1	N/A	SW iSCSI	VIOLIN
NL3500	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	TS1_NL3500
ESXi 5.5 (EOL Date: 2020-09-19) ²² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0	N/A	SW iSCSI	TOSHIBA
SC1800	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	TS1_SC1800
ESXi 5.5 (EOL Date: 2020-09-19) ²² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0	N/A	SW iSCSI	TOSHIBA

SC3000	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ²² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1	N/A	SW iSCSI	N/A
SC3500	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	TS1_SC3500
ESXi 5.5 (EOL Date: 2020-09-19) ²² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0	N/A	SW iSCSI	TOSHIBA

Trendy Technology Co.,Ltd

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
TDS-B	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	TDS
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.0	N/A	SW iSCSI	Trendy

UNIFOSA Corp

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
EN-3166JSCT-SQX ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.1.0.01	VMW_SATP_ALUA N/A	VMW_PSP_MRU SW iSCSI	EN-3166JSCT-SQX UNIFOSA
EP-2124D1-G1S6 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.2.2	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	EP-2124D1-G1S6 UNIFOSA
EP-2124S1-G1S6 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.2.2	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	EP-2124S1-G1S6 UNIFOSA

EP-3164D1-G1S6	NMP	VMW_SATP_ALUA	VMW_PSP_RR	EP-3164D1-G1S6
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.2.2	N/A	SW iSCSI	UNIFOSA
EP-3164D1-GAS6	NMP	VMW_SATP_ALUA	VMW_PSP_RR	EP-3164D1-GAS6
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.2.2	N/A	SW iSCSI	Proware
EP-3164S1-G1S6	NMP	VMW_SATP_ALUA	VMW_PSP_RR	EP-3164S1-G1S6
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.2.2	N/A	SW iSCSI	UNIFOSA

United Information Technology Co.,LTD.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
SV5000G3-F	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	010A	N/A	SW iSCSI	UIT
SV5000G3-H	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	010A	N/A	SW iSCSI	UIT
SV5000G3-L	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	010A	N/A	SW iSCSI	UIT

SV8000G3-F	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	010A	N/A	SW iSCSI	UIT
SV8000G3-H	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	010A	N/A	SW iSCSI	UIT
SV8000G3-L	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	010A	N/A	SW iSCSI	UIT

Violin Memory, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
V6000 SAN ARRAY	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_MRU	SAN ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V6.3.3.1	N/A	SW iSCSI	VIOLIN
Violin Flash Storage Platform 7000	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	CONCERTO ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ²⁶ , ESXi 5.5 ⁷ U1 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0		N/A	SW iSCSI	VIOLIN

Western Digital Technologies, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
IntelliFlash HD Series ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.10, 3.7, 3.9	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	ZEBI-ISCSI Tegile System Inc.
IntelliFlash N Series ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.10, 3.9	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	NTELLIFLASH TEGILE
IntelliFlash T series ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.10, 3.9	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	NTELLIFLASH TEGILE

WhipTail Technologies, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Accela	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	ACCELA
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3.4	N/A	SW iSCSI	WTT

Winchester Systems, Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AF2U24R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	AF2U24R2
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	5.5x, 6.61H.08	N/A	SW iSCSI	WINSYS
FX2U12R1	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	FX2U12R1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	5.1x, 6.11, 6.61H.08	N/A	SW iSCSI	WINSYS
FX2U24R1	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	FX2U24R1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	5.1x, 6.11, 6.61H.08	N/A	SW iSCSI	WINSYS

FX2U24R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	FX2U24R2
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	5.1x, 6.11, 6.61H.08	N/A	SW iSCSI	WINSYS
FX3U16R1	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	FX3U16R1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	5.1x, 6.11, 6.61H.08	N/A	SW iSCSI	WINSYS
FX3U16R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	FX3U16R2
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	5.1x, 6.11, 6.61H.08	N/A	SW iSCSI	WINSYS
FX4U60R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	FX4U60R2
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	5.1x, 6.11, 6.61H.08	N/A	SW iSCSI	WINSYS

RA2U24R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	RA2U24R2
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	5.5x, 6.61H.08	N/A	SW iSCSI	WINSYS
RF2U12R1	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	RF2U12R1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	5.1x, 6.11, 6.61H.08	N/A	SW iSCSI	WINSYS
RF2U24R1	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	RF2U24R1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	5.1x, 6.11, 6.61H.08	N/A	SW iSCSI	WINSYS
RF2U24R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	RF2U24R2
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	5.1x, 6.11, 6.61H.08	N/A	SW iSCSI	WINSYS

RF3U16R1	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	RF3U16R1
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	5.1x, 6.11, 6.61H.08	N/A	SW iSCSI	WINSYS
RF3U16R2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	RF3U16R2
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	5.1x, 6.11, 6.61H.08	N/A	SW iSCSI	WINSYS
VX3452R	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	VX3452R
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.8x	qla4xxx ver. 5.01.03.2-3vmw, qla4xxx ver. 5.01.03.2-6vmw, qla4xxx ver. 5.01.03.2-7vmw	SW and Independent HW iSCSI	WINSYS

Wortmann AG

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
TERRA SAN 3330/3320 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP TS250, TS251, TS252 be2iscsi ver. 4.6.261.0	VMW_SATP_ALUA	VMW_PSP_MRU SW and Independent HW iSCSI	DH3000 DotHill
TERRA SAN 3430/3420 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP TS250, TS251, TS252 qla4xxx ver. 634.55.20.0-1vmw, be2iscsi ver. 4.6.261.0	VMW_SATP_ALUA	VMW_PSP_MRU SW and Independent HW iSCSI	DH3000 DotHill
TERRA SAN 3930/3920 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP TS250, TS251, TS252 lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bfa ver. 3.2.3.0, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.662.204, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_SATP_ALUA	VMW_PSP_MRU 8G FC Direct Attach	DH3000 DotHill

Xiotech

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
ISE3400	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	ISE3400
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.x	N/A	SW iSCSI	XIOTECH

XSKY

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
XEBS ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 3.0	VMW_SATP_DEFAULT_AA N/A	VMW_PSP_RR SW iSCSI	R_XEBS XSKY

Yunify Technologies Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
QingStor NeonSAN	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	NeonSAN
ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0	N/A	SW iSCSI	QingStor

Zadara Storage

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
VP SA	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	302
ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	18.11	N/A	SW iSCSI	zadara
Zadara VP SA	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	300
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	15.07	N/A	SW iSCSI	zadara

Zeta Storage Systems Limited

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Zetavault	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_RR	Zetavault
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁵ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.0, 3.1	N/A	SW iSCSI	ZVAULT

ZTE Corporation

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
CloveStorage ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 0002	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	KS10000 ZTE
KS3200 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP V1.0	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	ZXUSP ZTE
KU5200 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP V1.0	VMW_SATP_ALUA N/A	VMW_PSP_RR SW iSCSI	ZXUSP ZTE

Footnotes:

- 1 . Refer to KBs <http://kb.vmware.com/kb/2057513> & <http://kb.vmware.com/kb/2014849> for explanation and details on VAAI Thin Provisioning Space Reclamation support.
- 2 . 1GbE and 10 GbE Storage Interfaces are supported
- 3 . For VMFS5 datastores, Space reclamation can be initiated using VMware command line tools. Refer to KBs <http://kb.vmware.com/kb/2057513> & <http://kb.vmware.com/kb/2014849> for explanation and details on VAAI Thin Provisioning Space Reclamation support.
- 4 . Storage Array reported block transfer size is used for XCOPY (VAAI) command.
- 5 . This arrays that doesn't support CHAP feature.
- 6 . Supported max speed: 100GbE
- 7 . Storage firmware supporting this release is 7.4.10 or later.
- 8 . The array does not support bi-directional CHAP.
- 9 . Storage Concentrator by design only uses one LUN ID, that is LUN 0.
- 10 . Gaps in lun sequence is not supported by the array.
- 11 . Mutual CHAP is not supported by the array
- 12 . Array doesn't support thick luns.
- 13 . VMFS volume grow feature is not supported on this array
- 14 . Boot from SAN is not supported.
- 15 . Array firmware doesn't support XCOPY VAAI primitive.
- 16 . Array support 1GbE, 10GbE and 25GbE iSCSI storage interfaces.
- 17 . Storage array TP implementation does not set Software thresholds
- 18 . Storage array TP implementation does not set Software threshold.
- 19 . Veritas Dynamic Multi-Pathing for VMware is a multi-pathing component of the Veritas InfoScale Family and is supported directly by Symantec. Please contact Symantec for any plug-in specific issues (<http://www.symantec.com/business/support/index?page=landing&key=59050>). Veritas InfoScale product information can be found at: <http://www.symantec.com/veritas-infoscale/>
- 20 . Veritas Dynamic Multi-Pathing for VMware is a multi-pathing component of the Veritas InfoScale Family and is supported directly by Veritas. Please contact Veritas for any plug-in specific issues (<https://www.veritas.com/support/>). Veritas InfoScale product information can be found at: <https://www.veritas.com/product/storage-management/infoscale-storage.html>
- 21 . DPM over IPMI is not supported on this platform with VMware ESXi.
- 22 . VAAI Thin Provisioning Space Reclamation is not supported.
- 23 . Initiating live Storage vMotion in an ESXi 5.5 SAN cluster might experience failure if the VM contains a RDM device. The failure leads to automatic power-off and service disruption of the VM. Attempts to power on the affected VM could fail due to the file locking failure. Please contact VMware support for assistance to recover from such failures.
- 24 . This arrays that doesn't support CHAP feature
- 25 . Array does not support Automatic Unmap in ESXi 6.5. Space reclamation can be initiated using VMware command line tools.
- 26 . VMFS volume grow feature is not supported on this array.
- 27 . Storage array TP implementation does not set Software and Hardware thresholds.

VMware Knowledge Base:

- 1 . For more details see, KB: 2144158 <http://kb.vmware.com/kb/2144158>
- 2 . For more details see, KB: 2080144 <http://kb.vmware.com/kb/2080144>
- 3 . For more details see, KB: 1033480 <http://kb.vmware.com/kb/1033480>
- 4 . For more details see, KB: 2031038 <http://kb.vmware.com/kb/2031038>
- 5 . For more details see, KB: 2020097 <http://kb.vmware.com/kb/2020097>
- 6 . For more details see, KB: 2106972 <http://kb.vmware.com/kb/2106972>
- 7 . For more details see, KB: 2055904 <http://kb.vmware.com/kb/2055904>
- 8 . For more details see, KB: 2142204 <http://kb.vmware.com/kb/2142204>
- 9 . For more details see, KB: 2111406 <http://kb.vmware.com/kb/2111406>
- 10 . For more details see, KB: 2150229 <http://kb.vmware.com/kb/2150229>
- 11 . For more details see, KB: 1031319 <http://kb.vmware.com/kb/1031319>

NAS Array (NAS)

Aberdeen LLC

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AberNAS N12L	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0-2440	N/A	NFS	N/A
AberNAS N12W	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0	N/A	NFS	N/A
AberNAS N22L	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0-2440	N/A	NFS	N/A
AberNAS N22W	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0	N/A	NFS	N/A
AberNAS N27L	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0-2440	N/A	NFS	N/A

AberNAS N27W	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0	N/A	NFS	N/A
AberNAS N32L	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0-2457	N/A	NFS	N/A
AberNAS N32W	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0c	N/A	NFS	N/A
AberNAS N47L	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0-2457	N/A	NFS	N/A
AberNAS N47W	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0c	N/A	NFS	N/A
AberNAS N49L	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0-2457	N/A	NFS	N/A
AberNAS N49W	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.11	N/A	NFS	N/A

AberSAN Z23	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0.4	N/A	NFS	N/A
AberSAN Z33	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0.4	N/A	NFS	N/A
AberSAN Z43	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0.4	N/A	NFS	N/A
AberSAN ZXP4	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0.4	N/A	NFS	N/A
AberSAN ZXP4 HA	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0.4	N/A	NFS	N/A
Petarack4	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0.4	N/A	NFS	N/A

AC&NC

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
JetStor SAS 716U	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.2.3	N/A	NFS	N/A
JetStor SAS 724U 10G	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.2.3	N/A	NFS	N/A

ASUSTeK Computer

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
RS340-E8/S4024P	N/A	N/A	N/A	RS340-E8/S4024P
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	EMS5 5.2.0	N/A	NFS	ASUS

ASUSTOR

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AS5XXXXX ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 2.5.1 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	N/A	N/A N/A	N/A NFS	iSCSI Storage ASUSTOR
AS6XXXXX ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 2.5.2 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	N/A	N/A N/A	N/A NFS	iSCSI Storage ASUSTOR
AS7XXXXX ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	N/A 2.3.0	N/A N/A	N/A NFS	N/A N/A

Atlantis Computing Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Atlantis HyperScale	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.1	N/A	NFS	N/A
Atlantis ILIO	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2 ^{kb1} , ESXi 6.0 U3 ^{kb1} , ESXi 6.5 ^{kb1} , ESXi 6.5 U1 ^{kb1} , ESXi 6.5 U2 ^{kb1} , ESXi 6.5 U3 ^{kb1} , ESXi 6.7 ^{kb1} , ESXi 6.7 U1 ^{kb1} , ESXi 6.7 U2 ^{kb1} , ESXi 6.7 U3 ^{kb1}	4.1.1	N/A	NFS	N/A
Atlantis USX	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2 ^{kb2} , ESXi 6.0 U3 ^{kb2} , ESXi 6.5 ^{kb2} , ESXi 6.5 U1 ^{kb2} , ESXi 6.5 U2 ^{kb2} , ESXi 6.5 U3 ^{kb2} , ESXi 6.7 ^{kb2} , ESXi 6.7 U1 ^{kb2} , ESXi 6.7 U2 ^{kb2} , ESXi 6.7 U3 ^{kb2}	2.0, 3.0, 3.1.2	N/A	NFS	N/A

BlueArc Corporation

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Mercury	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{1,kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0 ^{kb3} , ESXi 6.0 U1 ^{kb3} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.x and 12.x, 12.x and later, v11.x and later, v13, v13.x	N/A	NFS	N/A
T3201	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{1,kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0 ^{kb3} , ESXi 6.0 U1 ^{kb3} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.x and 12.x, 12.x and later, v11.x and later, v13, v13.x	N/A	NFS	N/A
T3201	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{1,kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0 ^{kb3} , ESXi 6.0 U1 ^{kb3} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.x and 12.x, 12.x and later, v11.x and later, v13, v13.x	N/A	NFS	N/A

T3201	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{1,kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0 ^{kb3} , ESXi 6.0 U1 ^{kb3} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.x and 12.x, 12.x and later, v11.x and later, v13, v13.x	N/A	NFS	N/A

Buffalo, Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
TS-2RZxxxTxxD	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.30-0.36, 2.50	N/A	NFS	N/A
TS51210R	N/A	N/A	N/A	0x00002038
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.00	N/A	NFS	10097677
TS5x10	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.10	N/A	NFS	N/A
TS6x00	N/A	N/A	N/A	0x0000203E
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.00	N/A	NFS	10097677

Cisco

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
HX220C-M4S	N/A	N/A	N/A	N/A
ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0.0, 1.7.1, 1.7.3, 1.8, 2.0, 2.1, 2.5, 2.6, 3.0, 3.5, 4.0	N/A	NFS	N/A
HX220C-M5SX	N/A	N/A	N/A	N/A
ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.6, 3.0, 3.5, 4.0	N/A	NFS	N/A
HX240C-M4SX	N/A	N/A	N/A	HX240C-M4SX
ESXi 5.5 U3 (EOL Date: 2020-09-19) ² , ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0.0, 1.7.1, 1.7.3, 1.8, 2.0, 2.1, 2.5, 2.6, 3.0, 3.5, 4.0	N/A	NFS	N/A
HX240C-M5L	N/A	N/A	N/A	N/A
ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.0, 3.5, 4.0	N/A	NFS	N/A
HX240C-M5SX	N/A	N/A	N/A	N/A
ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.6, 3.0, 3.5, 4.0	N/A	NFS	N/A
HXAF220C-M5SX	N/A	N/A	N/A	HXAF220C-M5SX
ESXi 6.0 U3, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.0, 3.5, 4.0	N/A	NFS	Cisco

HXAF240C-M5SX	N/A	N/A	N/A	HXAF240C-M5SX
ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.6, 3.0, 3.5, 4.0	N/A	NFS	Cisco

CloudByte Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
ElastiStor 1.0	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	1.4	N/A	NFS	N/A

Coho Data

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Coho DataStream	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	2.0.0	N/A	NFS	N/A

Coraid, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
EX-3260	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	11	N/A	NFS	N/A
ZX3000	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	11	N/A	NFS	N/A
ZX4000	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	11	N/A	NFS	N/A

DataGravity

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
DG1100	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0	N/A	NFS	N/A
DG1200	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0	N/A	NFS	N/A
DG2200	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0, 2.0	N/A	NFS	N/A

DG2400	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0, 2.0	N/A	NFS	N/A

Datrium Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
D12	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, 5.1	N/A	NFS	N/A
D12X4	N/A	N/A	N/A	N/A
ESXi 5.5 U2 (EOL Date: 2020-09-19) ⁴ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0, 1.1, 2.0, 3.0, 4.0, 4.1, 5.0	N/A	NFS	N/A
F12X2	N/A	N/A	N/A	N/A
ESXi 5.5 U2 (EOL Date: 2020-09-19) ⁵ , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.0, 4.0	N/A	NFS	N/A
F24	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1, 5.0, 5.1	N/A	NFS	N/A

DELL

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Dell Compellent FS8600	N/A	N/A	N/A	Dell Compellent FS8600
ESXi 5.5 (EOL Date: 2020-09-19) ³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁶ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Dell FluidFS 2.0.7170, N/A Dell FluidFS 3.0.8690, Dell FluidFS 4.0.002203, Dell FluidFS 5.0.0, Dell FluidFS 5.0.300109, Dell FluidFS 6.0		NFS	Dell Compellent
Dell Equallogic™ FS7610	N/A	N/A	N/A	Dell Compellent FS8600
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁶ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Dell FluidFS 2.0.7170, N/A Dell FluidFS 3.0.8690, Dell FluidFS 4.0.002203, Dell FluidFS 5.0.0, Dell FluidFS 5.0.300109, Dell FluidFS 6.0		NFS	Dell Compellent
Dell PowerVault NX3600	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁶ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Dell FluidFS 2.0.7170, N/A Dell FluidFS 3.0.8690, Dell FluidFS 4.0.002203, Dell FluidFS 5.0.0, Dell FluidFS 5.0.300109, Dell FluidFS 6.0		NFS	N/A

Dell PowerVault™ NX3610	N/A	N/A	N/A	Dell Compellent FS8600
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁶ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Dell FluidFS 2.0.7170, N/A Dell FluidFS 3.0.8690, Dell FluidFS 4.0.002203, Dell FluidFS 5.0.0, Dell FluidFS 5.0.300109, Dell FluidFS 6.0		NFS	Dell Compellent
EqualLogic FS7500	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁶ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Dell FluidFS 2.0.7170, N/A Dell FluidFS 3.0.8690, Dell FluidFS 4.0.002203, Dell FluidFS 5.0.0, Dell FluidFS 5.0.300109, Dell FluidFS 6.0		NFS	N/A
EqualLogic FS7600	N/A	N/A	N/A	Dell EqualLogic FS7600
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁶ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Dell FluidFS 2.0.7170, N/A Dell FluidFS 3.0.8690, Dell FluidFS 4.0.002203, Dell FluidFS 5.0.0, Dell FluidFS 5.0.300109, Dell FluidFS 6.0		NFS	Dell EqualLogic

EqualLogic FS7610	N/A	N/A	N/A	Dell EqualLogic FS7610
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁶ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Dell FluidFS 3.0.8690, N/A Dell FluidFS 4.0.002203, Dell FluidFS 5.0.0, Dell FluidFS 5.0.300109, Dell FluidFS 6.0		NFS	Dell EqualLogic
PowerVault NX3500	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁶ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Dell FluidFS 2.0.7170, N/A Dell FluidFS 3.0.8690, Dell FluidFS 4.0.002203, Dell FluidFS 5.0.0, Dell FluidFS 5.0.300109, Dell FluidFS 6.0		NFS	N/A

Digital Networks UK Ltd

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Zetavault	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.0	N/A	NFS	N/A

Dell EMC

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
DataDomain	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.4, 5.5	N/A	NFS	N/A
PowerMax 2000	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	N/A	NFS	N/A
PowerMax 8000	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	N/A	NFS	N/A
PowerStore 1000T	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	N/A	NFS	N/A

PowerStore 3000T	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	N/A	NFS	N/A
PowerStore 5000T	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	N/A	NFS	N/A
PowerStore 7000T	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	N/A	NFS	N/A
PowerStore 9000T	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	N/A	NFS	N/A
Unity 300	N/A	N/A	N/A	DGC7
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁷ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	N/A	NFS	VRAID
Unity 300F	N/A	N/A	N/A	DGC7
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁷ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	N/A	NFS	VRAID

Unity 350F	N/A	N/A	N/A	DGC7
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	N/A	NFS	VRAID
Unity 400	N/A	N/A	N/A	DGC7
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁷ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	N/A	NFS	VRAID
Unity 400F	N/A	N/A	N/A	DGC7
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁷ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	N/A	NFS	VRAID
Unity 450F	N/A	N/A	N/A	DGC7
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	N/A	NFS	VRAID

Unity 500	N/A	N/A	N/A	DGC7
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁷ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	N/A	NFS	VRAID
Unity 500F	N/A	N/A	N/A	DGC7
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁷ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	N/A	NFS	VRAID
Unity 550F	N/A	N/A	N/A	DGC7
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	N/A	NFS	VRAID
Unity 600	N/A	N/A	N/A	DGC7
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁷ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	N/A	NFS	VRAID

Unity 600F	N/A	N/A	N/A	EMC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁷ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	N/A	NFS	VRAID
Unity 650F	N/A	N/A	N/A	DGC7
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	N/A	NFS	VRAID
Unity XT 380	N/A	N/A	N/A	DGC7
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, Unity OE 5.0	N/A	NFS	VRAID
Unity XT 380F	N/A	N/A	N/A	DGC7
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, Unity OE 5.0	N/A	NFS	VRAID
Unity XT 480	N/A	N/A	N/A	DGC7
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, Unity OE 5.0	N/A	NFS	VRAID

Unity XT 480F	N/A	N/A	N/A	DGC7
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, Unity OE 5.0	N/A	NFS	VRAID
Unity XT 680	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, Unity OE 5.0	N/A	NFS	N/A
Unity XT 680F	N/A	N/A	N/A	DGC7
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, Unity OE 5.0	N/A	NFS	VRAID
Unity XT 880	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, Unity OE 5.0	N/A	NFS	N/A
Unity XT 880F	N/A	N/A	N/A	DGC7
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, Unity OE 5.0	N/A	NFS	VRAID
UnityVSA	N/A	N/A	N/A	DGC7
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁷ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0, Unity OE 4.0, Unity OE 4.1, Unity OE 4.2, Unity OE 4.3, Unity OE 4.4, Unity OE 4.5, Unity OE 5.0	N/A	NFS	VRAID

VG10	N/A	N/A	N/A	Celerra
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	VNX File OE 8.0, VNX File OE 8.1	N/A	NFS	EMC
VG2	N/A	N/A	N/A	Celerra
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	VNX File OE 7.1	N/A	NFS	EMC
VG50	N/A	N/A	N/A	Celerra
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	VNX File OE 8.0, VNX File OE 8.1	N/A	NFS	EMC
VG8	N/A	N/A	N/A	Celerra
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	VNX File OE 7.1	N/A	NFS	EMC

VMAX 100K	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.498.472, 5977.596.583, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5978.221.221, 5978.444.444, N/A	N/A	NFS	N/A
VMAX 200K	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.498.472, 5977.596.583, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5978.221.221, 5978.444.444	N/A	NFS	N/A
VMAX 250F	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.945.890, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	N/A	NFS	N/A
VMAX 250FX	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.945.890, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	N/A	NFS	N/A

VMAX 400K	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ⁸ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.498.472, 5977.596.583, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5978.221.221, 5978.444.444, N/A	N/A	NFS	N/A
VMAX 450F	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	N/A	NFS	N/A
VMAX 450FX	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	N/A	NFS	N/A

VMAX 850F	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	N/A	NFS	N/A
VMAX 850FX	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	N/A	NFS	N/A
VMAX 950F	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	N/A	NFS	N/A
VMAX 950FX	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5978.144.144, 5978.221.221, 5978.444.444, 5978.479.479	N/A	NFS	N/A

VNX5100	N/A	N/A	N/A	DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	VNX File OE 7.1	N/A	NFS	EMC
VNX5200	N/A	N/A	N/A	DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX File OE 8.0, VNX File OE 8.1	N/A	NFS	RAID5
VNX5300	N/A	N/A	N/A	DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	VNX File OE 7.1	N/A	NFS	N/A
VNX5400	N/A	N/A	N/A	DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX File OE 8.0, VNX File OE 8.1	N/A	NFS	RAID5

VNX5500	N/A	N/A	N/A	DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	VNX File OE 7.1	N/A	NFS	EMC
VNX5600	N/A	N/A	N/A	DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX File OE 8.0, VNX File OE 8.1	N/A	NFS	RAID5
VNX5700	N/A	N/A	N/A	DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	VNX File OE 7.1	N/A	NFS	EMC
VNX5800	N/A	N/A	N/A	DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX File OE 8.0, VNX File OE 8.1	N/A	NFS	RAID5

VNX7500	N/A	N/A	N/A	DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	VNX File OE 7.1	N/A	NFS	EMC
VNX7600	N/A	N/A	N/A	DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX File OE 8.0, VNX N/A File OE 8.1		NFS	RAID5
VNX8000	N/A	N/A	N/A	DGC
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VNX File OE 8.0, VNX N/A File OE 8.1		NFS	RAID5
VNXe3100	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	2.4	N/A	NFS	N/A

VNXe3150	N/A	N/A	N/A	Celerra
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	2.4	N/A	NFS	EMC
VNXe3200	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.0, 3.1	N/A	NFS	N/A
VNXe3300	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	2.4	N/A	NFS	N/A

Exablox

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
OneBlox4312	N/A	N/A	N/A	OneBlox4312
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	2, 3	N/A	NFS	EXA
OneBlox5210	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3	N/A	NFS	N/A

Fujitsu

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
CELVIN NAS Server Qx02 Series	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0, 4.1	N/A	NFS	N/A
ETERNUS NR1000 A200	N/A	N/A	N/A	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1 ¹⁰ , ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	NETAPP
ETERNUS NR1000 A220	N/A	N/A	N/A	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ⁹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	NETAPP

ETERNUS NR1000 A300	N/A	N/A	N/A	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁰ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	NETAPP
ETERNUS NR1000 A700	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁰ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A
ETERNUS NR1000 A700s	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁰ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A
ETERNUS NR1000 A800	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ⁹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A

ETERNUS NR1000 F2620	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁰ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A
ETERNUS NR1000 F2650	N/A	N/A	N/A	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	NetApp

ETERNUS NR1000 F2720	N/A	N/A	N/A	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ⁹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	NETAPP
ETERNUS NR1000 F2750	N/A	N/A	N/A	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ⁹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	NETAPP

ETERNUS NR1000F3000 Series	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode, ONTAP 9.1	N/A	NFS	NetApp

ETERNUS NR1000F3100 Series	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode, ONTAP 9.1	N/A	NFS	NetApp

ETERNUS NR1000F3200 Series	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2, ONTAP 8.2.1, ONTAP 9.1, ONTAP 9.2, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS	NetApp

ETERNUS NR1000F6000 Series	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode, ONTAP 9.1	N/A	NFS	NetApp

ETERNUS NR1000F6200 Series	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2, ONTAP 8.2.1, ONTAP 9.1, ONTAP 9.2, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS	NetApp

ETERNUS NR1000F8200	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered DATA ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Data ONTAP 8.2.5 7-mode, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS	N/A
ETERNUS NR1000F9000	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered DATA ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Data ONTAP 8.2.5 7-mode, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS	N/A
Fujitsu ETERNUS TR5040	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1, 4.2, 4.3, 4.4, 4.5	N/A	NFS	N/A

Fujitsu ETERNUS TR5060	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0, 4.1, 4.2, 4.3, 4.4	N/A	NFS	N/A
Fujitsu ETERNUS TR5080	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0, 4.1, 4.2, 4.3, 4.4, 4.5	N/A	NFS	N/A
Fujitsu ETERNUS TR6030	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3, 4.4, 4.5	N/A	NFS	N/A
Fujitsu ETERNUS TR6050	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3, 4.4, 4.5	N/A	NFS	N/A

Fujitsu ETERNUS TR6070	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3, 4.4, 4.5	N/A	NFS	N/A
Fujitsu ETERNUS TR6090	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3, 4.4, 4.5	N/A	NFS	N/A
Fujitsu ETERNUS TR820	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.1.x.x, 3.2.x.x, 4.0, 4.1, 4.2, 4.3, 4.4, 4.5	N/A	NFS	N/A
Fujitsu ETERNUS TR850	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.1.x.x, 3.2.x.x, 4.0, 4.1, 4.2, 4.3, 4.4, 4.5	N/A	NFS	N/A

Fujitsu ETERNUS TR880	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.1.x.x, 3.2.x.x, 4.0, 4.1, 4.2, 4.3, 4.4, 4.5	N/A	NFS	N/A
FUJITSU Storage ETERNUS DX100 S3	N/A	N/A	N/A	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	NFS	Fujitsu
FUJITSU Storage ETERNUS DX100 S4	N/A	N/A	N/A	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	NFS	Fujitsu
FUJITSU Storage ETERNUS DX100 S5	N/A	N/A	N/A	ETERNUS_DXL
ESXi 6.5 U3	V11	N/A	NFS	Fujitsu

FUJITSU Storage ETERNUS DX200 S3	N/A	N/A	N/A	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	NFS	Fujitsu
FUJITSU Storage ETERNUS DX200 S4	N/A	N/A	N/A	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	NFS	Fujitsu
FUJITSU Storage ETERNUS DX200 S5	N/A	N/A	N/A	ETERNUS_DXL
ESXi 6.5 U3	V11	N/A	NFS	Fujitsu
FUJITSU Storage ETERNUS DX500 S3	N/A	N/A	N/A	ETERNUS_DXM
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	NFS	Fujitsu

FUJITSU Storage ETERNUS DX500 S4	N/A	N/A	N/A	ETERNUS_DXM
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	NFS	Fujitsu
FUJITSU Storage ETERNUS DX500 S5	N/A	N/A	N/A	ETERNUS_DXM
ESXi 6.5 U3	V11	N/A	NFS	Fujitsu
FUJITSU Storage ETERNUS DX600 S3	N/A	N/A	N/A	ETERNUS_DXM
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	NFS	Fujitsu
FUJITSU Storage ETERNUS DX600 S4	N/A	N/A	N/A	ETERNUS_DXM
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	NFS	Fujitsu
FUJITSU Storage ETERNUS DX600 S5	N/A	N/A	N/A	ETERNUS_DXM
ESXi 6.5 U3	V11	N/A	NFS	Fujitsu

Fujitsu Storage ETERNUS TR1000	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3, 4.4, 4.5	N/A	NFS	N/A
Fujitsu Storage ETERNUS TR620	N/A	N/A	N/A	ETERNUS_TR620
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.1.x.x, 3.0.x.x, 3.1.x.x, 3.2.x.x, 4.0, 4.1, 4.2, 4.3, 4.4, 4.5	N/A	NFS	Fujitsu
Fujitsu Storage ETERNUS TR650	N/A	N/A	N/A	ETERNUS_TR650
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.1.x.x, 3.0.x.x, 3.1.x.x, 3.2.x.x, 4.0, 4.1, 4.2, 4.3, 4.4, 4.5	N/A	NFS	Fujitsu

NR1000F2220	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7- Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7- Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A

NR1000F2240-2	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A

NR1000F2240-4	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁴ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A

NR1000F2520	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A

NR1000F2552	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A

NR1000F2554	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.1.3 7-Mode, Data Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-mode, Data Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data Data ONTAP 8.2.1 7-Mode, Data Data ONTAP 8.2.2 7-Mode, Data Data ONTAP 8.2.3 7-Mode, Data Data ONTAP 8.2.4 7-Mode, Data Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A

NR1000F2620	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7- mode, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5	N/A	NFS	N/A
NR1000F2650	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5	N/A	NFS	N/A
NR1000F3220	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7- mode	N/A	NFS	N/A
NR1000F3250	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7- mode	N/A	NFS	N/A

NR1000F3270	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	N/A	NFS	N/A
NR1000F6220	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	N/A	NFS	N/A
NR1000F6240	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	N/A	NFS	N/A
NR1000F6250	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	N/A	NFS	N/A

NR1000F6280	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	N/A	NFS	N/A
NR1000F6290	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode	N/A	NFS	N/A

NR1000F8020	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{15, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{11, kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, Data ONTAP 8.2, ONTAP 8.2.1, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS	N/A

NR1000F8040	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{15, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{11, kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2, ONTAP 8.2.1, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS	N/A

NR1000F8060	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{15, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{11, kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS	N/A

NR1000F8080	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{15, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{11, kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, Data ONTAP 8.2, ONTAP 8.2.1, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS	N/A

NR1000F9000	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode, ONTAP 9.2, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A

Hedvig, Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Hedvig SDS Physical Proxies	N/A	N/A	N/A	N/A
ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi2.0.0 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0		N/A	NFS	N/A

Hewlett Packard Enterprise

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
HPE ProLiant DX170r Gen10 Series	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.10, AOS 5.11, AOS 5.15	N/A	NFS	N/A
HPE ProLiant DX190r Gen10 Series	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.10, AOS 5.11, AOS 5.15	N/A	NFS	N/A
HPE ProLiant DX360 Gen10 Series	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.10, AOS 5.11, AOS 5.15	N/A	NFS	N/A
HPE ProLiant DX380 Gen10 Series	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	AOS 5.10, AOS 5.11, AOS 5.15	N/A	NFS	N/A
HPE SimpliVity 2600 Gen10 170	N/A	N/A	N/A	N/A
ESXi 6.0 U3, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0		N/A	NFS	N/A
HPE SimpliVity 2600 Gen10 190	N/A	N/A	N/A	N/A
ESXi 6.0 U3, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0		N/A	NFS	N/A
HPE SimpliVity 325 Gen10	N/A	N/A	N/A	N/A
ESXi 6.5 U2, ESXi 6.7 U2	3.7	N/A	NFS	N/A
HPE SimpliVity 380 Gen10 Extra Large	N/A	N/A	N/A	N/A
ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.7, 4.0	N/A	NFS	N/A

HPE SimpliVity 380 Gen10 Extra Small	N/A	N/A	N/A	N/A
ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.7, 4.0	N/A	NFS	N/A
HPE SimpliVity 380 Gen10 G	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.7, 4.0	N/A	NFS	N/A
HPE SimpliVity 380 Gen10 Large	N/A	N/A	N/A	N/A
ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.7, 4.0	N/A	NFS	N/A
HPE SimpliVity 380 Gen10 Medium	N/A	N/A	N/A	N/A
ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.7, 4.0	N/A	NFS	N/A
HPE SimpliVity 380 Gen10 Small	N/A	N/A	N/A	N/A
ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.7, 4.0	N/A	NFS	N/A
HPE SimpliVity 380 Hybrid SFF	N/A	N/A	N/A	HPE SimpliVity 380 Hybrid SFF
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	4.0	N/A	NFS	HPE
HPE SimpliVity 380 Hybrid SFF Large	N/A	N/A	N/A	HPE SimpliVity 380 Hybrid SFF
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	4.0	N/A	NFS	HPE

HPE SimpliVity 380 Large Enterprise All-Flash	N/A	N/A	N/A	N/A
ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 3.6, 3.7, 4.0 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0		N/A	NFS	N/A
HPE SimpliVity 380 Medium Enterprise All-Flash	N/A	N/A	N/A	N/A
ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 3.6, 3.7, 4.0 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0		N/A	NFS	N/A
HPE SimpliVity 380 Small Enterprise All-Flash	N/A	N/A	N/A	N/A
ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 3.6, 3.7, 4.0 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0		N/A	NFS	N/A
HPE StoreEasy 1650 Expanded Storage	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows 2012 R2	N/A	NFS	N/A

Hitachi

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Hitachi Virtual File Platform	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.2.3 or later	N/A	NFS	N/A

Hitachi Vantara

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Hitachi NAS 3080	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{16,kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0 ^{kb3} , ESXi 6.0 U1 ^{kb3} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	11.x and 12.x, 12.x and later, v11.x and later, v13, v13.x	N/A	NFS	N/A
Hitachi NAS 3090	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{16,kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0 ^{kb3} , ESXi 6.0 U1 ^{kb3} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	11.x and 12.x, 12.x and later, v11.x and later, v13, v13.x	N/A	NFS	N/A
Hitachi NAS 4040	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{1,kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0 ^{kb3} , ESXi 6.0 U1 ^{kb3} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	11.x and 12.x, 12.x and later, v11.x and later, v13, v13.x	N/A	NFS	N/A

Hitachi NAS 4060	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{16,kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0 ^{kb3} , ESXi 6.0 U1 ^{kb3} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.x and 12.x, 12.x and later, v11.x and later, v13, v13.x	N/A	NFS	N/A
Hitachi NAS 4080	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{16,kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0 ^{kb3} , ESXi 6.0 U1 ^{kb3} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.x and 12.x, 12.x and later, v11.x and later, v13, v13.x	N/A	NFS	N/A
Hitachi NAS 4100	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{16,kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0 ^{kb3} , ESXi 6.0 U1 ^{kb3} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.x and 12.x, 12.x and later, v11.x and later, v13, v13.x	N/A	NFS	N/A
Hitachi NAS Platform F	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	4.2.3 or later	N/A	NFS	N/A

Hitachi Virtual Storage Platform G400 (VSP G400)	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁶ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.x and later, v13, v13.x	N/A	NFS	N/A
Hitachi Virtual Storage Platform G600 (VSP G600)	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.x and later, v13, v13.x	N/A	NFS	N/A
Hitachi Virtual Storage Platform G800 (VSP G800)	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	12.x and later, v13, v13.x	N/A	NFS	N/A
Hitachi Virtual Storage Platform N400 (VSP N400)	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v13.x	N/A	NFS	N/A

Hitachi Virtual Storage Platform N600 (VSP N600)	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v13.x	N/A	NFS	N/A
Hitachi Virtual Storage Platform N800 (VSP N800)	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v13.x	N/A	NFS	N/A
HNAS Platform 3x00, powered by BlueArc	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{16, kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0 ^{kb3} , ESXi 6.0 U1 ^{kb3} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	11.x and 12.x, 12.x and later, v11.x and later, v13, v13.x	N/A	NFS	N/A

HP

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
HP 3PAR StoreServ File Controller v2 Storage	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012 R2	N/A	NFS	N/A
HP 3PAR StoreServ File Controller v3 Storage	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows 2012 R2	N/A	NFS	N/A
HP StoreEasy 1400 Storage	N/A	N/A	N/A	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012	N/A	NFS	MSFT

HP StoreEasy 1440 Storage	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012 R2	N/A	NFS	N/A
HP StoreEasy 1500 Storage	N/A	N/A	N/A	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012	N/A	NFS	MSFT
HP StoreEasy 1540 Storage	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012 R2	N/A	NFS	N/A
HP StoreEasy 1550 Storage	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows 2012 R2	N/A	NFS	N/A

HP StoreEasy 1600 Storage	N/A	N/A	N/A	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012	N/A	NFS	MSFT
HP StoreEasy 1640 Storage	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012 R2	N/A	NFS	N/A
HP StoreEasy 1800 Storage	N/A	N/A	N/A	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012	N/A	NFS	MSFT
HP StoreEasy 1840 Storage	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012 R2	N/A	NFS	N/A

HP StoreEasy 1850 Storage	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows 2012 R2	N/A	NFS	N/A
HP StoreEasy 3800 Storage	N/A	N/A	N/A	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012	N/A	NFS	MSFT
HP StoreEasy 3800sb Storage	N/A	N/A	N/A	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012	N/A	NFS	MSFT
HP StoreEasy 3840 Gateway Storage	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012 R2	N/A	NFS	N/A

HP StoreEasy 3840 Gateway Storage Blade	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012 R2	N/A	NFS	N/A
HP StoreEasy 3850 Gateway Storage Blade	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows 2012 R2	N/A	NFS	N/A
HP StoreEasy 5000 Storage	N/A	N/A	N/A	Virtual HD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows Storage Server 2012	N/A	NFS	MSFT
StoreEasy 1450	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows 2012 R2	N/A	NFS	N/A

StoreEasy 1650	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Windows 2012 R2	N/A	NFS	N/A

Huawei Technologies Co., Ltd.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
18500 V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A
18500F V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A
18510 V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A

18800 V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A
18800F V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A
18810 V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A
2600 V3	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R002, V300R003, V300R005, V300R006	N/A	NFS	N/A

2600F V3	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R006	N/A	NFS	N/A
2800 V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A
5110 V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A
5110F V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A

5210 V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A
5210F V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A
5300 V3	N/A	N/A	N/A	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R002, V300R003, V300R005, V300R006	N/A	NFS	HUAWEI
5300 V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A

5300F V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A
5500 V3	N/A	N/A	N/A	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R002, V300R003, V300R005, V300R006	N/A	NFS	HUAWEI
5500 V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A
5500F V3	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R006	N/A	NFS	N/A

5500F V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A
5510 V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A
5600 V3	N/A	N/A	N/A	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R002, V300R003, V300R005, V300R006	N/A	NFS	HUAWEI
5600 V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A

5600F V3	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R006	N/A	NFS	N/A
5600F V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A
5610 V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A
5800 V3	N/A	N/A	N/A	XSG1
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R002, V300R003, V300R005, V300R006	N/A	NFS	HUAWEI

5800 V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A
5800F V3	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R006	N/A	NFS	N/A
5800F V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A
5810 V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A

6800 V3	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R002, V300R003, V300R005, V300R006	N/A	NFS	N/A
6800 V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A
6800F V3	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R006	N/A	NFS	N/A
6800F V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A

6810 V5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A
6900 V3	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R002, V300R003, V300R005, V300R006	N/A	NFS	N/A
DoradoNAS	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	N/A	NFS	N/A
OceanStor 18500 V3	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R002, V300R003, V300R005, V300R006	N/A	NFS	N/A

OceanStor 18500F V3	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R006	N/A	NFS	N/A
OceanStor 18800 V3	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R002, V300R003, V300R005, V300R006	N/A	NFS	N/A
OceanStor 18800F V3	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V300R006	N/A	NFS	N/A

IBM

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
IBM Elastic Storage Server	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1.1	N/A	NFS	N/A

N3150	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A

N3220	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data N/A ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	NETAPP

N3240	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	NETAPP

N6000 Series	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode, ONTAP 9.1	N/A	NFS	NETAPP

N6220	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁸ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode	N/A	NFS	N/A
N6250	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁸ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode	N/A	NFS	N/A

N7000 Series	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode, ONTAP 9.1	N/A	NFS	NETAPP

N7550T	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS	N/A

N7950T	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS	N/A

Information

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Nexsan NST2000	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.1, 3.2	N/A	NFS	N/A
Nexsan NST4000	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.1, 3.2	N/A	NFS	N/A
Nexsan NST5100	N/A	N/A	N/A	NST5000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	2.2.0, 3.1, 3.2	N/A	NFS	NEXSAN
Nexsan NST5300	N/A	N/A	N/A	NST5000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	2.2.0, 3.1, 3.2	N/A	NFS	NEXSAN

Nexsan NST5500	N/A	N/A	N/A	NST5000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	2.2.0, 3.1, 3.2	N/A	NFS	NEXSAN
Nexsan NST6000	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.1, 3.2	N/A	NFS	N/A
Nexsan NST6500	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.0	N/A	NFS	N/A
Nexsan UNITY6000	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	1.1	N/A	NFS	N/A

Infinidat

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
F-Series	N/A	N/A	N/A	InfiniBox
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.2, 4.0	N/A	NFS	NFINIDAT

Infortrend Technology, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
EonNAS 1000 Series	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS 1110	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS 1210	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A

EonNAS 1510	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS 1510-1	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS 1510-2	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS 3012	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.1.x	N/A	NFS	N/A

EonNAS 3016	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.1.x	N/A	NFS	N/A
EonNAS 3210	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS 3220	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS 3220-1	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A

EonNAS 3230	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS 3230-1	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS 3230-2	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS 3230-3	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A

EonNAS 3310	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS 3310-1	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS 3310-2	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS 3510	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A

EonNAS 3510-1	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS 3510-2	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS 3510-3	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS 5120	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A

EonNAS 5120-1	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS 5120-2	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS 5120-3	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS Pro 210	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A

EonNAS Pro 500	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS Pro 510	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS Pro 800	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS Pro 810	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A

EonNAS Pro 850	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS Pro 850-1	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A
EonNAS Pro 850-2	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.9.x	N/A	NFS	N/A

Inspur

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AS13000-M1	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ICFS3.7	N/A	NFS	N/A
AS13000-M3	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ICFS3.7	N/A	NFS	N/A
AS13000-M5	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ICFS3.7	N/A	NFS	N/A
AS13000G5-E36	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ICFS3.7	N/A	NFS	N/A
AS13000G5-M12	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ICFS3.7	N/A	NFS	N/A
AS13000G5-M25	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ICFS3.7	N/A	NFS	N/A

AS13000G5-M36	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ICFS3.7	N/A	NFS	N/A
AS13000G5-M72	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ICFS3.7	N/A	NFS	N/A
AS5600	N/A	N/A	N/A	AS5600
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	NFS	inspur

Intermodal Data

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
InterModal Data Storage Appliance	N/A	N/A	N/A	PF
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	8.0, 8.1	N/A	NFS	INTRMODL

Isilon Systems

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
isilon A Series	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	OneFS v8.1.2	N/A	NFS	N/A
Isilon F Series	N/A	N/A	N/A	isl
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	OneFS v8.1.2	N/A	NFS	isilon-F
Isilon H Series	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	OneFS v8.1.2	N/A	NFS	N/A
Isilon NL-Series	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	OneFS 7.0, OneFS 7.1.0, OneFS 7.2.0, OneFS v7.2.1, OneFs v8.0.0, OneFS v8.0.1, Onefs v8.0.1.0, OneFS v8.1.0, OneFS v8.1.2	N/A	NFS	N/A
Isilon S-Series	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	OneFS 7.0, OneFS 7.1.0, OneFS 7.2.0, OneFS v7.2.1, OneFs v8.0.0, OneFS v8.0.1, Onefs v8.0.1.0, OneFS v8.1.0, OneFS v8.1.2	N/A	NFS	N/A

Isilon X-Series	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	OneFS 7.0, OneFS 7.1.0, OneFS 7.2.0, OneFS v7.2.1, OneFs v8.0.0, OneFS v8.0.1, Onefs v8.0.1.0, OneFS v8.1.0, OneFS v8.1.2	N/A	NFS	N/A

Lenovo

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
DM3000H	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ⁹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	NetApp
DM5000F	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ⁹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	NetApp
DM5000H	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ⁹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	NetApp

DM7000F	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ⁹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	NetApp
DM7000H	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ⁹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS	NetApp
Lenovo N3310	N/A	N/A	N/A	N3310
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.15	N/A	NFS	Lenovo
Lenovo N4610	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.15	N/A	NFS	N/A

Lenovo® EMC® px12-400r Network Storage Array	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	NFS	N/A
Lenovo® EMC® px12-450r Network Storage Array	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	NFS	N/A
Lenovo® EMC® px2-300d Network Storage	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	NFS	N/A

Lenovo® EMC® px4-300d Network Storage	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	NFS	N/A
Lenovo® EMC® px4-300r Network Storage Array	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	NFS	N/A
Lenovo® EMC® px4-400d Network Storage	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	NFS	N/A

Lenovo® EMC® px6-300d Network Storage	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	NFS	N/A
Lenovo® ix2 Network Storage	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	NFS	N/A
Lenovo® ix2-dl Network Storage	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	NFS	N/A
Lenovo® ix4-300d Network Storage	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	NFS	N/A

PX4-400r	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	NFS	N/A

NetApp

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AFF A320 ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2 ⁹ , ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	N/A ONTAP 9.6	N/A N/A	N/A NFS	LUN C-Mode NETAPP
AFF C190 ESXi 6.0 ⁹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	N/A ONTAP 9.6	N/A N/A	N/A NFS	LUN C-Mode NETAPP
AFF8020 ESXi 5.5 (EOL Date: 2020-09-19) ^{15, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{11, kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	N/A Clustered DATA ONTAP 8.2.2, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7- mode, Data ONTAP 9.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A N/A	N/A NFS	LUN NETAPP

AFF8040	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered DATA ONTAP 8.2.2, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7- mode, Data ONTAP 9.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS	NETAPP
AFF8060	N/A	N/A	N/A	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered DATA ONTAP 8.2.2, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7- mode, Data ONTAP 9.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS	NETAPP

AFF8080	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered DATA ONTAP 8.2.2, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS Metro Cluster Storage	N/A
AFFA200	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁰ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A
AFFA220	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A

AFFA300	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁰ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A
AFFA700	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁰ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A
AFFA700s	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁰ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A
AFFA800	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A

FAS 8300	N/A	N/A	N/A	LUN C-Mode
ESXi 6.5 ⁹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.7	N/A	NFS	NETAPP
FAS 8700	N/A	N/A	N/A	LUN C-Mode
ESXi 6.5 ⁹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.7	N/A	NFS	NETAPP

FAS2220	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.5	N/A	NFS	NETAPP

FAS2240-2	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.5	N/A	NFS	NETAPP

FAS2240-4	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.5	N/A	NFS	NETAPP

FAS2520	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A

FAS2552	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A

FAS2554	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A
FAS2620	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁰ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A

FAS2650	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Data ONTAP 8.2.5 7-mode, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A
FAS2720	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A
FAS2750	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ⁹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONTAP 9.4, ONTAP 9.5, ONTAP 9.6	N/A	NFS	N/A

FAS3040	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7- mode, ONTAP 8.2, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	NFS	NETAPP

FAS3070	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7- mode, ONTAP 8.2, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	NFS	NETAPP

FAS3100 Series	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11,kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data N/A ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	NFS	NETAPP

FAS3140	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7- Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7- mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	NFS	N/A

FAS3160	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7- Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7- mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	NFS	N/A

FAS3170	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7- Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7- mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	NFS	N/A

FAS3200 Series	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11,kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁰ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.1, ONTAP 8.2, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.5, ONTAP 9.7	N/A	NFS	NETAPP

FAS3210	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁰ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7- Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7- Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2.1 7- Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7- Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.1, ONTAP 9.2, ONTAP 9.5, ONTAP 9.7	N/A	NFS	N/A

FAS3220	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11,kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{20,kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁰ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.5, ONTAP 9.7	N/A	NFS	NETAPP

FAS3240	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{11,kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁰ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.2 7- Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7- mode, ONTAP 8.2, ONTAP 8.2.1, ONTAP 9.2, ONTAP 9.5, ONTAP 9.7	N/A	NFS	N/A

FAS3250	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁰ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.5, ONTAP 9.7	N/A	NFS	NETAPP

FAS3270	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁰ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.5, ONTAP 9.7	N/A	NFS	N/A

FAS6000 Series	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data Data ONTAP 8.2.1 7-Mode, Data Data ONTAP 8.2.2 7-Mode, Data Data ONTAP 8.2.3 7-Mode, Data Data ONTAP 8.2.4 7-Mode, Data Data ONTAP 8.2.5 7-mode, ONTAP 8.2, ONTAP 8.2.1, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	NFS	NETAPP

FAS6030	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	NFS	N/A

FAS6040	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	NFS	NetApp

FAS6070	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7- Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	NFS	N/A

FAS6080	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	NFS	N/A

FAS6200 Series	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11,kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁰ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.1, ONTAP 8.2, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.5, ONTAP 9.7	N/A	NFS	NETAPP

FAS6210	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7- Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7- Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	NFS	N/A

FAS6220	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁰ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.1, ONTAP 8.2, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.5, ONTAP 9.7	N/A	NFS	NETAPP

FAS6240	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7- Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7- Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	NFS	N/A

FAS6250	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11,kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁰ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.1, ONTAP 8.2, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.5, ONTAP 9.7	N/A	NFS	NETAPP

FAS6280	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹² , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7- Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7- Mode, Data ONTAP 8.2.5 7-mode, ONTAP 8.2.2 7-Mode, ONTAP 9.0, ONTAP 9.1	N/A	NFS	N/A

FAS6290	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹⁰ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.1, ONTAP 8.2, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.5, ONTAP 9.7	N/A	NFS	NETAPP

FAS8020	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7- Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7- mode, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS	NETAPP

FAS8040	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7- Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7- mode, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS	NETAPP

FAS8060	N/A	N/A	N/A	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7- Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7- mode, Data ONTAP 9.1, ONTAP 8.2, ONTAP 8.2.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS	NETAPP

FAS8080	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{11, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.1, ONTAP 9.0, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS	N/A
FAS8200	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered DATA ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Data ONTAP 8.2.5 7-mode, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS	N/A

FAS9000	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered DATA ONTAP 8.2.2, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Data ONTAP 8.2.5 7-mode, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS	N/A

NETGEAR

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
ReadyNAS 2120	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.4.2	N/A	NFS	N/A
ReadyNAS 2300 Series	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.7.4	N/A	NFS	N/A
ReadyNAS 312	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.4.2	N/A	NFS	N/A
ReadyNAS 3138	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.4.1	N/A	NFS	N/A
ReadyNAS 314	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.4.1	N/A	NFS	N/A
ReadyNAS 316	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.4.2	N/A	NFS	N/A

ReadyNAS 3312	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.5.1	N/A	NFS	N/A
ReadyNAS 420 Series	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.6.2	N/A	NFS	N/A
ReadyNAS 4220	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.4.1	N/A	NFS	N/A
ReadyNAS 4300 Series	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.7.0	N/A	NFS	N/A
ReadyNAS 4312	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.5.1	N/A	NFS	N/A
ReadyNAS 516	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.4.1	N/A	NFS	N/A
ReadyNAS 520 Series	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.6.0	N/A	NFS	N/A

ReadyNAS 526X	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.5.1	N/A	NFS	N/A
ReadyNAS 620 Series	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.6.0	N/A	NFS	N/A
ReadyNAS 626X	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.5.1	N/A	NFS	N/A
ReadyNAS 716X	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.4.1	N/A	NFS	N/A

Nexenta Systems

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Nexentastor	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.1, 4.0, 5.0	N/A	NFS	N/A

Nexsan Technologies

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Nexsan NST5000	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.3	N/A	NFS	N/A
NST2000	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.3	N/A	NFS	N/A
NST4000	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.3	N/A	NFS	N/A
NST5100	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.2.0, 3.1, 3.2	N/A	NFS	N/A

NST5300	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.2.0, 3.1, 3.2	N/A	NFS	N/A
NST5500	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.2.0, 3.1, 3.2	N/A	NFS	N/A
NST6000	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.3	N/A	NFS	N/A
UNITY2000	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1	N/A	NFS	N/A
UNITY4000	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1	N/A	NFS	N/A

Nutanix

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
NX-1000	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Acropolis 4.5, Acropolis 4.6, Acropolis 4.7, AOS 5.0, AOS 5.1, AOS 5.10, AOS 5.11, AOS 5.15, AOS 5.5, AOS 5.6, AOS 5.8, AOS 5.9, NOS 3.5, NOS 4.0, NOS 4.1	N/A	NFS	N/A
NX-2400 Series	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NOS 3.5, NOS 4.0, NOS 4.1	N/A	NFS	N/A
NX-3000	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Acropolis 4.5, Acropolis 4.6, Acropolis 4.7, AOS 5.0, AOS 5.1, AOS 5.10, AOS 5.11, AOS 5.15, AOS 5.5, AOS 5.6, AOS 5.8, AOS 5.9, NOS 3.5, NOS 4.0, NOS 4.1	N/A	NFS	N/A

NX-6000	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Acropolis 4.5, Acropolis 4.6, Acropolis 4.7, AOS 5.0, AOS 5.1, AOS 5.10, AOS 5.11, AOS 5.15, AOS 5.5, AOS 5.6, AOS 5.8, AOS 5.9, NOS 3.5, NOS 4.0, NOS 4.1	N/A	NFS	N/A
NX-7000 Series	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NOS 3.5, NOS 4.0, NOS 4.1	N/A	NFS	N/A
NX-8000	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Acropolis 4.5, Acropolis 4.6, Acropolis 4.7, AOS 5.0, AOS 5.1, AOS 5.10, AOS 5.11, AOS 5.15, AOS 5.5, AOS 5.6, AOS 5.8, AOS 5.9, NOS 3.5, NOS 4.0, NOS 4.1	N/A	NFS	N/A

NX-9000

	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Acropolis 4.5, Acropolis 4.6, Acropolis 4.7, AOS 5.0, AOS 5.1, AOS 5.10, AOS 5.11, AOS 5.15, AOS 5.5, AOS 5.6, AOS 5.8, AOS 5.9, NOS 3.5, NOS 4.0, NOS 4.1	N/A	NFS	N/A

Oracle America, Inc (formerly Sun Microsystems, Inc)

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
7120	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ²¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8, OS8.7, OS8.8	N/A	NFS	N/A
7320	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ²¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8, OS8.7, OS8.8	N/A	NFS	N/A
7420	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ²¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8, OS8.7, OS8.8	N/A	NFS	N/A

Oracle ZFS Storage ZS3-2	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ²¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8, OS8.7, OS8.8	N/A	NFS	N/A
Oracle ZFS Storage ZS3-4	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ²¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8, OS8.7, OS8.8	N/A	NFS	N/A
Oracle ZFS Storage ZS4-4	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ²¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8, OS8.7, OS8.8	N/A	NFS	N/A
Oracle ZFS Storage ZS5-2	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ²¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8, OS8.7, OS8.8	N/A	NFS	N/A

Oracle ZFS Storage ZS5-4	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ²¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8, OS8.7, OS8.8	N/A	NFS	N/A
Oracle ZFS Storage ZS7-2	N/A	N/A	N/A	N/A
ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	OS 8.8, OS8.8	N/A	NFS	N/A
Sun ZFS Storage 7120	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ²¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8, OS8.7, OS8.8	N/A	NFS	N/A
Sun ZFS Storage 7320	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ²¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8, OS8.7, OS8.8	N/A	NFS	N/A

Sun ZFS Storage 7420	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ²¹ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8, OS8.7, OS8.8	N/A	NFS	N/A
ZS3-2	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ²¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8, OS8.7, OS8.8	N/A	NFS	N/A
ZS3-4	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ²¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8, OS8.7, OS8.8	N/A	NFS	N/A
ZS4-4	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ²¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8, OS8.7, OS8.8	N/A	NFS	N/A

ZS5-2	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8, OS8.7, OS8.8	N/A	NFS	N/A
ZS5-4	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2013.1, OS 8.8, OS8.7, OS8.8	N/A	NFS	N/A

OSNEXUS Corporation

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
QuantaStor	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0	N/A	NFS	N/A

Overland Storage

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
SnapScale	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	NFS	N/A
SnapServer DX1	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	7.6	N/A	NFS	N/A
SnapServer DX2	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	7.6	N/A	NFS	N/A

SnapServer XSD 40	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	7.6	N/A	NFS	N/A
SnapServer XSR 120	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	7.6	N/A	NFS	N/A
SnapServer XSR 40	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	7.6	N/A	NFS	N/A

Panasas

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AS16	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.0.3	N/A	NFS	N/A
AS18	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	6.1.1	N/A	NFS	N/A

Pavilion Data Systems

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Pavilion NVMe-OF Storage Array	N/A	N/A	N/A	N/A
ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.3	N/A	NFS	N/A

Primary Data

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Primary Data DataSphere	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	N/A	NFS	N/A

Promise Technology, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Vess R2600tiD	N/A	N/A	N/A	Vess R2600tiD
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.02	N/A	NFS	Promise
Vess R3K Series	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	13.03.0000.07	N/A	NFS	N/A
VSky A Series	N/A	N/A	N/A	VSky A Series
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v1.01.0000.01	N/A	NFS	Promise Technology
VSky A-Series	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	SR1	N/A	NFS	N/A
VTrak D5000 Series	N/A	N/A	N/A	Promise Technology
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	13.02.0000.04	N/A	NFS	Promise Technology, Inc.

Pure Storage, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Flashblade	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1, 2.0.3, 2.4.0	N/A	NFS	N/A

QNAP Systems, Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
ES-1686dc	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.1	N/A	NFS	N/A
ES-2486dc	N/A	N/A	N/A	Storage NAS
ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.1	N/A	NFS	QNAP
ES1640dc	N/A	N/A	N/A	QES
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1	N/A	NFS	QNAP
ES1640dc v2	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	QES 2.0, QES 2.1	N/A	NFS	N/A

SS-x79U-SAS Series	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0, 4.1	N/A	NFS	N/A
TDS-16489U R2	N/A	N/A	N/A	QES
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.1	N/A	NFS	QNAP
TES-x85U	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.1, QES 2.1	N/A	NFS	N/A
TS-2088XU	N/A	N/A	N/A	ISCSI Storage
ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.4	N/A	NFS	QNAP
TS-2888X	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.4	N/A	NFS	N/A
TS-hx77XU series	N/A	N/A	N/A	Storage NAS
ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	h4.5	N/A	NFS	QNAP

TS-hx83XU series	N/A	N/A	N/A	Storage NAS
ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	h4.5	N/A	NFS	QNAP
TS-x31X/x31XU Series	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3	N/A	NFS	N/A
TS-x32XU	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3	N/A	NFS	N/A
TS-x53 Series	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	NFS	N/A
TS-x69 Series	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0, 4.1	N/A	NFS	N/A

TS-x70 Series	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0, 4.1	N/A	NFS	N/A
TS-x73U	N/A	N/A	N/A	iSCSI storage
ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.4	N/A	NFS	QNAP
TS-x77 Series	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3	N/A	NFS	N/A
TS-x77XU	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3	N/A	NFS	N/A
TS-x79 Series	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0, 4.1	N/A	NFS	N/A

TS-x79U-SAS Series	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0, 4.1	N/A	NFS	N/A
TS-x80 Series	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	NFS	N/A
TS-x83XU	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3	N/A	NFS	N/A
TS-x86XU series	N/A	N/A	N/A	N/A
ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.4	N/A	NFS	N/A
TVS-x71 Series	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1.2	N/A	NFS	N/A

TVS-x72XU	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.4	N/A	NFS	N/A
TVS-x80 Series	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1	N/A	NFS	N/A
TVS-x82/x82T/x82T3/x82BR Series	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3	N/A	NFS	N/A

QSAN Technology, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
U110	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.2.3	N/A	NFS	N/A
U120	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.2.3	N/A	NFS	N/A
U200	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.2.3	N/A	NFS	N/A

U210	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.2.3	N/A	NFS	N/A
U211	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.1.0	N/A	NFS	N/A
U220	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.2.3	N/A	NFS	N/A
U221	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.2.3, 2.1.0	N/A	NFS	N/A

U22X	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.2.3	N/A	NFS	N/A
U300	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.4.0, 2.1.0	N/A	NFS	N/A
U400Q	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.2.3, 2.1.0	N/A	NFS	N/A
U600Q	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.2.3, 2.1.0	N/A	NFS	N/A

XCubeNAS XN8000R	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.0.3	N/A	NFS	N/A

RackTop Systems, LLC

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
BrickStor	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	16.08, 17.010	N/A	NFS	N/A

Seagate

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
STDD100	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0.7.4	N/A	NFS	N/A
STDE100	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0.7.4	N/A	NFS	N/A
STDF100	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0.7.4	N/A	NFS	N/A

SimpliVity Corporation

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
OmniCube CN-1400	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ²³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.0, 3.5, 3.6, 3.7, 4.0	N/A	NFS	N/A
OmniCube CN-2000	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ²³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.1, 3.0, 3.5, 3.6, 3.7, 4.0	N/A	NFS	N/A
OmniCube CN-2200	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ²³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.1, 3.0, 3.5, 3.6, 3.7, 4.0	N/A	NFS	N/A

OmniCube CN-2400	N/A	N/A	N/A	OmniCube CN-2400
ESXi 5.5 (EOL Date: 2020-09-19) ²³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.0, 3.5, 3.6, 3.7, 4.0	N/A	NFS	SVC
OmniCube CN-3000	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ²³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.1, 3.0, 3.5, 3.6, 3.7, 4.0	N/A	NFS	N/A
OmniCube CN-3400	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ²³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.1, 3.0, 3.5, 3.6, 3.7, 4.0	N/A	NFS	N/A
OmniCube CN-3400-E	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ²³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.0, 3.5, 3.6, 3.7, 4.0	N/A	NFS	N/A

OmniCube CN-5000	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ²³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.1, 3.0, 3.5, 3.6, 3.7, 4.0	N/A	NFS	N/A
Omnicube CN-5400	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ²³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.1, 3.0, 3.5, 3.6, 3.7, 4.0	N/A	NFS	N/A
OmniStack Lenovo x3650M5	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ²³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.0, 3.5, 3.6, 3.7, 4.0	N/A	NFS	N/A
OmniStack UCS C240M3S	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ²³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.1, 3.0, 3.5, 3.6, 3.7, 4.0	N/A	NFS	N/A

OmniStack UCS C240M4SX	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ²³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.1, 3.0, 3.5, 3.6, 3.7, 4.0	N/A	NFS	N/A

Skyera

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
skyHawk	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	1.0	N/A	NFS	N/A

SmartX

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Z1000	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	2.0.1	N/A	NFS	N/A

Springpath

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Springpath Data Platform	N/A	N/A	N/A	N/A
ESXi 5.5 U2 (EOL Date: 2020-09-19) ² , ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0.0, 1.7.3, 1.8(1a), 2.0, 2.1, 2.5, 2.6, 3.0, 3.5, 4.0	N/A	NFS	N/A

Storageflex Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
HA 3969 NAS	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.1.x	N/A	NFS	N/A

StorOne

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
S1	N/A	N/A	N/A	S1
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.0	N/A	NFS	STORONE

Sugon

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
DS600 G20	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	1.02	N/A	NFS	N/A

DS800-G35

	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{15, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{11, kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data N/A ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2.1, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	

N/A

NFS

DS800

Sugon

DS900-G10

	N/A	N/A	N/A	DS900
ESXi 5.5 (EOL Date: 2020-09-19) ^{15, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{11, kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 8.2, ONTAP 8.2.1, ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS	Sugon

DS900-G20	N/A	N/A	N/A	DS900
ESXi 5.5 (EOL Date: 2020-09-19) ^{15, kb4} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb4} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb4} , ESXi 6.0 ^{11, kb4} , ESXi 6.0 U1 ^{kb4} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ¹³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7	N/A	NFS	Sugon

ParaStor-Series	N/A	N/A	N/A	ParaStor
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	OFS 3.0	N/A	NFS	Sugon

Synology Incorporated

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
DiskStation Series	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM6.2	N/A	NFS	N/A
DS1817	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.1	N/A	NFS	N/A
DS1817+	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.1	N/A	NFS	N/A
DS2015xs	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ²⁴ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v4993	N/A	NFS	N/A

DS3615xs	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ²⁴ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v4910	N/A	NFS	N/A
DS3617xs	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.0	N/A	NFS	N/A
FlashStation Series	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.2	N/A	NFS	N/A
FS2017	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.0	N/A	NFS	N/A
FS3017	N/A	N/A	N/A	NAS
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.0	N/A	NFS	SYNO
RackStation Series	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.2	N/A	NFS	N/A

RC18015xs+	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 5.1	N/A	NFS	N/A
RS10613xs+	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v4493	N/A	NFS	N/A
RS18016xs+	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 5.1	N/A	NFS	N/A
RS18017xs+	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.0	N/A	NFS	N/A

RS3614(RP)xs	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ²⁴ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v4910	N/A	NFS	N/A
RS3614xs+	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM5.2	N/A	NFS	N/A
RS3617RPxs	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.0	N/A	NFS	N/A
RS3617xs+	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.0	N/A	NFS	N/A
RS4017xs+	N/A	N/A	N/A	N/A
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.0	N/A	NFS	N/A
SA Series	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.2	N/A	NFS	N/A

SA3200D	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	DSM 6.2	N/A	NFS	N/A

Tegile Systems Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
IntelliFlash HA series	N/A	N/A	N/A	ZEBI-NAS
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0, 2.1, 3.5	N/A	NFS	TEGILE
IntelliFlash N Series	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.9	N/A	NFS	N/A
IntelliFlash T series	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ²⁵ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.1, 3.0, 3.10, 3.5, 3.7	N/A	NFS	N/A

Tintri

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
EC6030	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3, 4.4, 4.5	N/A	NFS	N/A
EC6050	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3, 4.4, 4.5	N/A	NFS	N/A
EC6055	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.5	N/A	NFS	N/A
EC6070	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3, 4.4, 4.5	N/A	NFS	N/A

EC6075	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.5	N/A	NFS	N/A
EC6090	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3, 4.4, 4.5	N/A	NFS	N/A
T1000	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.3, 4.4, 4.5	N/A	NFS	N/A
T445	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.1.x.x, 3.0.x.x, 3.1.x.x, 3.2.x.x, 4.0, 4.1, 4.2, 4.3, 4.4, 4.5	N/A	NFS	N/A

T5040	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1, 4.2, 4.3, 4.4, 4.5	N/A	NFS	N/A
T5060	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0, 4.1, 4.2, 4.3, 4.4, 4.5	N/A	NFS	N/A
T5080	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.0, 4.1, 4.2, 4.3, 4.4, 4.5	N/A	NFS	N/A
T540	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.0.x.x, 2.1.x.x, 3.0.x.x, 3.1.x.x, 3.2.x.x, 4.0, 4.1, 4.2, 4.3, 4.4, 4.5	N/A	NFS	N/A

T620	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.1.x.x, 3.0.x.x, 3.1.x.x, 3.2.x.x, 4.0, 4.1, 4.2, 4.3, 4.4, 4.5	N/A	NFS	N/A
T650	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	2.1.x.x, 3.0.x.x, 3.1.x.x, 3.2.x.x, 4.0, 4.1, 4.2, 4.3, 4.4, 4.5	N/A	NFS	N/A
T820	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.1.x.x, 3.2.x.x, 4.0, 4.1, 4.2, 4.3, 4.4, 4.5	N/A	NFS	N/A
T850	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.1.x.x, 3.2.x.x, 4.0, 4.1, 4.2, 4.3, 4.4, 4.5	N/A	NFS	N/A

T880	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.1.x.x, 3.2.x.x, 4.0, 4.1, 4.2, 4.3, 4.4, 4.5	N/A	NFS	N/A
T885	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.2, 4.3, 4.4, 4.5	N/A	NFS	N/A

UNIFOSA Corp

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
EN-3166JS6Z-SQX	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.0.00	N/A	NFS	N/A

Veritas Technologies LLC

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Veritas Access	N/A	N/A	N/A	Veritas Access 7.3.0.1
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	7.3.0.1	N/A	NFS	Veritas Access 7.3.0.1

Western Digital Technologies, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
IntelliFlash HD Series	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ²⁵ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.10, 3.7, 3.9	N/A	NFS	N/A
IntelliFlash N Series	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ²⁵ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.10, 3.9	N/A	NFS	N/A
IntelliFlash T series	N/A	N/A	N/A	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ²⁵ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.10, 3.9	N/A	NFS	N/A

Winchester Systems, Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
RZ2U12R1	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.1.x	N/A	NFS	N/A
RZ3U16R2	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.1.x	N/A	NFS	N/A
ZX2U12R1	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.1.x	N/A	NFS	N/A
ZX3U16R2	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.1.x	N/A	NFS	N/A

Zadara Storage

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
VP SA	N/A	N/A	N/A	302
ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	18.07	N/A	NFS	zadara

Zeta Storage Systems Limited

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Zetavault	N/A	N/A	N/A	Zetavault
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	3.0	N/A	NFS	ZVAULT

Footnotes:

- 1 . Native clone of small virtual machines (i.e.<2 GB) will see no performance benefit.
- 2 . Cross Volume Cloning is not supported by array.
- 3 . The storage array does not support thick virtual disks; it supports only thin virtual disks.
- 4 . Cross volume cloning is not supported as only one datastore can be created in an array.
- 5 . Storage array supports only one datastore.
- 6 . Partner's VAAINAS plugin supports only single level Native snapshot.
- 7 . Array does not support Kerberos access to NAS datastores
- 8 . IPV6 feature is not certified with this version as ESX5.X does not support IPV6.
- 9 . 1GbE and 10 GbE Storage Interfaces are supported
- 10 . NetApp Data ONTAP 9.2 doesn't support Extended Stats features.
- 11 . NetApp Data ONTAP 8.2.5 7-Mode doesn't support Extended Stats features.
- 12 . Multipathing is not supported by the array.
- 13 . NFS 4.1 Multipath is not supported.
- 14 . NetApp Clustered Data ONTAP 8.2.2 doesn't support Extended Stats features.
- 15 . NetApp Data ONTAP 9.1 does not support Extended Stats.
- 16 . Plug-in is available at <http://portal.hds.com> for download.
- 17 . The Storage array does not support LazyCloning.
- 18 . NetApp Data ONTAP 8.1.4 Cluster-mode doesn't support Extended Stats features.
- 19 . The VAAI-NAS Plugin isilon_nas_vaa_i_plugin v1.2.2-0 does not support Extended Stats feature.
- 20 . NetApp Data ONTAP 8.2 7-Mode doesn't support Extended Stats features.
- 21 . This release of VAAI plugin for NAS does not support clones operation related to zeroed thick, thin and lazy clones.
- 22 . This release of VAAI plug-in for NAS does not support clones operation related to zeroed thick vdisks.
- 23 . Simplivity OmniCube CN-2400 does support cross volume lazy cloning.
- 24 . Lazy clone is not supported due to ext4 file system.
- 25 . Array doesn't support KRB5I.

VMware Knowledge Base:

- 1 . For more details see, KB: 2053087 <http://kb.vmware.com/kb/2053087>
- 2 . For more details see, KB: 2094774 <http://kb.vmware.com/kb/2094774>
- 3 . For more details see, KB: 2085108 <http://kb.vmware.com/kb/2085108>
- 4 . For more details see, KB: 2031038 <http://kb.vmware.com/kb/2031038>

NVMe Array (NVMe)

Dell EMC

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
PowerMax 2000	HPP	N/A	N/A	PowerMax
ESXi 7.0 ¹	5978.479.479	brcmnvmefc ver. 12.4.293.2-3vmw	FC	Dell EMC
PowerMax 8000	HPP	N/A	N/A	PowerMax
ESXi 7.0 ¹	5978.479.479	brcmnvmefc ver. 12.4.293.2-3vmw	FC	Dell EMC

IBM

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
IBM FlashSystem 5000	HPP	N/A	N/A	N/A
ESXi 7.0	8.3.1	lpfc ver. 12.4.293.3-5vmw	FC	N/A
IBM FlashSystem 7000	HPP	N/A	N/A	N/A
ESXi 7.0	8.3.1	lpfc ver. 12.4.293.3-5vmw	FC	N/A
IBM FlashSystem 9000	HPP	N/A	N/A	N/A
ESXi 7.0	8.3.1	lpfc ver. 12.4.293.3-5vmw	FC	N/A
IBM FlashSystem 9100	HPP	N/A	N/A	N/A
ESXi 7.0	8.3.1	lpfc ver. 12.4.293.3-5vmw	FC	N/A
IBM FlashSystem V9000	HPP	N/A	N/A	N/A
ESXi 7.0	8.3.1	lpfc ver. 12.4.293.3-5vmw	FC	N/A
IBM Storwize 5000	HPP	N/A	N/A	N/A
ESXi 7.0	8.3.1	lpfc ver. 12.4.293.3-5vmw	FC	N/A
IBM Storwize 7000	HPP	N/A	N/A	N/A
ESXi 7.0	8.3.1	lpfc ver. 12.4.293.3-5vmw	FC	N/A
IBM SVC	HPP	N/A	N/A	N/A
ESXi 7.0	8.3.1	lpfc ver. 12.4.293.3-5vmw	FC	N/A

Lenovo

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
DM7100F	HPP	N/A	N/A	N/A
ESXi 7.0 ²	ONTAP 9.7	brcmnvmefc ver. 12.6.228.4-1OEM	FC	N/A

NetApp

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AFF A300	HPP	N/A	N/A	N/A
ESXi 7.0 ²	ONTAP 9.7	brcmnvmefc ver. 12.6.228.4-1OEM	FC	N/A
AFF A320	HPP	N/A	N/A	N/A
ESXi 7.0 ²	ONTAP 9.7	brcmnvmefc ver. 12.6.228.4-1OEM	FC	N/A
AFF A400	HPP	N/A	N/A	N/A
ESXi 7.0 ²	ONTAP 9.7	brcmnvmefc ver. 12.6.228.4-1OEM	FC	N/A
AFF A700	HPP	N/A	N/A	N/A
ESXi 7.0 ²	ONTAP 9.7	brcmnvmefc ver. 12.6.228.4-1OEM	FC	N/A
AFF A700s	HPP	N/A	N/A	N/A
ESXi 7.0 ²	ONTAP 9.7	brcmnvmefc ver. 12.6.228.4-1OEM	FC	N/A
AFF A800	HPP	N/A	N/A	N/A
ESXi 7.0 ²	ONTAP 9.7	brcmnvmefc ver. 12.6.228.4-1OEM	FC	N/A

Pavilion Data Systems

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Pavilion NVMe-OF Storage Array	HPP	N/A	N/A	N/A
ESXi 7.0	2.3	nmlx5_core ver. 4.19.16.7-1vmw	RDMA RoCE v2	N/A

Pure Storage, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
FlashArray//X	HPP	N/A	N/A	Flash Array
ESXi 7.0 ³	5.3	nmlx5_core ver. 4.19.16.7-1vmw	RDMA RoCE v2	Pure

Footnotes:

- 1 . Deployment of vSphere 7.0 on PowerMax 8000 and PowerMax 2000 arrays configured with FC-NVMe connectivity requires support fix 104661 with PowerMaxOS 5978.479.479 code version. Please contact Dell EMC support to have proper ePack installed.
- 2 . NetApp array does not support modifying NVMe-oF namespace size in Data Ontap 9.7.
- 3 . KB Article : Manually disconnecting and reconnecting volume results in missing namespace [https://support.purestorage.com/Solutions/VMware_Platform_Guide/VMware_%3A_NVMe_over_Fabrics_\(NVMe-oF\)/Manually_disconnecting_and_reconnecting_volume_results_in_missing_namespace](https://support.purestorage.com/Solutions/VMware_Platform_Guide/VMware_%3A_NVMe_over_Fabrics_(NVMe-oF)/Manually_disconnecting_and_reconnecting_volume_results_in_missing_namespace)

VMware Knowledge Base:

None

SAS

Bull S.A.S

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Bull Optima1600 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ² , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	NEC_SATP_SPS v500.2.0-020000.0424 N/A	VMW_PSP_MRU SAS Direct Attach	DISK ARRAY NEC
Bull Optima2600 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ² , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	NEC_SATP_SPS v500.2.0-020000.0424 N/A	VMW_PSP_MRU SAS Direct Attach	DISK ARRAY NEC

Cybernetics

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
iSAN 1000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSAN_Vault
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.27	N/A	SAS Direct Attach	CYBERNET
iSAN 3000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	iSAN 3000 Series
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.91	N/A	SAS Direct Attach	Cybernet

DELL

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
MD3200 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5	NMP 07.84, 08.20	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	MD32xx DELL
MD3220 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5	NMP 07.84, 08.20	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	MD32xx DELL
MD3260 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5	NMP 07.84, 08.20	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	MD32xx DELL
MD3400 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1	NMP 08.10, 08.20, 08.25, 08.30, 08.40	VMW_SATP_ALUA N/A	VMW_PSP_RR SAS Direct Attach	MD34xx DELL

MD3420	NMP	VMW_SATP_ALUA	VMW_PSP_RR	MD34xx
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1	08.10, 08.20, 08.25, 08.30, 08.40	N/A	SAS Direct Attach	DELL
MD3460	NMP	VMW_SATP_ALUA	VMW_PSP_RR	MD34xx
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1	08.10, 08.20, 08.25, 08.30, 08.40	N/A	SAS Direct Attach	DELL

Dell EMC

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
ME4012S ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP G275, G280	VMW_SATP_ALUA N/A	VMW_PSP_FIXED SAS Direct Attach	ME4012S DELL EMC
ME4024S ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP G275, G280	VMW_SATP_ALUA N/A	VMW_PSP_FIXED SAS Direct Attach	ME4 DellEMC
ME4084S ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP G275, G280	VMW_SATP_ALUA N/A	VMW_PSP_FIXED SAS Direct Attach	ME4084S Dell EMC

DELL

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
PowerEdge VRTX	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	Shared PERC8
ESXi 5.5 (EOL Date: 2020-09-19) ⁴ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	23.11.16-0076, 23.12.56-0086, 23.13.16.0013, 23.14.06.0013, 23.8.10-0059	N/A	SAS Direct Attach	DELL
Storage Center	NMP	VMW_SATP_ALUA	VMW_PSP_RR	Compellent Vol
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ² , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁵	6.6, 6.7, 7.0, 7.1, 7.2, 7.3, 7.4	N/A	SAS Direct Attach	COMPELNT

Dot Hill

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AssuredSAN 3524 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP GL210, GL220, GL225N/A	VMW_SATP_ALUA	VMW_PSP_MRU SAS Direct Attach	DotHill DH3524
AssuredSAN 4524 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP GL101, GL105, GL200, GL210, GL220, GL225	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	DH4524 DotHill
AssuredSAN 4534 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP GL101, GL105, GL200, GL210, GL220, GL225	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	DH4534 DotHill

AssuredSAN 4544	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	DH4544
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	GL105, GL200, GL210, GL220, GL225	N/A	SAS Direct Attach	DotHill
AssuredSAN 4554	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DH4554
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	GL210, GL220, GL225N/A		SAS Direct Attach	DotHill
AssuredSAN 6554	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	AssuredSAN 6554
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	GL205	N/A	SAS Direct Attach	DotHill

Dot Hill 3530/3520

NMP

VMW_SATP_ALUA

VMW_PSP_RR

DH3000

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

TS250, TS251, TS252

lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bfa ver. 3.2.3.0, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.662.204, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw

SAS Direct Attach

DotHill

Fujitsu

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
FUJITSU Storage ETERNUS 2000 Model 100	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	E2000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	SAS Direct Attach	Fujitsu
FUJITSU Storage ETERNUS 2000 Model 200	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	E2000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	SAS Switched	Fujitsu
FUJITSU Storage ETERNUS 2000 Model 50NMP	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	E2000
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	SAS Direct Attach	Fujitsu

FUJITSU Storage ETERNUS DX100 S3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	mpt3sas ver. 06.00.00.00.1vmw, lsi_msgpt3 ver. 13.00.00.00-1OEM	SAS Switched	Fujitsu
FUJITSU Storage ETERNUS DX100 S4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	mpt3sas ver. 06.00.00.00.1vmw, lsi_msgpt3 ver. 13.00.00.00-1OEM	SAS Direct Attach	Fujitsu
FUJITSU Storage ETERNUS DX100 S5	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	N/A	SAS Direct Attach	Fujitsu
FUJITSU Storage ETERNUS DX200 S3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	mpt3sas ver. 06.00.00.00.1vmw, lsi_msgpt3 ver. 13.00.00.00-1OEM	SAS Switched	Fujitsu

FUJITSU Storage ETERNUS DX200 S4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	mpt3sas ver. 06.00.00.00.1vmw, lsi_msgpt3 ver. 13.00.00.00-1OEM	SAS Direct Attach	Fujitsu
FUJITSU Storage ETERNUS DX200 S5	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	N/A	SAS Direct Attach	Fujitsu
FUJITSU Storage ETERNUS DX60	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	SAS Direct Attach	Fujitsu
FUJITSU Storage ETERNUS DX60 S2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V20	N/A	SAS Direct Attach	Fujitsu

FUJITSU Storage ETERNUS DX60 S3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	mpt3sas ver. 06.00.00.00.1vmw, lsi_msgpt3 ver. 13.00.00.00-1OEM	SAS Direct Attach	Fujitsu
FUJITSU Storage ETERNUS DX60 S4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	mpt3sas ver. 06.00.00.00.1vmw, lsi_msgpt3 ver. 13.00.00.00-1OEM	SAS Direct Attach	Fujitsu
FUJITSU Storage ETERNUS DX60 S5	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V11	N/A	SAS Direct Attach	Fujitsu
FUJITSU Storage ETERNUS DX80	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	SAS Direct Attach	Fujitsu

FUJITSU Storage ETERNUS DX80 S2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	SAS Switched	Fujitsu
FUJITSU Storage ETERNUS DX90 S2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ETERNUS_DXL
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V10	N/A	SAS Switched	Fujitsu

Hewlett Packard Enterprise

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
HPE MSA 1050 SAS ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP VE100, VE270	VMW_SATP_ALUA N/A	VMW_PSP_RR SAS Direct Attach	MSA 1050 SAS HPE
HPE MSA 2042 SAS ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1	NMP GL220, GL225	VMW_SATP_ALUA N/A	VMW_PSP_FIXED SAS Direct Attach	MSA 2040 SAS HP
HPE MSA 2050 SAS ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP VL100, VL270	VMW_SATP_ALUA N/A	VMW_PSP_FIXED SAS Direct Attach	MSA 2050 SAS HPE

HPE MSA 2052 SAS	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	MSA 2050 SAS
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	VL100, VL270	N/A	SAS Direct Attach	HPE

Hitachi

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
BR1200 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 07.86	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	INF-01-00 LSI
BR1250 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ² , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	DISK ARRAY NEC

HP

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
HP MSA 2040 SAS	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MSA 2040 SAS
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1	GL101, GL105, GL200, GL210, GL220, GL225	N/A	SAS Direct Attach	HP
MSA 1040 SAS	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	MSA 1040 SAS
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1	GL210, GL220, GL225N/A		SAS Direct Attach	HP
MSA P2000 G3 SAS	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	P2000 G3 SAS
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	TS250, TS251, TS252	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.7.0-1, lpfc ver. 10.0.575.8, bnx2fc ver. 1.78.16.v55.4, bfa ver. 3.2.3.0, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.662.204	8G FC Direct Attach	HP

IBM

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
DCS3700 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 07.86	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	1818 FAStT IBM
DCS3700+ ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 07.86	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	1818 FAStT IBM
DS3500 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 07.86	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	1746 FAStT IBM

IBM FlashSystem 5000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	8.2, 8.3	N/A	SAS Direct Attach	IBM
SAS RAID Controller Module	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	1820N00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.3.2.002, 2.3.4.035	mpt2sas ver. 16.00.01.00.1vmw, mpt2sas ver. 19.00.00.00.1vmw, mpt2sas ver. 19.00.00.00-1vmw, mpt2sas ver. 19.00.00.00-2vmw	SAS Switched	Lenovo
Storwize V3500	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.2, 8.3	mpt2sas ver. 20.00.00.00.1vmw	SAS Direct Attach	IBM
Storwize V3700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ⁶ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.3	mpt2sas ver. 20.00.00.00.1vmw	SAS Direct Attach	IBM

Storwize V5000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.2, 8.3	mpt2sas ver. 20.00.00.00.1vmw	SAS Direct Attach	IBM

Infortrend Technology, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
ESDS 1000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_1000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	N/A	SAS Direct Attach	IFT
ESDS 3000 Series	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_3000
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.1x	N/A	SAS Direct Attach	IFT
ESDS B12S-G2240	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_B12S-G2240
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT

ESDS B12S-R2240	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_B12S-R2240
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT
ESDS B24S-G2240	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_B24S-G2240
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT
ESDS B24S-G2242-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_B24S-G2242-4
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT
ESDS B24S-R2240	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_B24S-R2240
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT

ESDS B24S-R2242-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_B24S-R2242-4
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT
ESDS S04S-G2240	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S04S-G2240
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT
ESDS S12S-G2240	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S12S-G2240
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT
ESDS S12S-G2240-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S12S-G2240-4
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT

ESDS S12S-G2241	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S12S-G2241
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT
ESDS S12S-R2240	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S12S-R2240
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT
ESDS S12S-R2240-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S12S-R2240-4
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT
ESDS S16S-G2240	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16S-G2240
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT

ESDS S16S-G2240-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16S-G2240-4
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT
ESDS S16S-G2242-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16S-G2242-4
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT
ESDS S16S-R2240	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16S-R2240
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT
ESDS S16S-R2240	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	ESDS S16S-R2240
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT

ESDS S16S-R2240-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16S-R2240-4
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT
ESDS S16S-R2242-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16S-R2242-4
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT
ESDS S24S-G2240	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S24S-G2240
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT
ESDS S24S-G2240	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S24S-G2240
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT

ESDS S24S-G2240-4	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S24S-G2240-4
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT

Inspur

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AS1000G6 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 07.86	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	AS1000G6 inspur
AS500H ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 07.86	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	AS500H inspur
AS520E-M1 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 5.1x	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	AS520E-M1 Inspur

AS600G3	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	AS600G3
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.86	N/A	SAS Direct Attach	inspur

Lenovo

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
DE2000H ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ³ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 11.50	VMW_SATP_ALUA N/A	VMW_PSP_RR SAS Direct Attach	DE_Series LENOVO
DE4000F ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ³ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 11.50	VMW_SATP_ALUA N/A	VMW_PSP_RR SAS Direct Attach	DE_Series LENOVO
DE4000H ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ³ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 11.50	VMW_SATP_ALUA N/A	VMW_PSP_RR SAS Direct Attach	DE_Series LENOVO
DE6000F ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ³ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 11.50	VMW_SATP_ALUA N/A	VMW_PSP_RR SAS Direct Attach	DE_Series LENOVO
DE6000H ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ³ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 11.50	VMW_SATP_ALUA N/A	VMW_PSP_RR SAS Direct Attach	DE_Series LENOVO

DS2200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	DS2200
ESXi 5.5 (EOL Date: 2020-09-19) ⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	G250, G265, G280	qlnativefc ver. 1.1.7.0-1	SAS Direct Attach	Lenovo
DS4200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	DS4200
ESXi 5.5 (EOL Date: 2020-09-19) ⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	G250, G265, G280	qlnativefc ver. 1.1.7.0-1	SAS Direct Attach	Lenovo
DS6200	NMP	VMW_SATP_ALUA	VMW_PSP_RR	DS6200
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	G250, G265, G280	N/A	SAS Direct Attach	Lenovo
DS6200 SAS	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	DS6200
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	G280	N/A	SAS Direct Attach	SEAGATE

Lenovo Storage V3700 V2	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.2, 8.3	mpt2sas ver. 20.00.00.00.1vmw	SAS Direct Attach	IBM
Lenovo Storage V3700 V2	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.2, 8.3	mpt2sas ver. 20.00.00.00.1vmw	SAS Direct Attach	IBM
Lenovo Storage V3700 V2 XP	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.2, 8.3	mpt2sas ver. 20.00.00.00.1vmw	SAS Direct Attach	IBM
S2200	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	S2200
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	G22x, GL210	N/A	SAS Direct Attach	Lenovo

S3200	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	S3200
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	G22x, GL210	N/A	SAS Direct Attach	Lenovo

NEC

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
iStorage M100 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ² , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	NEC_SATP_SPS v500.2.0-020000.0424 N/A	VMW_PSP_MRU SAS Direct Attach	DISK ARRAY NEC
iStorage M10e ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ² , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	NEC_SATP_SPS v500.2.0-020000.0424 N/A	VMW_PSP_MRU SAS Direct Attach	DISK ARRAY NEC
iStorage M110 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ² , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	DISK ARRAY NEC

iStorage M11e	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ² , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SAS Direct Attach	NEC
iStorage M120	NMP	NEC_SATP_SPS v600.3.0-030000.0508	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SAS Switched	NEC
iStorage M12e	NMP	NEC_SATP_SPS v600.3.0-030000.0508	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SAS Switched	NEC
iStorage M300	NMP	NEC_SATP_SPS v500.2.0-020000.0424	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ² , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SAS Direct Attach	NEC

iStorage M320	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SAS Direct Attach	NEC

NetApp

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
E2600	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3	07.84, 07.86, 08.10, 08.20	N/A	SAS Direct Attach	LSI
E2700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08.10, 08.20, 08.25, 08.30, 08.40	N/A	SAS Direct Attach	NETAPP
E2800	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08.30, 11.40, 11.50	N/A	SAS Direct Attach	NETAPP
E5400	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3	07.84, 07.86, 08.10, 08.20	N/A	SAS Direct Attach	LSI

E5500	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	08.10, 08.20, 08.25	N/A	SAS Direct Attach	NETAPP
E5600	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08.20, 08.25, 08.30, 08.40	N/A	SAS Direct Attach	NETAPP
E5700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.40, 11.50	N/A	SAS Direct Attach	NETAPP
EF280	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ³ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.40, 11.50	N/A	SAS Direct Attach	NETAPP

EF540	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3	07.84, 07.86, 08.10, 08.20	N/A	SAS Direct Attach	LSI
EF550	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	08.10, 08.20, 08.25	N/A	SAS Direct Attach	NETAPP
EF560	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	08.20, 08.25, 08.30, 08.40	N/A	SAS Direct Attach	NETAPP
EF570	NMP	VMW_SATP_ALUA	VMW_PSP_RR	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ³ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.40, 11.50	N/A	SAS Direct Attach	NETAPP

NetApp (formerly Engenio)

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
2600 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 07.86	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	INF-01-00 LSI
5400 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 07.86	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	INF-01-00 LSI
CTS2600 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 07.86	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	INF-01-00 LSI

EF540	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.86	N/A	SAS Direct Attach	LSI

Oracle America, Inc (formerly Sun Microsystems, Inc)

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Sun Storage 2530-M2	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	LCSM100_S
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.86	N/A	SAS Direct Attach	SUN
Sun StorageTek 2530	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	LCSM100_S
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.86	N/A	SAS Direct Attach	SUN

Overland Storage

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
SnapSAN S3000 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ² , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	NEC_SATP_SPS v500.2.0-020000.0424 N/A	VMW_PSP_MRU SAS Direct Attach	SNAPSAN OVERLAND
SnapSAN S5000 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ² , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	NEC_SATP_SPS v500.2.0-020000.0424 N/A	VMW_PSP_MRU SAS Direct Attach	SNAPSAN OVERLAND

Quantum

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
QXS-3 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP GL220, GL225	VMW_SATP_ALUA N/A	VMW_PSP_FIXED SAS Direct Attach	StorNext QX Quantum
QXS-4 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP GL220, GL225	VMW_SATP_ALUA N/A	VMW_PSP_FIXED SAS Direct Attach	QXS Quantum
QXS-6 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP g22x	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	QXS Quantum

Rorke Data, Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
RGS300	NMP	NEC_SATP_SPS v500.2.0-020000.0424	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ² , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	010A	N/A	SAS Direct Attach	RGS

Seagate

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
4535 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP G250, G265, G280	VMW_SATP_ALUA qlnativefc ver. 1.1.7.0-1	VMW_PSP_RR SAS Direct Attach	4535 SEAGATE
4565 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP G265, G280	VMW_SATP_ALUA qlnativefc ver. 1.1.7.0-1	VMW_PSP_RR SAS Direct Attach	4565 SEAGATE
5535 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP G250, G265, G280	VMW_SATP_ALUA N/A	VMW_PSP_RR SAS Direct Attach	5535 SEAGATE

AssuredSAN 3534	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DotHill
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	GL210, GL220, GL225N/A		SAS Direct Attach	DH3534

SGI

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
IS220-SP ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 07.86	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	INF-01-00 LSI
IS5000 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 07.86	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	IS400 SGI
IS5000-SP ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 07.86	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	INF-01-00 LSI
IS5500 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	NMP 07.86	VMW_SATP_ALUA N/A	VMW_PSP_MRU SAS Direct Attach	INF-01-00 LSI

IS5500-SP	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	INF-01-00
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	07.86	N/A	SAS Direct Attach	LSI

starline Computer GmbH

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
TopRAID M100 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ² , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	NEC_SATP_SPS v500.2.0-020000.0424 N/A	VMW_PSP_MRU SAS Direct Attach	DISK ARRAY NEC
TopRAID M110 ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ² , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	NEC_SATP_SPS v550.1.2-010201.0331 N/A	VMW_PSP_MRU SAS Direct Attach	DISK ARRAY NEC
TopRAID M120 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP 010A	NEC_SATP_SPS v600.3.0-030000.0508 N/A	VMW_PSP_MRU SAS Switched	DISK ARRAY NEC

TopRAID M300	NMP	NEC_SATP_SPS v500.2.0-020000.0424	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ² , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SAS Direct Attach	NEC
TopRAID M320	NMP	NEC_SATP_SPS v600.3.0-030000.0508	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	010A	N/A	SAS Switched	NEC

StoneFly Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
USO-HA-RA	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DS_S16S-R2240-4
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	3.8x	N/A	SAS Direct Attach	IFT

Storageflex Inc

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
23fsi	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	2600
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	07.86	N/A	SAS Direct Attach	LSI

United Information Technology Co.,LTD.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
SV5000G3-L	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	DISK ARRAY
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ² , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	010A	N/A	SAS Direct Attach	UIT

Footnotes:

- 1 . Refer to KBs <http://kb.vmware.com/kb/2057513> & <http://kb.vmware.com/kb/2014849> for explanation and details on VAAI Thin Provisioning Space Reclamation support.
- 2 . Storage Array reported block transfer size is used for XCOPY (VAAI) command.
- 3 . For VMFS5 datastores, Space reclamation can be initiated using VMware command line tools. Refer to KBs <http://kb.vmware.com/kb/2057513> & <http://kb.vmware.com/kb/2014849> for explanation and details on VAAI Thin Provisioning Space Reclamation support.
- 4 . JBOD supported from firmware version 23.13.16.0013 on VRTX through Shared PERC8 External controller.
- 5 . Storage firmware supporting this release is 7.4.10 or later.
- 6 . Storage array SVC 7.2 SAS direct attach only support ESXi 5.5 two node cluster.
- 7 . The storage array only supports thin provisioning and does not support thick provisioned LUNs.

VMware Knowledge Base:

None

Storage Virtual Device (SVD)

Actifio Inc.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Actifio BC	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{2, kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0, 6.3, 7.1, 7.2, 6.4, 6.4.1, 7.1, 7.1.0.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.1.2, 8.2, 8.3	qla2xxx ver. 902.k1.1-9vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.575.10, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	IBM

Actifio DP	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ^{1,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{2,kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0, 6.3, 7.1, 7.2, 6.4, 6.4.1, 7.1, 7.1.0.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.1.2, 8.2, 8.3	qla2xxx ver. 902.k1.1-9vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.575.10, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	IBM

Actifio DR	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ^{1,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{2,kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0, 6.3, 7.1, 7.2, 6.4, 6.4.1, 7.1, 7.1.0.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.1.2, 8.2, 8.3	qla2xxx ver. 902.k1.1-9vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.575.10, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	IBM

Dell EMC

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
PowerMax 2000	Powerpath/VE 6.0	N/A		N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5978.144.144, 5978.221.221, 5978.444.444	qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	iSCSI-SVD-FC	N/A
PowerMax 8000	Powerpath/VE 6.0	N/A		N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5978.144.144, 5978.221.221, 5978.444.444	qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	iSCSI-SVD-FC	N/A

Symmetrix VMAX	NMP	VMW_SATP_SYMM	VMW_PSP_RR	Symmetrix
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁵ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5876.229.145, 5876.251.161, 5876.268.174, 5876.272.177, 5876.288.195, 5876.299.145	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, qla2xxx ver. 902.k1.1-9vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	iSCSI-SVD-FC	EMC
Symmetrix VMAX 20K	NMP	VMW_SATP_SYMM	VMW_PSP_RR	Symmetrix
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁵ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5876.229.145, 5876.251.161, 5876.268.174, 5876.272.177, 5876.288.195, 5876.299.145	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, qla2xxx ver. 902.k1.1-9vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	iSCSI-SVD-FC	EMC

Symmetrix VMAX 40K	NMP	VMW_SATP_SYMM	VMW_PSP_RR	Symmetrix
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁵ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5876.229.145, 5876.251.161, 5876.268.174, 5876.272.177, 5876.288.195, 5876.299.145	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, qla2xxx ver. 902.k1.1-9vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FCoE - SVD - FC	EMC
VMAX 100K	Powerpath/VE 6.0	N/A		N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, lpfc ver. 10.6.126.0, bfa ver. 3.2.6.0, lpfc ver. 10.6.144.49, qlnativefc ver. 2.1.46.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	iSCSI-SVD-FC	N/A

VMAX 200K	NMP	VMW_SATP_SYMM	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ⁶ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, lpfc ver. 10.6.126.0, bfa ver. 3.2.6.0, lpfc ver. 10.6.144.49, qlnativefc ver. 2.1.46.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC-SVD-FC	N/A

VMAX 250F	Powerpath/VE 6.0	N/A		N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁶ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.811.784, 5977.945.890, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.xxx.xxx	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.20.0-1, bfa ver. 3.2.6.0, lpfc ver. 10.6.144.49, qlnativefc ver. 2.1.46.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FCoE - SVD - FC	N/A

VMAX 250FX	PowerPath/VE 5.9 SP1	N/A		N/A
ESXi 5.5 (EOL Date: 2020-09-19) ⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁶ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.811.784, 5977.945.890, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.xxx.xxx	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.20.0-1, bfa ver. 3.2.6.0, lpfc ver. 10.6.144.49, qlnativefc ver. 2.1.46.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	iSCSI-SVD-FC	N/A

VMAX 400K	Powerpath/VE 6.0	N/A		N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, lpfc ver. 10.6.126.0, bfa ver. 3.2.6.0, lpfc ver. 10.6.144.49, qlnativefc ver. 2.1.46.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	iSCSI-SVD-FC	N/A

VMAX 450F	Powerpath/VE 6.0	N/A		N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.xxx.xxx	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, lpfc ver. 10.6.126.0, bfa ver. 3.2.6.0, lpfc ver. 10.6.144.49, qlnativefc ver. 2.1.46.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	iSCSI-SVD-FC	N/A

VMAX 450FX	Powerpath/VE 6.0	N/A		N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.xxx.xxx	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, lpfc ver. 10.6.126.0, bfa ver. 3.2.6.0, lpfc ver. 10.6.144.49, qlnativefc ver. 2.1.46.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	iSCSI-SVD-FC	N/A

VMAX 850F

	Powerpath/VE 6.0	N/A		N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.xxx.xxx	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, lpfc ver. 10.6.126.0, bfa ver. 3.2.6.0, lpfc ver. 10.6.144.49, qlnativefc ver. 2.1.46.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	iSCSI-SVD-FC	N/A

VMAX 850FX	Powerpath/VE 6.0	N/A		N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.691.684, 5977.811.784, 5977.945.890, 5977.952.892, 5978.144.144, 5978.221.221, 5978.444.444, 5978.xxx.xxx	lpfc820 ver. 8.2.3.1-127vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, lpfc ver. 10.6.126.0, bfa ver. 3.2.6.0, lpfc ver. 10.6.144.49, qlnativefc ver. 2.1.46.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	iSCSI-SVD-FC	N/A
VMAX 950F	NMP	VMW_SATP_SYMM	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁷ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.811.784, 5977.945.890, 5978.144.144, 5978.221.221, 5978.444.444, 5978.xxx.xxx	lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.20.0-1, qlnativefc ver. 2.1.46.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	N/A

VMAX 950FX	NMP	VMW_SATP_SYMM	VMW_PSP_RR	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁷ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5977.1125.1125, 5977.811.784, 5977.945.890, 5978.144.144, 5978.221.221, 5978.444.444	lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.20.0-1, qlnativefc ver. 2.1.46.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, lpfc ver. 11.4.142.10, lpfc ver. 11.4.199.0, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-1, lpfc ver. 12.0.193.14, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	N/A
VPLEX	NMP	VMW_SATP_INV	VMW_PSP_RR	INV
ESXi 5.5 (EOL Date: 2020-09-19) ^{8, kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{9, kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	5.2, 5.3, 5.4, 5.5, 6.0, 6.1, 6.2	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, lpfc ver. 10.6.126.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC-SVD Metro Cluster EMC Storage	
VPLEX Virtual Edition	NMP	VMW_SATP_INV	VMW_PSP_RR	EMC
ESXi 5.5 (EOL Date: 2020-09-19) ^{10, kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2}	2.1	N/A	iSCSI-SSVD-iSCSI	N/A

VPLEX VS2

ESXi 5.5 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb2} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb2} , ESXi 6.0 ^{8, kb2} , ESXi 6.0 U1 ^{kb2} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Powerpath/VE 6.0 5.2, 5.3, 5.4, 5.5, 6.0, 6.1, 6.2	N/A lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, lpfc ver. 10.6.126.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	INV EMC
---	---	---	--------------	------------

VPLEX VS6

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ⁹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Powerpath/VE 6.0 5.4, 5.5, 6.0, 6.1, 6.2	N/A qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.727.44, qlnativefc ver. 1.1.20.0-1, bfa ver. 3.2.4.0, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.20.0-1, lpfc ver. 10.5.70.0, lpfc ver. 10.6.126.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	INV EMC
--	---	--	---------------	------------

FalconStor Software

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
CDP Gateway	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	IPSTOR DISK
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v7.0, v7.50, v7.60, v7.70, v7.80, v8.00	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	FALCON
CDP SA	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	IPSTOR DISK
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v7.0, v7.50, v7.60, v7.70, v7.80, v8.00	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	FALCON
CDPx Gateway	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	IPSTOR DISK
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v7.0, v7.50, v7.60, v7.70, v7.80, v8.00	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	FALCON
Falconstor Storage Server	NMP	VMW_SATP_ALUA	VMW_PSP_RR	IPSTOR_DISK
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	9.00	qlnativefc ver. 2.1.30.0-11	8G FC-SVD-FC	FALCON

FreeStor Storage Server (FSS) v9.00	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	IPSTOR DISK
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v7.0, v7.50, v7.60, v7.70, v7.80, v8.00	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC-SVD-FC	FALCON
IPStor Enterprise	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	IPSTOR DISK
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v7.0, v7.50, v7.60, v7.70, v7.80, v8.00	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	FALCON
NSS Gateway	NMP	VMW_SATP_ALUA	VMW_PSP_FIXED	IPSTOR DISK
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v7.0, v7.50, v7.60, v7.70, v7.80, v8.00	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	FALCON
NSS SA	NMP	VMW_SATP_ALUA	VMW_PSP_MRU	IPSTOR DISK
ESXi 5.5 (EOL Date: 2020-09-19) ¹¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v7.0, v7.50, v7.60, v7.70, v7.80, v8.00	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	FALCON

NSS VS**NMP****VMW_SATP_ALUA****VMW_PSP_MRU****IPSTOR DISK**

ESXi 5.5 (EOL Date: 2020-09-19)¹¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

v7.0, v7.50, v7.60, v7.70, v7.80, v8.00

qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw

8G FC-SVD-FC

FALCON

Fujitsu				
Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id

ETERNUS NR1000V3000 Series	N/A	N/A		LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data Data ONTAP 8.2 P4 7-Mode, Data Data ONTAP 8.2.1 7-Mode, Data Data ONTAP 8.2.2 7-Mode, Data Data ONTAP 8.2.3 7-Mode, Data Data ONTAP 8.2.4 7 mode, Data Data ONTAP 8.2.4 7-Mode, Data Data ONTAP 8.2.5 7-mode, Data Data ONTAP 9.0, Data ONTAP 9.1	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	NAS-SVD-FC	NetApp

ETERNUS NR1000V3100 Series	N/A	N/A		LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	NAS-SVD-FC	NetApp

ETERNUS NR1000V3200 Series	N/A	N/A		LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹² , ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	NAS-SVD-FC	NetApp

ETERNUS NR1000V6200 Series	N/A	N/A		LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹² , ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	NAS-SVD-FC	NetApp

ETERNUS VS850	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ^{14, kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{2, kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0, 6.3, 7.1, 7.2, 6.4, 6.4.1, 7.1, 7.1.0.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.1.2, 8.2, 8.3	qla2xxx ver. 902.k1.1-9vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc ver. 8.2.3.1-129vmw, lpfc ver. 10.0.575.10, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	IBM

Hewlett Packard Enterprise

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
HPE XP8 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XP8
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	HPE

Hitachi

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Hitachi Unified Storage VM (HUS VM)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	73-01-xx and above, 73-03	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	N/A
Hitachi Universal Storage Platform V	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	60-08-XX and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	N/A
Hitachi Universal Storage Platform VM	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	HITACHI
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	60-08-XX and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	OPEN_

Hitachi Virtual Storage Platform	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹⁵ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	60-08-XX and above, 70-05-xx and above, 73-01-xx and above, 73-03	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	N/A
Hitachi Virtual Storage Platform E990 (Hitachi VSP E990)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	93-01	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	16G FC-SVD-FC	N/A
Hitachi Virtual Storage Platform F1500 (Hitachi VSP F1500)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-05, 80-06	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.12.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.298.12, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC-SVD-FC	"HITACHI "

Hitachi Virtual Storage Platform F350 NMP ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02	VMW_SATP_DEFAULT_AA qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_FIXED	N/A
Hitachi Virtual Storage Platform F370 NMP ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02	VMW_SATP_DEFAULT_AA qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_FIXED	N/A
Hitachi Virtual Storage Platform F400 (VSPNMP F400) ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-02, 83-02	VMW_SATP_DEFAULT_AA qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_FIXED	"OPEN- "
			16G FC-SVD-FC	"HITACHI "

Hitachi Virtual Storage Platform F600 (VSPNMP F600)

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

VMW_SATP_DEFAULT_AA

VMW_PSP_FIXED

"OPEN- "

qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw

16G FC-SVD-FC

"HITACHI "

Hitachi Virtual Storage Platform F700 NMP

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

VMW_SATP_DEFAULT_AA

VMW_PSP_FIXED

N/A

qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw

16G FC-SVD-FC

N/A

Hitachi Virtual Storage Platform F800 (VSPNMP F800)

ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

VMW_SATP_DEFAULT_AA

VMW_PSP_FIXED

"OPEN- "

qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw

16G FC-SVD-FC

"HITACHI "

Hitachi Virtual Storage Platform F900	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	N/A
Hitachi Virtual Storage Platform G100 (VSP G100)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-02, 83-01, 83-01 or later, 83-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC-SVD-FC	"HITACHI "

Hitachi Virtual Storage Platform G1000 (Hitachi VSP G1000)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx or later, 80-01, 80-01-xx and later, 80-02, 80-03, 80-04, 80-05, 80-06	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.12.0, lpfc ver. 10.0.100.1-1vmw, bfa ver. 3.2.4.0, lpfc ver. 10.2.298.12, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	"HITACHI "
Hitachi Virtual Storage Platform G130	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	16G FC-SVD-FC	N/A
Hitachi Virtual Storage Platform G150	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	N/A

Hitachi Virtual Storage Platform G1500 (Hitachi VSP G1500)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-05, 80-06	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.12.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.298.12, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC-SVD-FC	"HITACHI "
Hitachi Virtual Storage Platform G200 (VSP G200)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-02, 83-01, 83-01 or later, 83-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC-SVD-FC	"HITACHI "

Hitachi Virtual Storage Platform G350	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	N/A
Hitachi Virtual Storage Platform G370	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	N/A
Hitachi Virtual Storage Platform G400 (VSP G400)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-02, 83-01, 83-01 or later, 83-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC-SVD-FC	"HITACHI "

Hitachi Virtual Storage Platform G600 (VSP G600)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-02, 83-01, 83-01 or later, 83-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC-SVD-FC	"HITACHI "
Hitachi Virtual Storage Platform G700 (Hitachi VSP G700)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	N/A
Hitachi Virtual Storage Platform G800 (VSP G800)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	83-01, 83-02	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC-SVD-FC	"HITACHI "

Hitachi Virtual Storage Platform G900	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	N/A
Hitachi Virtual Storage Platform VP9500	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹⁵ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	60-08-XX and above, 70-05-xx and above, 73-01-xx and above, 73-03	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	N/A
Hitachi Virtual Storage Platform VX7	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN-
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx or later, 80-01, 80-01-xx and later, 80-02, 80-03, 80-04, 80-05, 80-06	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.12.0, lpfc ver. 10.0.100.1-1vmw, bfa ver. 3.2.4.0, lpfc ver. 10.2.298.12, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	"HP

Virtual Storage Platform 5100 (VSP 5100)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
	ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	N/A
Virtual Storage Platform 5100H (VSP 5100H)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
	ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	N/A
Virtual Storage Platform 5500 (VSP 5500)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
	ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	N/A

Virtual Storage Platform 5500H (VSP 5500H)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	N/A

Hitachi Vantara

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Hitachi NAS 3080	N/A	N/A		N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{16,kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0 ^{kb3} , ESXi 6.0 U1 ^{kb3} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	11.x and 12.x, 11.x and later, 12.x and later, v11.x and later, v12.x, v13.x	tg3 ver. 3.123c.v55.5	NAS-SVD-FC	N/A
Hitachi NAS 3090	N/A	N/A		N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{16,kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0 ^{kb3} , ESXi 6.0 U1 ^{kb3} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	11.x and 12.x, 11.x and later, 12.x and later, v11.x and later, v12.x, v13.x	tg3 ver. 3.123c.v55.5	NAS-SVD-FC	N/A
Hitachi NAS 4040	N/A	N/A		N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{16,kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0 ^{kb3} , ESXi 6.0 U1 ^{kb3} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	11.x and 12.x, 11.x and later, 12.x and later, v11.x and later, v12.x, v13.x	tg3 ver. 3.123c.v55.5	NAS-SVD-FC	N/A

Hitachi NAS 4060	NMP	N/A		N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{16,kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0 ^{kb3} , ESXi 6.0 U1 ^{kb3} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.x and 12.x, 11.x and later, 12.x and later, v11.x and later, v12.x, v13.x	tg3 ver. 3.123c.v55.5	NAS-SVD-FC	N/A
Hitachi NAS 4080	N/A	N/A		N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{16,kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0 ^{kb3} , ESXi 6.0 U1 ^{kb3} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.x and 12.x, 11.x and later, 12.x and later, v11.x and later, v12.x, v13.x	tg3 ver. 3.123c.v55.5	NAS-SVD-FC	N/A
Hitachi NAS 4100	N/A	N/A		N/A
ESXi 5.5 (EOL Date: 2020-09-19) ^{16,kb3} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb3} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb3} , ESXi 6.0 ^{kb3} , ESXi 6.0 U1 ^{kb3} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	11.x and 12.x, 12.x and later, v11.x and later, v12.x, v13.x	N/A	NAS-SVD-FC	N/A

Hitachi Unified Storage VM (HUS VM)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	73-01-xx and above, 73-03	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	N/A
Hitachi Universal Storage Platform V	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	60-08-XX and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC-SVD-FC	N/A
Hitachi Universal Storage Platform VM	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	60-08-XX and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 2.1.73.0-5vmw	8G FC-SVD-FC	N/A
Hitachi Virtual Storage Platform	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹⁵ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	60-08-XX and above, 70-05-xx and above, 73-01-xx and above, 73-03	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	N/A

Hitachi Virtual Storage Platform E990 (Hitachi VSP E990)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	93-01	lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.30.0-11, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.25-14vmw	16G FC-SVD-FC	N/A
Hitachi Virtual Storage Platform F1500 (Hitachi VSP F1500)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-05, 80-06	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.12.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.298.12, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC-SVD-FC	"HITACHI "
Hitachi Virtual Storage Platform F350	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	N/A

Hitachi Virtual Storage Platform F370 NMP ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02	VMW_SATP_DEFAULT_AA qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_FIXED	N/A
Hitachi Virtual Storage Platform F400 (VSPNMP F400) ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-02, 83-02	VMW_SATP_DEFAULT_AA qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	VMW_PSP_FIXED	"OPEN- " "HITACHI "

Hitachi Virtual Storage Platform F600 (VSPNMP F600)

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0¹, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

VMW_SATP_DEFAULT_AA

VMW_PSP_FIXED

"OPEN- "

qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw

16G FC-SVD-FC

"HITACHI "

Hitachi Virtual Storage Platform F700 NMP

ESXi 5.5 (EOL Date: 2020-09-19)¹, ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7⁴, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

VMW_SATP_DEFAULT_AA

VMW_PSP_FIXED

N/A

qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw

16G FC-SVD-FC

N/A

Hitachi Virtual Storage Platform F800 (VSPNMP F800)

ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

VMW_SATP_DEFAULT_AA

VMW_PSP_FIXED

"OPEN- "

qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw

16G FC-SVD-FC

"HITACHI "

Hitachi Virtual Storage Platform F900	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	N/A
Hitachi Virtual Storage Platform G1000 (Hitachi VSP G1000)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx or later, 80-01, 80-01-xx and later, 80-02, 80-03, 80-04, 80-05, 80-06	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.12.0, lpfc ver. 10.0.100.1-1vmw, bfa ver. 3.2.4.0, lpfc ver. 10.2.298.12, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	"HITACHI "
Hitachi Virtual Storage Platform G130	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-02	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	16G FC-SVD-FC	N/A

Hitachi Virtual Storage Platform G1500 (Hitachi VSP G1500)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-05, 80-06	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.12.0, lpfc ver. 10.0.100.1-1vmw, lpfc ver. 10.2.298.12, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC-SVD-FC	"HITACHI "
Hitachi Virtual Storage Platform G200 (VSP G200)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-02, 83-01, 83-01 or later, 83-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC-SVD-FC	"HITACHI "

Hitachi Virtual Storage Platform G350	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	N/A
Hitachi Virtual Storage Platform G370	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	N/A
Hitachi Virtual Storage Platform G400 (VSP G400)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-02, 83-01, 83-01 or later, 83-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC-SVD-FC	"HITACHI "

Hitachi Virtual Storage Platform G600 (VSP G600)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-02, 83-01, 83-01 or later, 83-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC-SVD-FC	"HITACHI "
Hitachi Virtual Storage Platform G700	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	N/A

Hitachi Virtual Storage Platform G800 (VSP G800)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- "
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-02, 83-01, 83-01 or later, 83-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC-SVD-FC	"HITACHI "
Hitachi Virtual Storage Platform G900	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	88-01, 88-02	qlnativefc ver. 1.0.12.0-1vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	N/A
Virtual Storage Platform 5100 (VSP 5100)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	N/A

Virtual Storage Platform 5100H (VSP 5100H)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	N/A
Virtual Storage Platform 5500 (VSP 5500)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	N/A
Virtual Storage Platform 5500H (VSP 5500H)	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 6.0 ¹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	90-01	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	N/A

HP

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
HP StorageWorks P9500	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3	60-08-XX and above, 70-05-xx and above, 73-03	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw	8G FC-SVD-FC	N/A
HP XP7 Storage	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	"OPEN- HPQ
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	80-00-xx or later, 80-01, 80-01-xx and later, 80-02, 80-03, 80-04, 80-05, 80-06	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.12.0, lpfc ver. 10.0.100.1-1vmw, bfa ver. 3.2.4.0, lpfc ver. 10.2.298.12, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	
XP20000	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	OPEN- HP
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	60-08-XX and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw	8G FC-SVD-FC	
XP24000	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	OPEN- HP
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19)	60-08-XX and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw	8G FC-SVD-FC	

Huawei Technologies Co., Ltd.

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
18500 V5 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V500R007	VMW_SATP_DEFAULT_AA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_FIXED 16G FC-SVD-FC	XSG1 Huawei
18500F V5 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V500R007	VMW_SATP_DEFAULT_AA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_FIXED 16G FC-SVD-FC	XSG1 Huawei
18800 V5 ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	NMP V500R007	VMW_SATP_DEFAULT_AA qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	VMW_PSP_FIXED 16G FC-SVD-FC	XSG1 Huawei

2800 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	Huawei
5110 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	Huawei
5110F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	Huawei
5210 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	Huawei

5210F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	Huawei
5300 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	Huawei
5500 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	Huawei
5600 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	Huawei

5600F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	Huawei
5800 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	Huawei
5800F V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	Huawei
6800 V5	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	XSG1
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	V500R007	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	16G FC-SVD-FC	Huawei

6800F V5

NMP

VMW_SATP_DEFAULT_AA

VMW_PSP_FIXED

XSG1

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw

16G FC-SVD-FC

Huawei

VIS6000T

NMP

VMW_SATP_DEFAULT_AA

VMW_PSP_FIXED

VIS6000T

ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0

qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw

8G FC-SVD-FC

HUAWEI

IBM

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
FlashSystem 9100	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	8.2, 8.3	qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC-SVD-FC	IBM
FlashSystem V840	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ^{1, kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{2, kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.1.2, 8.2, 8.3	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	IBM

FlashSystem V9000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ^{1,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{2,kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0, 7.1, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.1.2, 8.2, 8.3	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	IBM
Flex System V7000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁷ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ² , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.4, 7.1, 7.2	qla2xxx ver. 902.k1.1-9vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.575.10, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	IBM
IBM Spectrum Scale	N/A	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	4.1.1	N/A	NAS-SVD-FC	N/A

N5000 Series	N/A	N/A		LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	NAS-SVD-FC	NETAPP

N6000 Series	N/A	N/A		LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Clustered Data ONTAP 8.2, Clustered Data Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, Data ONTAP 9.0, Data ONTAP 9.1	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	NAS-SVD-FC	NETAPP

Spectrum Virtualize software	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{2,kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.1.2, 8.2, 8.3	lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FC-SVD Metro Cluster IBM Storage	
Storwize V3700	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ^{10,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{2,kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{1,kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0 ⁴	6.0, 7.1, 7.1.0.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.2, 8.3	qla2xxx ver. 902.k1.1-9vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.575.10, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	IBM

Storwize V5000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ^{1,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{2,kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{18,kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0, 6.4, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.1.2, 8.2, 8.3	qla2xxx ver. 902.k1.1-9vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.575.10, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	IBM
Storwize V7000	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ^{14,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{2,kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0, 6.4, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.1.2, 8.2, 8.3	qla2xxx ver. 902.k1.1-9vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.575.10, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	IBM

Storwize V7000 Unified	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ^{14,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{2,kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0, 6.4, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.1.2, 8.2, 8.3	qla2xxx ver. 902.k1.1-9vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.575.10, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	IBM

SVC	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ^{14,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{2,kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.3,7.1,7.2, 6.4, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 8.1, 8.1.2, 8.2, 8.3	qla2xxx ver. 902.k1.1-9vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.575.10, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	IBM

InfoCore

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Tigler SC8230	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	OSNSolution
ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.2	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	16G FC-SVD-FC	EIM

Inspur

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
AS8000-M2	NMP	VMW_SATP_ALUA	VMW_PSP_RR	AS8000-M2
ESXi 5.5 (EOL Date: 2020-09-19) ^{14,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{2,kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0, 6.4, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.7.0.0, 7.8, 8.1, 8.1.2, 8.2, 8.3	qla2xxx ver. 902.k1.1-9vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.575.10, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	Inspur

Lenovo

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
Lenovo Storage V5030	NMP	VMW_SATP_ALUA	VMW_PSP_RR	2145
ESXi 5.5 (EOL Date: 2020-09-19) ^{1,kb1} , ESXi 5.5 U1 (EOL Date: 2020-09-19) ^{2,kb1} , ESXi 5.5 U2 (EOL Date: 2020-09-19) ^{kb1} , ESXi 5.5 U3 (EOL Date: 2020-09-19) ^{kb1} , ESXi 6.0 ^{kb1} , ESXi 6.0 U1 ^{kb1} , ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7 ⁴ , ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	6.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.7.0.0, 7.8, 8.1, 8.1.2, 8.2, 8.3	qla2xxx ver. 902.k1.1-9vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.575.10, lpfc ver. 10.0.727.44, lpfc ver. 10.0.100.1-1vmw, qla2xxx ver. 902.k1.1-12vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, lpfc ver. 10.4.245.0, qlnativefc ver. 1.1.67.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw, qlnativefc ver. 4.0.1.0-3vmw	FCoE - SVD - FC	IBM

NetApp

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
FAS8080	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN C-Mode
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ¹⁹ , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	ONATP 9.5, ONTAP 9.2, ONTAP 9.3, ONTAP 9.4, ONTAP 9.5, ONTAP 9.6, ONTAP 9.7, ONTAP9.5	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, elxnet ver. 10.2.309.6v-1vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.30.0-1, elxnet ver. 10.0.100.0v-1vmw, qlnativefc ver. 1.1.67.0-1, qlnativefc ver. 1.1.71.0-1, qlnativefc ver. 1.1.73.0-1, elxnet ver. 11.1.91.0-1vmw, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, brcmfcoe ver. 11.2.1153.13, lpfc ver. 11.4.142.10, brcmfcoe ver. 11.4.1150.0, qlnativefc ver. 2.1.30.0-11, qlnativefc ver. 2.1.65.0-1, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, elxnet ver. 11.4.1094.0-5vmw, lpfc ver. 11.4.329.0, qlnativefc ver. 2.1.73.0-1, elxnet ver. 11.4.1095.0-5vmw, lpfc ver. 11.4.33.3-11vmw, qlnativefc ver. 3.1.8.0-4vmw, lpfc ver. 11.4.33.18-12vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw, elxnet ver. 11.4.1097.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, lpfc ver. 12.4.293.3-5vmw	FCoE - SVD - FC	NETAPP

V3040

	N/A	N/A		LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	NAS-SVD-FC	NETAPP

V3070

	N/A	N/A		LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	NAS-SVD-FC	NETAPP

V3100 Series	N/A	N/A	NAS-SVD-FC	LUN NETAPP
ESXi 5.5 (EOL Date: 2020-09-19) ¹² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2, Clustered Data Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data Data ONTAP 8.2 P4 7-Mode, Data Data ONTAP 8.2.1 7-Mode, Data Data ONTAP 8.2.2 7-Mode, Data Data ONTAP 8.2.3 7-Mode, Data Data ONTAP 8.2.4 7 mode, Data Data ONTAP 8.2.4 7-Mode, Data Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw		

V3140

ESXi 5.5 (EOL Date: 2020-09-19)¹², ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3

N/A

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.0.5, Data
ONTAP 8.1.3 7-Mode,
Data ONTAP 8.1.3
Cluster-Mode, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7 mode, Data
ONTAP 8.2.4 7-Mode,
Data ONTAP 8.2.5 7-
mode, ONTAP 9.0,
ONTAP 9.1

N/A

lpfc820 ver. 8.2.3.1-127vmw, qlnativefc
ver. 1.0.12.0-1vmw, lpfc820 ver.
8.2.3.1-129vmw, qlnativefc ver.
1.1.14.0, lpfc ver. 10.0.100.1-1vmw,
qlnativefc ver. 2.0.12.0-5vmw, lpfc ver.
10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1,
lpfc ver. 11.1.0.6-1vmw, qlnativefc ver.
2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw,
lpfc ver. 11.4.33.1-6vmw, qlnativefc ver.
2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw

NAS-SVD-FC

LUN

NetApp

V3160

ESXi 5.5 (EOL Date: 2020-09-19)¹², ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3

N/A

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.0.5, Data
ONTAP 8.1.3 7-Mode,
Data ONTAP 8.1.3
Cluster-Mode, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7 mode, Data
ONTAP 8.2.4 7-Mode,
Data ONTAP 8.2.5 7-
mode, ONTAP 9.0,
ONTAP 9.1

N/A

lpfc820 ver. 8.2.3.1-127vmw, qlnativefc
ver. 1.0.12.0-1vmw, lpfc820 ver.
8.2.3.1-129vmw, qlnativefc ver.
1.1.14.0, lpfc ver. 10.0.100.1-1vmw,
qlnativefc ver. 2.0.12.0-5vmw, lpfc ver.
10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1,
lpfc ver. 11.1.0.6-1vmw, qlnativefc ver.
2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw,
lpfc ver. 11.4.33.1-6vmw, qlnativefc ver.
2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw

NAS-SVD-FC

LUN

NetApp

V3170

ESXi 5.5 (EOL Date: 2020-09-19)¹², ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.0.5, Data
ONTAP 8.1.3 7-Mode,
Data ONTAP 8.1.3
Cluster-Mode, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7 mode, Data
ONTAP 8.2.4 7-Mode,
Data ONTAP 8.2.5 7-
mode, ONTAP 9.0,
ONTAP 9.1

VMW_SATP_ALUA

lpfc820 ver. 8.2.3.1-127vmw, qlnativefc
ver. 1.0.12.0-1vmw, lpfc820 ver.
8.2.3.1-129vmw, qlnativefc ver.
1.1.14.0, lpfc ver. 10.0.100.1-1vmw,
qlnativefc ver. 2.0.12.0-5vmw, lpfc ver.
10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1,
lpfc ver. 11.1.0.6-1vmw, qlnativefc ver.
2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw,
lpfc ver. 11.4.33.1-6vmw, qlnativefc ver.
2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw

VMW_PSP_RR

FCoE - SVD - FC

LUN

NetApp

V3200 Series	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹² , ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2, P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	iSCSI-SVD-FC	NETAPP

V3210

	N/A	N/A		LUN
ESXi 5.5 (EOL Date: 2020-09-19) ²⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	NAS-SVD-FC	NetApp

V3220

	N/A	N/A		LUN
ESXi 5.5 (EOL Date: 2020-09-19) ²¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2, Clustered Data Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	NAS-SVD-FC	NETAPP

V3240

	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ²⁰ , ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode	lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	iSCSI-SVD-FC	NetApp

V3250

	N/A	N/A		LUN
ESXi 5.5 (EOL Date: 2020-09-19) ²¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0 ²² , ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	5.0, Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	NAS-SVD-FC	NETAPP

V3270

ESXi 5.5 (EOL Date: 2020-09-19)¹², ESXi 5.5 U1 (EOL Date: 2020-09-19)¹³, ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5³, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3

NMP

Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1

VMW_SATP_ALUA

lpfc820 ver. 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw

VMW_PSP_RR

iSCSI-SVD-FC

LUN

NetApp

V6000 Series	N/A	N/A		LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2, Clustered Data Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data Data ONTAP 8.2 P4 7-Mode, Data Data ONTAP 8.2.1 7-Mode, Data Data ONTAP 8.2.2 7-Mode, Data Data ONTAP 8.2.3 7-Mode, Data Data ONTAP 8.2.4 7 mode, Data Data ONTAP 8.2.4 7-Mode, Data Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	NAS-SVD-FC	NETAPP

V6030

	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	8G FC-SVD-FC	NetApp

V6040

ESXi 5.5 (EOL Date: 2020-09-19)¹², ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.0.5, Data
ONTAP 8.1.3 7-Mode,
Data ONTAP 8.1.3
Cluster-Mode, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7 mode, Data
ONTAP 8.2.4 7-Mode,
Data ONTAP 8.2.5 7-
mode, ONTAP 9.0,
ONTAP 9.1

VMW_SATP_ALUA

lpfc820 ver. 8.2.3.1-127vmw, qlnativefc
ver. 1.0.12.0-1vmw, lpfc820 ver.
8.2.3.1-129vmw, qlnativefc ver.
1.1.14.0, lpfc ver. 10.0.100.1-1vmw,
qlnativefc ver. 2.0.12.0-5vmw, lpfc ver.
10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1,
lpfc ver. 11.1.0.6-1vmw, qlnativefc ver.
2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw,
lpfc ver. 11.4.33.1-6vmw, qlnativefc ver.
2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw

VMW_PSP_RR

8G FC-SVD-FC

LUN

NetApp

V6070

	NMP	VMW_SATP_ALUA	VMW_PSP_RR	LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	8G FC-SVD-FC	NetApp

V6080

ESXi 5.5 (EOL Date: 2020-09-19)¹², ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3

NMP

Clustered Data
ONTAP 8.2 P4,
Clustered Data
ONTAP 8.2.1,
Clustered Data
ONTAP 8.2.2,
Clustered Data
ONTAP 8.2.3,
Clustered Data
ONTAP 8.2.4,
Clustered Data
ONTAP 8.3, Clustered
Data ONTAP 8.3.1,
Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.0.5, Data
ONTAP 8.1.3 7-Mode,
Data ONTAP 8.1.3
Cluster-Mode, Data
ONTAP 8.1.4 7-Mode,
Data ONTAP 8.1.4
Cluster-Mode, Data
ONTAP 8.2 P4 7-
Mode, Data ONTAP
8.2.1 7-Mode, Data
ONTAP 8.2.2 7-Mode,
Data ONTAP 8.2.3 7-
Mode, Data ONTAP
8.2.4 7 mode, Data
ONTAP 8.2.4 7-Mode,
Data ONTAP 8.2.5 7-
mode, ONTAP 9.0,
ONTAP 9.1

VMW_SATP_ALUA

lpfc820 ver. 8.2.3.1-127vmw, qlnativefc
ver. 1.0.12.0-1vmw, lpfc820 ver.
8.2.3.1-129vmw, qlnativefc ver.
1.1.14.0, lpfc ver. 10.0.100.1-1vmw,
qlnativefc ver. 2.0.12.0-5vmw, lpfc ver.
10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1,
lpfc ver. 11.1.0.6-1vmw, qlnativefc ver.
2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw,
lpfc ver. 11.4.33.1-6vmw, qlnativefc ver.
2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw

VMW_PSP_RR

8G FC-SVD-FC

LUN

NetApp

V6200 Series	N/A	N/A		LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹² , ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2, P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1	Clusterd Data ONTAP 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	NAS-SVD-FC	NETAPP

V6210

	N/A	N/A		LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2, Clustered Data Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data Data ONTAP 8.2 P4 7-Mode, Data Data ONTAP 8.2.1 7-Mode, Data Data ONTAP 8.2.2 7-Mode, Data Data ONTAP 8.2.3 7-Mode, Data Data ONTAP 8.2.4 7 mode, Data Data ONTAP 8.2.4 7-Mode, Data Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	NAS-SVD-FC	NetApp

V6220	N/A	N/A		LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹² , ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1	Clusterd Data ONTAP 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	NAS-SVD-FC	NETAPP

V6240

	N/A	N/A		LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹² , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clustered Data ONTAP 8.2, Clustered Data Data ONTAP 8.2 P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data Data ONTAP 8.2 P4 7-Mode, Data Data ONTAP 8.2.1 7-Mode, Data Data ONTAP 8.2.2 7-Mode, Data Data ONTAP 8.2.3 7-Mode, Data Data ONTAP 8.2.4 7 mode, Data Data ONTAP 8.2.4 7-Mode, Data Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1	lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	NAS-SVD-FC	NetApp

V6250	N/A	N/A		LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹² , ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2, P4, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1	Clusterd Data ONTAP 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	NAS-SVD-FC	NETAPP

V6280

ESXi 5.5 (EOL Date: 2020-09-19)¹², ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3

NMP

Clustered Data
ONTAP 8.2, Clustered Data
Data ONTAP 8.2
P4, Clustered Data
ONTAP 8.2.1, Clustered Data
ONTAP 8.2.2, Clustered Data
ONTAP 8.2.3, Clustered Data
ONTAP 8.2.4, Clustered Data
ONTAP 8.3, Clustered Data
Data ONTAP 8.3.1, Clustered Data
ONTAP 8.3.2, Data
ONTAP 8.0.5, Data
ONTAP 8.1.3 7-Mode, Data
Data ONTAP 8.1.3 Cluster-Mode, Data
ONTAP 8.1.4 7-Mode, Data
Data ONTAP 8.1.4 Cluster-Mode, Data
ONTAP 8.2 7-Mode, Data
Data ONTAP 8.2 P4 7-Mode, Data
Data ONTAP 8.2.1 7-Mode, Data
Data ONTAP 8.2.2 7-Mode, Data
Data ONTAP 8.2.3 7-Mode, Data
Data ONTAP 8.2.4 7 mode, Data
Data ONTAP 8.2.4 7-Mode, Data
Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1

VMW_SATP_ALUA

lpfc820 ver. 8.2.3.1-127vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw

VMW_PSP_RR

8G FC-SVD-FC

LUN

NetApp

V6290	N/A	N/A		LUN
ESXi 5.5 (EOL Date: 2020-09-19) ¹² , ESXi 5.5 U1 (EOL Date: 2020-09-19) ¹³ , ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5 ³ , ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3	Clusterd Data ONTAP 8.2.4, Clustered Data ONTAP 8.2, Clustered Data ONTAP 8.2.1, Clustered Data ONTAP 8.2.2, Clustered Data ONTAP 8.2.3, Clustered Data ONTAP 8.2.4, Clustered Data ONTAP 8.3, Clustered Data ONTAP 8.3.1, Clustered Data ONTAP 8.3.2, Data ONTAP 8.0.5, Data ONTAP 8.1.3 7-Mode, Data ONTAP 8.1.3 Cluster-Mode, Data ONTAP 8.1.4 7-Mode, Data ONTAP 8.1.4 Cluster-Mode, Data ONTAP 8.2 7-Mode, Data ONTAP 8.2 P4 7-Mode, Data ONTAP 8.2.1 7-Mode, Data ONTAP 8.2.2 7-Mode, Data ONTAP 8.2.3 7-Mode, Data ONTAP 8.2.4 7 mode, Data ONTAP 8.2.4 7-Mode, Data ONTAP 8.2.5 7-mode, ONTAP 9.0, ONTAP 9.1	Clusterd Data ONTAP 8.2.2.1-18vmw, qla2xxx ver. 901.k1.1-14vmw, lpfc820 ver. 8.2.3.1-127vmw, lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, lpfc820 ver. 8.2.3.1-128vmw, lpfc820 ver. 8.2.3.1-129vmw, qlnativefc ver. 1.1.14.0, lpfc ver. 10.0.100.1-1vmw, qlnativefc ver. 2.0.12.0-5vmw, lpfc ver. 10.2.309.8-2vmw, qlnativefc ver. 2.1.10.1-1, qlnativefc ver. 2.1.30.0-1, qlnativefc ver. 1.1.73.0-1, lpfc ver. 11.1.0.6-1vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, lpfc ver. 11.4.33.1-6vmw, qlnativefc ver. 2.1.73.0-5vmw, lpfc ver. 11.4.33.25-14vmw	NAS-SVD-FC	NETAPP

Nihon Unisys

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
SANARENA 6200	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	60-08-XX and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC-SVD-FC	N/A
SANARENA 6800	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	60-08-XX and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC-SVD-FC	N/A
SANARENA 7800	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	60-08-XX and above, 70-05-xx and above, 73-01-xx and above, 73-03	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC-SVD-FC	N/A

SANARENA MV190	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	N/A
ESXi 5.5 (EOL Date: 2020-09-19) ¹ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3	60-08-XX and above, 73-01-xx and above, 73-03	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw	8G FC-SVD-FC	N/A

Oracle America, Inc (formerly Sun Microsystems, Inc)

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
StorageTek 9985V	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	HITACHI
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	60-08-XX and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	OPEN
StorageTek 9990V	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	HITACHI
ESXi 5.5 (EOL Date: 2020-09-19) ¹⁵ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	60-08-XX and above	lpfc ver. 10.0.100.0-1vmw, qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	OPEN

Toshiba Corporation

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
NH3000/S11	NMP	N/A	N/A	N/A
ESXi 5.5 (EOL Date: 2020-09-19), ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	Oracle Solaris 11.1	N/A	NAS-SVD-FC	N/A
TC3000	NMP	VMW_SATP_DEFAULT_AA	VMW_PSP_FIXED	TS1_TC3000
ESXi 5.5 (EOL Date: 2020-09-19) ²³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	1.0	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	TOSHIBA

Xiotech

Model	MPP Firmware	SATP Device Drivers	PSP Configuration	Product Id Vendor Id
IGLU Blaze	NMP	VMW_SATP_ALUA	VMW_PSP_RR	IGLU DISK
ESXi 5.5 (EOL Date: 2020-09-19) ²³ , ESXi 5.5 U1 (EOL Date: 2020-09-19), ESXi 5.5 U2 (EOL Date: 2020-09-19), ESXi 5.5 U3 (EOL Date: 2020-09-19), ESXi 6.0, ESXi 6.0 U1, ESXi 6.0 U2, ESXi 6.0 U3, ESXi 6.5, ESXi 6.5 U1, ESXi 6.5 U2, ESXi 6.5 U3, ESXi 6.7, ESXi 6.7 U1, ESXi 6.7 U2, ESXi 6.7 U3, ESXi 7.0	v8.00	qlnativefc ver. 1.0.12.0-1vmw, qlnativefc ver. 2.0.12.0-5vmw, qlnativefc ver. 2.1.50.0-1vmw, qlnativefc ver. 3.0.1.0-5vmw, qlnativefc ver. 3.1.8.0-4vmw, qlnativefc ver. 2.1.73.0-5vmw, qlnativefc ver. 3.1.8.0-5vmw, qlnativefc ver. 4.0.1.0-3vmw	8G FC-SVD-FC	XIOtech

Footnotes:

- 1 . Refer to KBs <http://kb.vmware.com/kb/2057513> & <http://kb.vmware.com/kb/2014849> for explanation and details on VAAI Thin Provisioning Space Reclamation support.
- 2 . Veritas Dynamic Multi-Pathing for VMware is a multi-pathing component of the Veritas InfoScale Family and is supported directly by Veritas. Please contact Veritas for any plug-in specific issues (<https://www.veritas.com/support/>). Veritas InfoScale product information can be found at: <https://www.veritas.com/product/storage-management/infoscale-storage.html>
- 3 . For VMFS5 datastores, Space reclamation can be initiated using VMware command line tools. Refer to KBs <http://kb.vmware.com/kb/2057513> & <http://kb.vmware.com/kb/2014849> for explanation and details on VAAI Thin Provisioning Space Reclamation support.
- 4 . Storage Array reported block transfer size is used for XCOPY (VAAI) command.
- 5 . Storage array TP implementation does not set Software threshold.
- 6 . Support with HW FCoE only.
- 7 . Storage array TP implementation does not set Software thresholds
- 8 . Thin Provisioning is supported beginning with VPLEX 5.5 SP1 for XtremIO arrays only.
- 9 . Please see EMC knowledgebase emc300213 for additional information.
- 10 . Mutual CHAP is not supported by the array
- 11 . ESXi does not support automatic storage space reclamation of deleted files/virtual disks.
- 12 . NetApp Data ONTAP 9.1 does not support Extended Stats.
- 13 . Veritas Dynamic Multi-Pathing for VMware is a multi-pathing component of the Veritas InfoScale Family and is supported directly by Veritas. Please contact Veritas for any plug-in specific issues (<https://www.veritas.com/support/>). Veritas InfoScale product information can be found at: <https://www.veritas.com/product/storage-management/infoscale-storage.html>
- 14 . Veritas Dynamic Multi-Pathing for VMware is a multi-pathing component of the Veritas InfoScale Family and is supported directly by Symantec. Please contact Symantec for any plug-in specific issues (<http://www.symantec.com/business/support/index?page=landing&key=59050>). Veritas InfoScale product information can be found at: <http://www.symantec.com/veritas-infoscale/>
- 15 . For ESXi 5 LUN Datastores on USP/VM arrays which need to be replicated, the VAAI/ATS function needs to be disabled during the time of replication. Please reference KB article: <http://kb.vmware.com/kb/2030416> for VMware commands.
- 16 . Native clone of small virtual machines (i.e.<2 GB) will see no performance benefit.
- 17 . Veritas Dynamic Multi-Pathing 6.1.1 for VMware is a multi path plug-in supported directly by Symantec. Please contact Symantec for any plug-in specific issues (<http://www.symantec.com/business/support/index?page=landing&key=59050>). Veritas Dynamic Multi-Pathing 6.1.1 for VMware product information can be found at: <http://www.symantec.com/dynamic-multi-pathing-for-vmware>
- 18 . Veritas Dynamic Multi-Pathing 6.2 for VMware is a multi path plug-in supported directly by Symantec. Please contact Symantec for any plug-in specific issues (<http://www.symantec.com/business/support/index?page=landing&key=59050>). Veritas Dynamic Multi-Pathing 6.2 for VMware product information can be found at: <http://www.symantec.com/dynamic-multi-pathing-for-vmware>
- 19 . Non disruptive update (NDU) of SP firmware in back end storage arrays has not been tested.
- 20 . NetApp Data ONTAP 8.2.4 7-Mode doesn't support Extended Stats features.
- 21 . NetApp Data ONTAP 8.2.5 7-Mode doesn't support Extended Stats features.
- 22 . Non disruptive update (NDU) of SP firmware is not supported.
- 23 . VAAI Thin Provisioning Space Reclamation is not supported.

VMware Knowledge Base:

- 1 . For more details see, KB: 2032346 <http://kb.vmware.com/kb/2032346>
- 2 . For more details see, KB: 2007545 <http://kb.vmware.com/kb/2007545>
- 3 . For more details see, KB: 2126437 <http://kb.vmware.com/kb/2126437>

Disclaimer

THIS CONTENT IS PROVIDED AS IS, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, VMWARE DISCLAIMS ALL OTHER REPRESENTATIONS AND WARRANTIES, EXPRESS OR IMPLIED, REGARDING THIS CONTENT, INCLUDING THEIR FITNESS FOR A PARTICULAR PURPOSE, THEIR MERCHANTABILITY, OR THEIR NONINFRINGEMENT. VMWARE SHALL NOT BE LIABLE FOR ANY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF THIS CONTENT, INCLUDING DIRECT, INDIRECT, CONSEQUENTIAL DAMAGES, LOSS OF BUSINESS PROFITS OR SPECIAL DAMAGES, EVEN IF VMWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

THE VMWARE COMPATIBILITY GUIDE IS UPDATED FROM TIME TO TIME WITHOUT NOTICE. FOR THE LATEST VMWARE COMPATIBILITY GUIDE, PLEASE GO TO THE FOLLOWING LINK: <http://www.vmware.com/resources/compatibility>