

ESX Server 2.5.x

# ESX Server 2.5.x Installation Guide Updates

---

Revision: 20071128

This document provides updates to the ESX Server 2.5.x version of the *Installation Guide*. Updated descriptions, procedures, and graphics are organized by page number so you can easily locate the areas of the guide that have changes. If the change spans multiple sequential pages, this document provides the starting page number only.

The following is a list of *Installation Guide* page updates in this document:

- “[Updates for Page 16](#)” on page 1
- “[Updates for Page 82](#)” on page 2

## Updates for Page 16

On p. 16 of the ESX 2.5.x Installation Guide ([http://www.vmware.com/pdf/esx25\\_install.pdf](http://www.vmware.com/pdf/esx25_install.pdf)), it states that "Up to 8 Gigabit Ethernet or 16 10/100 Ethernet ports per system" are supported. What it should state is that the sum of the number of 10/100 Ethernet ports plus two times the number of Gigabit Ethernet ports should total no more than 16.

---

If you have comments about this documentation, submit your feedback to: [docfeedback@vmware.com](mailto:docfeedback@vmware.com)

© 2007 VMware, Inc. All rights reserved. Protected by one or more of U.S. Patent Nos. 6,397,242, 6,496,847, 6,704,925, 6,711,672, 6,725,289, 6,735,601, 6,785,866, 6,789,156, 6,795,966, 6,880,022, 6,944,699, 6,961,806, 6,961,941, 7,069,413, 7,082,598, 7,089,377, 7,111,086, 7,111,145 and 7,117,481; patents pending. VMware, the VMware “boxes” logo and design, Virtual SMP and VMotion are registered trademarks or trademarks of VMware, Inc. in the United States and/or other jurisdictions. All other marks and names mentioned herein may be trademarks of their respective companies.

---

## Updates for Page 82

Step 2.b and Step 4 of the **To configure NIC teaming** procedure on this page provide incorrect instructions. Instead, they should read as follows:

- Step 2.b

When prompted to select an assignment for the NICs to be bonded, type `v` to assign the NICs to the VMkernel.

- Step 4

Use the `vmxnet_console` module to give network access to the service console. Using `vi` or a similar text editor, edit `/etc/rc.local` and add the following line, where `x` is the bond number you selected in step 3.

```
insmod vmxnet_console devName=bond<x>
```