



VMware View Client Compatibility Guide

Last Updated: February 7, 2012

[For more information go to vmware.com.](http://www.vmware.com)

What's New

Changes made in the last 7 days include:

None

Introduction

VMware View Manager (formally known as VMware Virtual Desktop Manager) is tested for compatibility with major client device manufacturers. VMware will support a variety of thin client devices with standard options as they come to market.

Client Type Definitions:

* VMware - This client type is a device which utilizes the VMware View client software and includes functionality as described in the Administration Guide for VMware View Manager: http://www.vmware.com/support/pubs/view_pubs.html

* Vendor - This client type is a device developed by specific vendors. This client meets the minimum requirements VMware has set for certification, however specific features of these clients may vary between different vendors and devices.

Thin Client Device and Model Information

The detailed lists show actual vendor devices that are either physically tested or are similar to the devices tested by VMware or VMware partners. VMware provides support only for the devices that are listed in this document.

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
10ZiG	5116v	Hardware	VMware	Windows XPe SP3	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
10ZiG	5116v	Hardware	VMware	Windows XPe SP2	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
10ZiG	5172v	Hardware	VMware	Linux	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
10ZiG	5416	Hardware	VMware	Windows XPe SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
10ZiG	5472v	Hardware	VMware	Linux	View 4.0, View 3.1	View 5.0, View 4.6, View 4.5, View 3.0, VDM 2.1, VDM 2.0
10ZiG	5616v	Hardware	VMware	Windows Embedded Standard 2009	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
10ZiG	5616v	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
10ZiG	5617v	Hardware	VMware	Windows Embedded Standard 7	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
10ZiG	5617v	Hardware	VMware	Windows Embedded Standard 7	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
10ZiG	5672	Hardware	VMware	Linux 2.6	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
10ZiG	5672v (RBT-672)	Hardware	VMware	Linux 2.6.17.7	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
10ZiG	5672v (RBT-672)	Hardware	VMware	Linux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
10ZiG	5672v (RBT-672)	Hardware	VMware	Linux	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
10ZiG	6616v	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
10ZiG	6617v	Hardware	VMware	Windows Embedded Standard 7	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
10ZiG	6716v	Hardware	VMware	Windows Embedded Standard 2009	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
10ZiG	6716v	Hardware	VMware	Windows Embedded Standard 2009	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
10ZiG	6717v	Hardware	VMware	Windows Embedded Standard 7	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
10ZiG	6717v	Hardware	VMware	Windows Embedded Standard 7	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
10ZiG	6772	Hardware	VMware	Linux	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
10ZiG	7972v	Hardware	VMware	Linux	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
10ZiG	8848v	Hardware	VMware	Linux 2.6	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
10ZiG	RBT-616v	Hardware	VMware	Windows Embedded Standard 2009	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
10ZiG	V9000	Hardware	Vendor	ThreadX Teradici 3.4.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
10ZiG	V9000	Hardware	Vendor	ThreadX Teradici 3.2.0	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
10ZiG	XTC-1300	Hardware	VMware	Windows XP SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
10ZiG	XTC-600	Hardware	VMware	Windows XP SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
10ZiG	XTC-6000v	Hardware	VMware	Windows Embedded Standard 2009	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
2X Software LTD	2X CloudClient OS	Software	VMware	Linux	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
Amulet Hotkey	DXR-iP	Hardware	Vendor	ThreadX Teradici 3.2.0	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Amulet Hotkey	DXR-iP	Hardware	Vendor	ThreadX Teradici 3.0	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Amulet Hotkey	DXR-iP	Hardware	Vendor	ThreadX Teradici 2.2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Amulet Hotkey	DXR2-iP	Hardware	Vendor	ThreadX Teradici 2.2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Amulet Hotkey	DXR2-iP	Hardware	Vendor	ThreadX Teradici 3.0	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Amulet Hotkey	DXR2-iP	Hardware	Vendor	ThreadX Teradici 3.2.0	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Amulet Hotkey	DXR4-iP	Hardware	Vendor	ThreadX Teradici 3.2.0	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Amulet Hotkey	DXR4-iP	Hardware	Vendor	ThreadX Teradici 2.2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Amulet Hotkey	DXR4-iP	Hardware	Vendor	ThreadX Teradici 3.0	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Astec Technology Co.	A3320	Hardware	VMware	Linux	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Astec Technology Co.	A3380	Hardware	VMware	Windows XPe SP2	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Astec Technology Co.	A3520	Hardware	VMware	Linux	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Astec Technology Co.	A3520	Hardware	VMware	Linux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
Astec Technology Co.	A3580	Hardware	VMware	Windows XPe SP2	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Astec Technology Co.	A3580	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Astec Technology Co.	A3580	Hardware	VMware	Windows Embedded Standard 2009	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Astec Technology Co.	A3722	Hardware	VMware	Linux	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Astec Technology Co.	A3722	Hardware	VMware	Linux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Astec Technology Co.	A3782	Hardware	VMware	Windows XPe SP2	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Astec Technology Co.	A3782	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Astec Technology Co.	E3525	Hardware	VMware	Linux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Astec Technology Co.	E3585	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Astec Technology Co.	E3725	Hardware	VMware	Linux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Astec Technology Co.	E3785	Hardware	Vendor	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Astec Technology Co.	E7780	Hardware	VMware	Windows Embedded Standard 2009	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Astec Technology Co.	S5LX	Hardware	VMware	Linux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
Astec Technology Co.	S5XP	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Astec Technology Co.	S5XP	Software	VMware	Windows Embedded Standard 2009	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Atrust Computer Corporation	t100L	Hardware	VMware	Linux	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Atrust Computer Corporation	t100L	Hardware	VMware	Atrust Linux v1.33-INTL	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Atrust Computer Corporation	t100W	Hardware	VMware	Windows Embedded Standard 2009	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Atrust Computer Corporation	t150L	Hardware	VMware	Linux	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Atrust Computer Corporation	t150L	Hardware	VMware	Atrust Linux	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Atrust Computer Corporation	t150W	Hardware	VMware	Windows Embedded Standard 2009	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Atrust Computer Corporation	t200LQ	Hardware	VMware	Linux	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Atrust Computer Corporation	t200LQ	Hardware	VMware	Atrust Linux	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Atrust Computer Corporation	t200WQ	Hardware	VMware	Windows Embedded Standard 2009	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Becrypt	Trusted Client v3.5	Software	VMware	Becrypt 3.5	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Chip PC	EX-PC	Hardware	VMware	Windows Embedded Standard 2009	View 4.0, View 3.1	View 5.0, View 4.6, View 4.5, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
Chip PC	Extreme PC 6450	Hardware	Vendor	Windows CE	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Chip PC	Extreme PC 6450	Hardware	Vendor	Windows CE 6.0	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Chip PC	Extreme PC 6500	Hardware	Vendor	Windows CE	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Chip PC	Extreme PC 6500	Hardware	Vendor	Windows CE 6.0	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Chip PC	Extreme PC 6600	Hardware	Vendor	Windows CE	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Chip PC	Extreme PC 6600	Hardware	Vendor	Windows CE 6.0	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Chip PC	Jack PC 6800	Hardware	Vendor	Windows CE	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Chip PC	Jack PC 6800	Hardware	Vendor	Windows CE 6.0	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Chip PC	Jack PC 6900	Hardware	Vendor	Windows CE	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Chip PC	Jack PC 6900	Hardware	Vendor	Windows CE 6.0	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Cisco Systems, Inc.	Cius	Software	VMware	Android 2.2	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Cisco Systems, Inc.	VXC 2111	Hardware	Vendor	ThreadX Teradici 3.3.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Cisco Systems, Inc.	VXC 2112	Hardware	Vendor	WTOS	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
Cisco Systems, Inc.	VXC 2211	Hardware	Vendor	ThreadX Teradici 3.3.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Cisco Systems, Inc.	VXC 2212	Hardware	Vendor	WTOS	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
ClearCube	C7420	Hardware	Vendor	ThreadX Teradici 3.3.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
ClearCube	C7420	Hardware	Vendor	ThreadX Teradici 3.0	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
ClearCube	C7422	Hardware	Vendor	ThreadX Teradici 3.3.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
ClearCube	C7422G	Hardware	Vendor	ThreadX Teradici 3.3.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
ClearCube	C7424	Hardware	Vendor	ThreadX Teradici 3.3.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
ClearCube	C7424G	Hardware	Vendor	ThreadX Teradici 3.3.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
ClearCube	CD7422SFP	Hardware	Vendor	ThreadX Teradici 3.3.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
ClearCube	CD7422SFPDB9	Hardware	Vendor	ThreadX Teradici 3.3.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
ClearCube	CD9520	Hardware	Vendor	ThreadX Teradici 3.3.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
ClearCube	I8520	Hardware	VMware	Windows Embedded Standard	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
ClearCube	I9420	Hardware	Vendor	ThreadX Teradici 3.3.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
ClearCube	I9420	Hardware	Vendor	ThreadX Teradici 3.0	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
ClearCube	I9422	Hardware	Vendor	ThreadX Teradici 3.0	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
ClearCube	I9422	Hardware	Vendor	ThreadX Teradici 3.3.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
ClearCube	I9424	Hardware	Vendor	ThreadX Teradici 3.0	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
ClearCube	I9424	Hardware	Vendor	ThreadX Teradici 3.3.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Computer Lab International (CLI)	IA1060X	Hardware	VMware	Windows Embedded Standard	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Computer Lab International (CLI)	IA1900	Hardware	VMware	Windows Embedded Standard	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Computer Lab International (CLI)	IA7100	Hardware	VMware	Windows Embedded Standard	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Computer Lab International (CLI)	MT3500x	Hardware	VMware	Windows XP SP2	View 3.1, VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.0
Computer Lab International (CLI)	MT3500X	Hardware	VMware	Windows XP SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Computer Lab International (CLI)	ST6500x	Hardware	VMware	Windows XP SP2	View 3.1, VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.0
Computer Lab International (CLI)	ST6500X	Hardware	VMware	Windows XP SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
DELL	FX 100	Hardware	Vendor	ThreadX Teradici 3.2.0	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
DELL	FX100	Hardware	Vendor	ThreadX Teradici 3.0	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
DELL	FX100	Hardware	Vendor	ThreadX Teradici 2.2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
DELL	FX170	Hardware	VMware	Windows Embedded Standard 2009	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
DELL	FX170	Hardware	VMware	Windows Embedded Standard 7	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
DELL	Latitude 13	Hardware	VMware	Ubuntu	View 4.5, View 4.0	View 5.0, View 4.6, View 3.1, View 3.0, VDM 2.1, VDM 2.0
DELL	Latitude 2110	Hardware	VMware	Ubuntu	View 4.5, View 4.0	View 5.0, View 4.6, View 3.1, View 3.0, VDM 2.1, VDM 2.0
DELL	Optiplex FX130	Hardware	VMware	DeTOS Dell Edition	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
DELL	OptiPlex FX160	Hardware	VMware	Windows XPe SP2	View 3.1, View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, VDM 2.1, VDM 2.0
DELL	OptiPlex FX160	Hardware	VMware	Windows XPe SP2	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
DELL	OptiPlex FX160	Hardware	VMware	SLETC 10 SP2	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
DELL	OptiPlex FX160	Hardware	VMware	Windows XPe SP2	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
DELL	OptiPlex FX160	Hardware	VMware	SLETC 10 SP2	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
DELL	OptiPlex FX160 Wireless	Hardware	VMware	Windows XPe SP2	View 3.1, View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, VDM 2.1, VDM 2.0
DELL	Optiplex FX170	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
DELL	Optiplex FX170	Hardware	VMware	DeTOS Dell Edition	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
DELL	Optiplex FX170	Hardware	VMware	Windows Embedded Standard 7	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
DevonIT	8050C	Hardware	VMware	Windows XPe SP2	View 3.1, VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.0
DevonIT	SafeBook LVO	Hardware	VMware	Windows XPe SP2	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
DevonIT	SafeBook LVO	Hardware	VMware	Windows XPe SP2	View 3.1, View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, VDM 2.1, VDM 2.0
DevonIT	TC10	Hardware	Vendor	ThreadX Teradici 3.0	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
DevonIT	TC10	Hardware	Vendor	ThreadX Teradici 3.2.0	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
DevonIT	TC10	Hardware	Vendor	ThreadX Teradici 2.2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
DevonIT	TC2	Hardware	VMware	DeTOS	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
DevonIT	TC2	Hardware	VMware	DeTOS	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
DevonIT	TC5	Hardware	VMware	DeTOS	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
DevonIT	TC5	Hardware	VMware	DeTOS 7	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
DevonIT	TC5	Hardware	VMware	Windows XPe SP2	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
DevonIT	TC5	Hardware	VMware	Windows XPe SP2	View 3.1, View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, VDM 2.1, VDM 2.0
DevonIT	TC5	Hardware	VMware	Windows Embedded Standard 2009	View 4.0, View 3.1	View 5.0, View 4.6, View 4.5, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
DevonIT	TC5	Hardware	VMware	DeTOS	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
DevonIT	TC5D	Hardware	VMware	DeTOS	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
DevonIT	TC5Dc	Hardware	VMware	DeTOS	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
DevonIT	TC5X	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
DevonIT	TC5Xc	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
DevonIT	TC5Xc	Hardware	VMware	Windows Embedded Standard 7	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
DevonIT	TC5Xc	Hardware	VMware	Windows Embedded Standard 2009	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
DevonIT	VDI Blaster	Software	VMware	DeTOS	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
DevonIT	VDI Blaster	Software	VMware	DeTOS	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
ELSA Japan Inc.	VIXEL D200	Hardware	Vendor	ThreadX Teradici 3.2.0	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
ELSA Japan Inc.	VIXEL D200	Hardware	Vendor	ThreadX Teradici 3.1	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
EVGA	124-IP-PD01-TR	Hardware	Vendor	ThreadX Teradici 3.1	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
EVGA	124-IP-PD01-TR	Hardware	Vendor	ThreadX Teradici 3.2.0	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
EVGA	124-IP-PD02-KA	Hardware	Vendor	ThreadX Teradici 3.2.2	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
EVGA	124-IP-PD02-KA	Hardware	Vendor	ThreadX Teradici 3.3.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
EVGA	124-IP-PD02-KR	Hardware	Vendor	ThreadX Teradici 3.1	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
EVGA	124-IP-PD02-KR	Hardware	Vendor	ThreadX Teradici 3.3.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
EVGA	124-IP-PD02-KR	Hardware	Vendor	ThreadX Teradici 3.2.2	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Fujian Centerm Information Co.	FI945	Hardware	VMware	CenLinux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Fujian Centerm Information Co.	FI945	Hardware	VMware	Windows XPe SP3	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Fujian Centerm Information Co.	GI945	Hardware	VMware	CenLinux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Fujian Centerm Information Co.	GI945	Hardware	VMware	Windows XPe SP3	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Fujitsu	CELSIUS RemoteAccess Desktop Portal	Hardware	Vendor	ThreadX Teradici 3.2.1	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Fujitsu	DZ19-2	Hardware	Vendor	Fujitsu System	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Fujitsu	DZ22-2	Hardware	Vendor	Fujitsu System	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Fujitsu	FMV-TC5230	Hardware	VMware	Windows XPe SP2	View 4.5, View 4.0, View 3.1	View 5.0, View 4.6, View 3.0, VDM 2.1, VDM 2.0
Fujitsu	FMV-TC8270	Hardware	VMware	Windows XPe SP2	View 4.5, View 4.0, View 3.1	View 5.0, View 4.6, View 3.0, VDM 2.1, VDM 2.0
Fujitsu	FMV-TC8360	Hardware	VMware	Windows XPe SP2	View 4.0, View 3.1	View 5.0, View 4.6, View 4.5, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
Fujitsu	FMV-TC8390	Hardware	VMware	Windows Embedded Standard 2009	View 4.5, View 4.0, View 3.1	View 5.0, View 4.6, View 3.0, VDM 2.1, VDM 2.0
Fujitsu	FUTRO S100	Hardware	VMware	Linux eLux RL	View 4.0 ¹	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Fujitsu	FUTRO S100	Hardware	VMware	Linux eLux RL	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Fujitsu	FUTRO S450	Hardware	VMware	Linux eLux RL	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Fujitsu	FUTRO S450-2	Hardware	VMware	Linux eLux RL	View 4.0 ¹	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Fujitsu	FUTRO S500	Hardware	VMware	Windows XPe SP2	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Fujitsu	FUTRO S500	Hardware	VMware	Linux eLux RL	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Fujitsu	FUTRO S550	Hardware	VMware	Windows XPe SP2	View 3.1, View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, VDM 2.1, VDM 2.0
Fujitsu	FUTRO S550	Hardware	VMware	Linux eLux RL	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Fujitsu	FUTRO S550-2	Hardware	VMware	Windows Embedded Standard	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Fujitsu	FUTRO S550-2	Hardware	VMware	Windows Embedded Standard	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Fujitsu	FUTRO S550-2	Hardware	VMware	Linux eLux RL	View 4.0 ¹	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Fujitsu	Zero Client D602	Hardware	Vendor	Fujitsu System	View 4.5 ²	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	2533t	Hardware	VMware	Windows XPe SP2	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
HP	2533t	Hardware	VMware	Windows XPe SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
HP	4320t	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	4410t	Hardware	VMware	Windows Embedded Standard 2009	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	4410t	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	4410t	Hardware	VMware	Windows Embedded Standard	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
HP	6360t	Hardware	VMware	Windows Embedded Standard 7	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	6720t	Hardware	VMware	Windows XPe SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
HP	6720t	Hardware	VMware	Windows XPe SP2	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
HP	6720t	Hardware	VMware	Windows XPe SP2	VDM 2.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1
HP	GT7720	Hardware	VMware	Windows Embedded Standard	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
HP	GT7720	Hardware	VMware	Windows Embedded Standard	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	GT7720	Hardware	VMware	Windows Embedded Standard	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	GT7725	Hardware	VMware	HP ThinPro	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
HP	GT7725	Hardware	VMware	HP ThinPro	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5135	Hardware	Vendor	HP ThinConnect	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
HP	t5145	Hardware	Vendor	HP ThinConnect	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
HP	t5145	Hardware	Vendor	HP ThinPro	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
HP	t5325	Hardware	Vendor	HP ThinPro	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5325	Hardware	Vendor	HP ThinPro	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
HP	t5325	Hardware	Vendor	Linux	View 4.5 ^{3, 4}	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5400	Hardware	VMware	Windows Embedded Standard 2009 Simplified Chinese	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5520	Hardware	Vendor	Windows CE 5.04.595.9	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
HP	t5520	Hardware	Vendor	Windows CE	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
HP	t5530	Hardware	Vendor	Windows CE 6.01.620	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
HP	t5530	Hardware	Vendor	Windows CE 6.0	View 4.0, View 3.1, View 3.0	View 5.0, View 4.6, View 4.5, VDM 2.1, VDM 2.0
HP	t5530	Hardware	Vendor	Windows CE 5.04.595.9	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
HP	t5530	Hardware	Vendor	Windows CE	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
HP	t5540	Hardware	Vendor	Windows CE 6.0	View 4.0, View 3.1, View 3.0	View 5.0, View 4.6, View 4.5, VDM 2.1, VDM 2.0
HP	t5540	Hardware	Vendor	Windows CE	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
HP	t5545	Hardware	Vendor	HP ThinPro	View 4.0, View 3.1, View 3.0	View 5.0, View 4.6, View 4.5, VDM 2.1, VDM 2.0
HP	t5545	Hardware	VMware	HP ThinPro	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
HP	t5545	Hardware	VMware	HP ThinPro	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5565	Hardware	VMware	Linux ThinPro	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5570	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5570	Hardware	VMware	Windows Embedded Standard 2009	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5570e	Hardware	VMware	Windows Embedded Standard 7	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5630	Hardware	VMware	Windows XPe SP3	View 4.0, View 3.1	View 5.0, View 4.6, View 4.5, View 3.0, VDM 2.1, VDM 2.0
HP	t5630	Hardware	VMware	Windows XPe SP2	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
HP	t5630	Hardware	VMware	Windows XPe SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
HP	t5630w	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
HP	t5630W	Hardware	VMware	Windows Embedded Standard	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
HP	t5630W	Hardware	VMware	Windows Embedded Standard	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5720	Hardware	VMware	Windows XPe SP3	View 4.0, View 3.1	View 5.0, View 4.6, View 4.5, View 3.0, VDM 2.1, VDM 2.0
HP	t5720	Hardware	VMware	Windows XPe SP2	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
HP	t5720	Hardware	VMware	Windows XPe SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
HP	t5730	Hardware	VMware	Windows XPe SP3	View 4.0, View 3.1	View 5.0, View 4.6, View 4.5, View 3.0, VDM 2.1, VDM 2.0
HP	t5730	Hardware	VMware	Windows XPe SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
HP	t5730	Hardware	VMware	Windows XPe SP2	VDM 2.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1
HP	t5730	Hardware	VMware	Windows XPe SP2	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
HP	t5730	Hardware	VMware	Windows XPe SP3	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5730W	Hardware	VMware	Windows Embedded Standard	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
HP	t5730W	Hardware	VMware	Windows Embedded Standard	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5730W	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5735	Hardware	VMware	Debian Linux	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
HP	t5735	Hardware	VMware	HP ThinPro	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5735	Hardware	VMware	HP ThinPro	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5735	Hardware	Vendor	Debian Linux	VDM 2.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1
HP	t5735	Hardware	Vendor	HP ThinPro	View 3.1, View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, VDM 2.1, VDM 2.0
HP	t5740	Hardware	VMware	Windows Embedded Standard	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
HP	t5740	Hardware	VMware	Windows XPe SP3	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5740	Hardware	VMware	Windows Embedded Standard 2009	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5740	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5740	Hardware	VMware	Windows Embedded Standard	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5740e	Hardware	VMware	Windows Embedded Standard 7	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5740e	Hardware	VMware	Windows Embedded Standard 7	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5745	Hardware	VMware	HP ThinPro	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
HP	t5745	Hardware	VMware	HP ThinPro	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
HP	t5745	Hardware	Vendor	HP ThinPro	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
HP	vc4820t	Hardware	VMware	Windows Embedded Standard	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
HP	vc4820t	Hardware	VMware	Windows Embedded Standard	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
I-O Corporation	PROEDGE L16D	Hardware	VMware	Linux	View 4.5, View 4.0	View 5.0, View 4.6, View 3.1, View 3.0, VDM 2.1, VDM 2.0
I-O Corporation	PROEDGE X16C	Hardware	VMware	Windows XPe SP2	View 4.5, View 4.0	View 5.0, View 4.6, View 3.1, View 3.0, VDM 2.1, VDM 2.0
I-O Corporation	W16	Hardware	VMware	Windows Embedded Standard 7	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	Compact 3210	Hardware	VMware	IGEL Linux	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
IGEL	Compact 3610	Hardware	VMware	Windows XPe SP2	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
IGEL	Compact 3610	Hardware	VMware	Windows XPe SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
IGEL	Elegance 9619	Hardware	VMware	Windows XPe SP2	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
IGEL	Elegance 9719	Hardware	VMware	Windows XPe SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
IGEL	PanaVeo 7602/04	Hardware	VMware	Windows XPe SP2	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
IGEL	PanaVeo 7604	Hardware	VMware	Windows XPe SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
IGEL	PC to Thin Client Conversion Card TC-5200-CF LX	Hardware	VMware	IGEL Linux	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
IGEL	Premium 5310	Hardware	VMware	IGEL Linux	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
IGEL	Premium 5610	Hardware	VMware	Windows XPe SP2	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
IGEL	Premium 5610	Hardware	VMware	Windows XPe SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
IGEL	Smart 2110	Hardware	VMware	IGEL Linux	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
IGEL	Smart 2510	Hardware	VMware	Windows XPe SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
IGEL	Smart 2510	Hardware	VMware	Windows XPe SP2	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
IGEL	UD2-420 CE	Hardware	Vendor	Windows CE 6.0	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD2-420 ES	Hardware	VMware	Windows Embedded Standard	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD2-420 ES	Hardware	VMware	Windows Embedded Standard	View 4.0, View 3.1 ⁵ , View 3.0	View 5.0, View 4.6, View 4.5, VDM 2.1, VDM 2.0
IGEL	UD2-420 LX	Hardware	VMware	IGEL Linux 4.02.500	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD2-420 LX	Hardware	VMware	IGEL Linux 4.01.100	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD2-420 LX	Hardware	VMware	IGEL Linux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD2-421 ES	Hardware	VMware	Windows Embedded Standard	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
IGEL	UD2-421 LX	Hardware	VMware	IGEL Linux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD2-430 LX	Hardware	VMware	Linux	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD2-720 ES	Hardware	VMware	Windows Embedded Standard	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD2-720 ES	Hardware	VMware	Windows Embedded Standard	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD2-720 LX	Hardware	VMware	IGEL Linux 4.02.500	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD2-720 LX	Hardware	VMware	IGEL Linux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD2-721 ES	Hardware	VMware	Windows Embedded Standard	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD2-721 LX	Hardware	VMware	IGEL Linux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD2-730 LX	Hardware	VMware	Linux	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD3-420 CE	Hardware	Vendor	Windows CE 6.0	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD3-420 ES	Hardware	VMware	Windows Embedded Standard	View 4.0, View 3.1 ⁵ , View 3.0	View 5.0, View 4.6, View 4.5, VDM 2.1, VDM 2.0
IGEL	UD3-420 ES	Hardware	VMware	IGEL Linux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD3-420 LX	Hardware	VMware	IGEL Linux 4.02.500	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
IGEL	UD3-420 LX	Hardware	VMware	IGEL Linux 4.01.100	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD3-420 LX	Hardware	VMware	IGEL Linux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD3-421 ES	Hardware	VMware	Windows Embedded Standard	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD3-421 ES	Hardware	VMware	Windows Embedded Standard	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD3-421 LX	Hardware	VMware	IGEL Linux 4.04.112	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD3-421 LX	Hardware	VMware	IGEL Linux 4.03.500	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD3-430 ES	Hardware	VMware	Windows Embedded Standard	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD3-430 LX	Hardware	VMware	IGEL Linux 4.05.500.01	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD3-720 ES	Hardware	VMware	Windows Embedded Standard	View 4.0, View 3.1 ⁵ , View 3.0	View 5.0, View 4.6, View 4.5, VDM 2.1, VDM 2.0
IGEL	UD3-720 ES	Hardware	VMware	Windows Embedded Standard	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD3-720 LX	Hardware	VMware	IGEL Linux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD3-720 LX	Hardware	VMware	IGEL Linux 4.02.500	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD3-720 LX	Hardware	VMware	IGEL Linux 4.01.100	View 3.1 ⁵	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD3-721 ES	Hardware	VMware	Windows Embedded Standard	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
IGEL	UD3-721 ES	Hardware	VMware	Windows Embedded Standard	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD3-721 LX	Hardware	VMware	IGEL Linux 4.03.500	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD3-721 LX	Hardware	VMware	IGEL Linux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD3-730 ES	Hardware	VMware	Windows Embedded Standard	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD3-730 LX	Hardware	VMware	IGEL Linux 4.05.500.01	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD3-730 W7	Hardware	VMware	Windows Embedded Standard 7	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD5-420 ES	Hardware	VMware	Windows Embedded Standard	View 4.0, View 3.1, View 3.0	View 5.0, View 4.6, View 4.5, VDM 2.1, VDM 2.0
IGEL	UD5-420 ES	Hardware	VMware	Windows Embedded Standard	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD5-420 LX	Hardware	VMware	IGEL Linux 4.01.100	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD5-420 LX	Hardware	VMware	IGEL Linux 4.04.112	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD5-420 LX	Hardware	VMware	IGEL Linux 4.02.500	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD5-430 ES	Hardware	VMware	Windows Embedded Standard 2009	View 5.0, View 4.6	View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD5-430 LX	Hardware	VMware	Linux	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD5-720 ES	Hardware	VMware	Windows Embedded Standard	View 4.0, View 3.1 ⁵ , View 3.0	View 5.0, View 4.6, View 4.5, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
IGEL	UD5-720 ES	Hardware	VMware	Windows Embedded Standard	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD5-720 LX	Hardware	VMware	IGEL Linux 4.01.100	View 3.1 ⁵	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD5-720 LX	Hardware	VMware	IGEL Linux 4.04.112	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD5-720 LX	Hardware	VMware	IGEL Linux 4.02.500	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD5-730 ES	Hardware	VMware	Windows Embedded Standard 2009	View 5.0, View 4.6	View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD5-730 LX	Hardware	VMware	Linux	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD5-730 W7	Hardware	VMware	Windows Embedded Standard 7	View 5.0, View 4.6	View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD7-720 ES	Hardware	VMware	Windows Embedded Standard	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD7-720 ES	Hardware	VMware	Windows Embedded Standard	View 3.1 ⁵	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD7-720 LX	Hardware	VMware	IGEL Linux 4.02.500	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD7-720 LX	Hardware	VMware	IGEL Linux 4.04.112	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD9-720 ES	Hardware	VMware	Windows Embedded Standard	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD9-720 ES	Hardware	VMware	Windows Embedded Standard	View 3.1 ⁵	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD9-730 ES	Hardware	VMware	Windows Embedded Standard	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
IGEL	UD9-730 ES	Hardware	VMware	Windows Embedded Standard 2009	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD9-730 LX	Hardware	VMware	IGEL Linux 4.04.112	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD9-730 LX	Hardware	VMware	IGEL Linux 4.03.500	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD9-730 W7	Hardware	VMware	Windows Embedded Standard 7	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD9-731 ES	Hardware	VMware	Windows Embedded Standard	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD9-731 ES	Hardware	VMware	Windows Embedded Standard 2009	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD9-731 LX	Hardware	VMware	IGEL Linux 4.03.500	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD9-731 LX	Hardware	VMware	IGEL Linux 4.04.112	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UD9-731 W7	Hardware	VMware	Windows Embedded Standard 7	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UDC-420 LX	Software	VMware	IGEL Linux 4.04.112	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	UDC-720 LX	Software	VMware	IGEL Linux 4.04.112	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	Universal Desktop Converter	Software	VMware	IGEL Linux 4.01.200	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
IGEL	Universal Desktop Converter Advanced	Software	VMware	IGEL Linux 4.02.500	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
IGEL	Universal Desktop Converter Standard	Software	VMware	IGEL Linux 4.02.500	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
IGEL	Winestra 4210	Hardware	VMware	IGEL Linux	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
IGEL	Winestra 4610	Hardware	VMware	Windows XPe SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
IGEL	Winestra 4610	Hardware	VMware	Windows XPe SP2	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Interphase Corp	K012	Hardware	VMware	Linux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Interphase Corp	K018	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Interphase Corp	K058	Hardware	VMware	Windows Embedded Standard 2009	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
JB Advanced Technology Corp	Secure Terminal T333	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
JB Advanced Technology Corp	SecureTerminal T3133	Hardware	VMware	Windows Embedded Standard 2009	View 5.0, View 4.6	View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Leadtek Research Inc.	WinFast VP200 P	Hardware	Vendor	ThreadX Teradici 3.0	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Leadtek Research Inc.	WinFast VP200 P	Hardware	Vendor	ThreadX Teradici 2.2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Leadtek Research Inc.	WinFast VP200 P	Hardware	Vendor	ThreadX Teradici 3.2.0	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Leadtek Research Inc.	WinFast VP200P	Hardware	Vendor	ThreadX Teradici 3.2.1	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
Leadtek Research Inc.	WinFast VP200P	Hardware	Vendor	ThreadX Teradici 3.4.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
LG Electronics	N1910LZ	Hardware	Vendor	ThreadX Teradici 3.2.2	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
LG Electronics	N2210WZ	Hardware	Vendor	ThreadX Teradici 3.4.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
LISCON GmbH	Managed Desktop	Software	VMware	Ubuntu	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
LISCON GmbH	Managed Desktop	Software	Vendor	Ubuntu	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
NEC	TCM380	Hardware	VMware	Windows XPe SP2	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Oracle	Sun Ray 2	Hardware	Vendor	N/A	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Oracle	Sun Ray 2	Hardware	Vendor	N/A	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Oracle	Sun Ray 270	Hardware	Vendor	N/A	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Oracle	Sun Ray 270	Hardware	Vendor	N/A	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Oracle	Sun Ray 2FS	Hardware	Vendor	N/A	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Oracle	Sun Ray 2FS	Hardware	Vendor	N/A	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Oracle	Sun Ray 3	Hardware	Vendor	N/A	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
Oracle	Sun Ray 3 Plus	Hardware	Vendor	N/A	View 4.0, View 3.1	View 5.0, View 4.6, View 4.5, View 3.0, VDM 2.1, VDM 2.0
Oracle	Sun Ray 3 Plus	Hardware	Vendor	N/A	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Oracle	Sun Ray 3i	Hardware	Vendor	N/A	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Pano Logic	Pano Device	Hardware	Vendor	Pano System	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Pano Logic	Pano Zero Client	Hardware	Vendor	Pano System	View 4.5 ²	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Pano Logic	Pano Zero Client G1	Hardware	Vendor	Pano System	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Pano Logic	Pano Zero Client G2	Hardware	Vendor	Pano System	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	ino-800	Hardware	Vendor	ThinOX 7.0.42	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Praim	ino-800	Hardware	Vendor	ThinOX	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Praim	ino-820	Hardware	Vendor	ThinOX	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Praim	ino-840	Hardware	VMware	Windows XPe SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Praim	WE9700-A	Hardware	VMware	WES 7 SP1	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	WE9700-C	Hardware	VMware	WES 7 SP1	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
Praim	WE9700-I	Hardware	VMware	WES 7 SP1	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	WE9700-U	Hardware	VMware	WES 7 SP1	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	WT-7000	Hardware	Vendor	Windows CE	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Praim	WT-7100	Hardware	Vendor	Windows CE	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Praim	WT-7500	Hardware	Vendor	Windows CE	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Praim	WT-7500	Hardware	Vendor	Windows CE	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Praim	WT-7600	Hardware	Vendor	Windows CE	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Praim	XP-6600	Hardware	VMware	Windows XPe SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Praim	XP-6600	Hardware	VMware	Windows XPe SP3	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Praim	XP-6700	Hardware	VMware	Windows XPe SP2	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Praim	XP-6700	Hardware	VMware	Windows XPe SP3	View 4.0, View 3.1	View 5.0, View 4.6, View 4.5, View 3.0, VDM 2.1, VDM 2.0
Praim	XP-6700	Hardware	VMware	Windows XPe SP3	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	XP-6700	Hardware	VMware	Windows XPe SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
Praim	XP940-I	Hardware	VMware	Windows XPe SP3	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	XP9400-A	Software	VMware	Windows XPe SP3	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	XP9400-A	Hardware	VMware	Windows XPe SP3	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	XP9400-C	Hardware	VMware	Windows XPe SP3	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	XP9400-C	Hardware	VMware	Windows XPe SP3	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	XP9400-I	Hardware	VMware	Windows XPe SP3	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	XP9400-U	Hardware	VMware	Windows XPe SP3	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	XP9400-U	Hardware	VMware	Windows XPe SP3	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	XP9400-U	Hardware	VMware	Windows XPe SP3	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	XT5-800	Hardware	VMware	ThinOX	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Praim	XT5-PRO	Hardware	Vendor	ThinOX	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Praim	XT5-PRO-C	Hardware	VMware	ThinOX	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Praim	XT7-800	Hardware	Vendor	ThinOX	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
Praim	XT7-800	Hardware	VMware	ThinOX	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Praim	XT7-800	Hardware	Vendor	ThinOX	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Praim	XT7-PRO	Hardware	Vendor	ThinOX	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Praim	XT7-PRO-U	Hardware	VMware	ThinOX	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Praim	XT900-I	Hardware	VMware	ThinOX	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	XT900-I	Hardware	VMware	ThinOX 8.00.19	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Praim	XT9000-C	Hardware	VMware	ThinOX	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	XT9000-C	Hardware	VMware	ThinOX 8.01.14	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	XT9000-U	Hardware	VMware	ThinOX	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	XT9000-U	Hardware	VMware	ThinOX 8.01.14	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	XT9050-A	Hardware	VMware	ThinOX	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	XT920-I	Hardware	VMware	ThinOX	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Praim	XT9200-C	Hardware	VMware	ThinOX 8.01.14	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
Praim	XT9200-C	Hardware	VMware	ThinOX	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	XT9200-U	Hardware	VMware	ThinOX 8.01.14	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	XT9200-U	Hardware	VMware	ThinOX	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Praim	XT940-I	Hardware	VMware	Windows XPe SP3	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Rangee GmbH	Z-VP200P-VDI	Hardware	Vendor	ThreadX Teradici 3.4.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Samsung	Cloud-Stand LF-STD	Hardware	VMware	Windows Embedded Standard 2009	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Samsung	NC220	Hardware	Vendor	ThreadX Teradici 3.5.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Samsung	NC220P	Hardware	Vendor	ThreadX Teradici 3.5.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Samsung	SyncMaster NC190	Hardware	Vendor	ThreadX Teradici 3.0	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Samsung	SyncMaster NC190	Hardware	Vendor	ThreadX Teradici 3.2.0	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Samsung	SyncMaster NC240	Hardware	Vendor	ThreadX Teradici 3.2.0	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Samsung	SyncMaster NC240	Hardware	Vendor	ThreadX Teradici 3.0	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Samsung	SyncMaster NS190	Hardware	Vendor	ThreadX Teradici 3.5.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
Samsung	SyncMaster NS220	Hardware	Vendor	ThreadX Teradici 3.5.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Samsung	SyncMaster NS240	Hardware	Vendor	ThreadX Teradici 3.5.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Samsung	SyncMaster TC190	Hardware	VMware	Windows Embedded Standard	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Samsung	SyncMaster TC190	Hardware	VMware	Windows Embedded Standard 2009	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Samsung	SyncMaster TC190	Hardware	VMware	Linux CentOS	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Samsung	SyncMaster TC240	Hardware	VMware	Windows Embedded Standard	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Samsung	SyncMaster TC240	Hardware	VMware	Windows Embedded Standard 2009	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Samsung	SyncMaster TC240	Hardware	VMware	Linux CentOS	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Samsung	SyncMaster TS190	Hardware	VMware	Windows Embedded Standard 2011	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Samsung	SyncMaster TS220	Hardware	VMware	Windows Embedded Standard 2011	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Samsung	SyncMaster TS240	Hardware	VMware	Windows Embedded Standard 2011	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Samsung	TC180	Hardware	VMware	Windows Embedded Standard	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Samsung	TC220	Hardware	VMware	Windows Embedded Standard 7	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
Sun Microsystems Inc	Sun Ray 2	Hardware	Vendor	N/A	View 3.1, View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, VDM 2.1, VDM 2.0
Sun Microsystems Inc	Sun Ray 2	Hardware	Vendor	None Needed	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Sun Microsystems Inc	Sun Ray 270	Hardware	Vendor	N/A	View 3.1, View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, VDM 2.1, VDM 2.0
Sun Microsystems Inc	Sun Ray 2FS	Hardware	Vendor	N/A	View 3.1, View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, VDM 2.1, VDM 2.0
Termtek Computer Co	TK-3752	Hardware	VMware	Windows XPe SP3	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Termtek Computer Co	TK-3772	Hardware	VMware	Windows XPe SP3	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Termtek Computer Co	TK-3880	Hardware	VMware	Windows XPe SP3	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Termtek Computer Co	TK-3880	Hardware	VMware	Linux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Thinware s.r.l.	p1000i Atom	Hardware	VMware	Thinware OS	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Thinware s.r.l.	P1000L	Hardware	VMware	Thinware OS	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Thinware s.r.l.	p1000L C7	Hardware	VMware	Thinware OS	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Thinware s.r.l.	Thinware OS 2.0	Software	VMware	Thinware OS	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
UniCon Software GmbH	eLuxRL for PC	Software	VMware	Linux eLux RL	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VMware Inc	iPad	Software	VMware	iOS 4.2 & 4.3	View 4.6 ⁶	
VXL Instruments Inc	Itona 1520	Hardware	VMware	Windows XPe SP3	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
VXL Instruments Inc	Itona 1526	Hardware	VMware	Windows Embedded Standard 2009	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona 1527	Hardware	VMware	Windows Embedded Standard 7	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona 1536	Hardware	VMware	Linux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona 6321	Hardware	VMware	Windows XPe SP3	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona 6323	Hardware	VMware	Windows Embedded Standard 2009	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona 6324	Hardware	VMware	Windows Embedded Standard 7	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona C21	Hardware	VMware	Windows XPe SP3	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona C21S	Hardware	VMware	Windows XPe SP3	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona C23	Hardware	VMware	Windows Embedded Standard 2009	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona C23S	Hardware	VMware	Windows Embedded Standard 2009	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona C24	Hardware	VMware	Windows Embedded Standard 7	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona C24s	Hardware	VMware	Windows Embedded Standard 7	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona C32	Hardware	VMware	Linux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona C35	Hardware	VMware	Linux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona C35S	Hardware	VMware	Linux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona D21S	Hardware	VMware	Windows XPe SP3	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona D23S	Hardware	VMware	Windows Embedded Standard 2009	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona D24s	Hardware	VMware	Windows Embedded Standard 7	View 5.0, View 4.5	View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
VXL Instruments Inc	Itona D35S	Hardware	VMware	Linux	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona E21S	Hardware	VMware	Windows XPe SP3	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona E23S	Hardware	VMware	Windows Embedded Standard 2009	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona E24S	Hardware	VMware	WES 7 SP1	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona TC1330	Hardware	Vendor	Linux	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona TC4321	Hardware	VMware	Windows XPe SP3	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona TC4334	Hardware	Vendor	Linux	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona TC7321	Hardware	VMware	Windows XPe SP3	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	Itona TC7334	Hardware	Vendor	Linux	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	TL100-21	Hardware	VMware	Windows XPe SP3	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	TL100-23	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	TL100-24	Hardware	VMware	Windows Embedded Standard 7	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	TL412-21	Hardware	VMware	Windows XPe SP3	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
VXL Instruments Inc	TL412-23	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
VXL Instruments Inc	TL412-24	Hardware	VMware	Windows Embedded Standard 7	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	C10LE	Hardware	Vendor	WTOS	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	C10LE	Hardware	Vendor	WTOS	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	C30LE	Hardware	Vendor	Windows CE 6.0	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	C50LE	Hardware	VMware	SUSE Linux Enterprise TC 11	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	C50LE	Hardware	VMware	SUSE Linux Enterprise TC 11	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	C90LE	Hardware	VMware	Windows XPe SP3	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	C90LE	Hardware	VMware	Windows XPe SP3	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Wyse	C90LE7	Hardware	VMware	Windows Embedded Standard 7	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	C90LE7	Hardware	VMware	Windows Embedded Standard 7	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	C90LEW	Hardware	VMware	Windows Embedded Standard 2009	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	C90LEW	Hardware	VMware	Windows Embedded Standard 2009	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
Wyse	C90LEW	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	G90	Hardware	VMware	Windows XPe SP2	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Wyse	P20	Hardware	Vendor	ThreadX Teradici 3.0	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	P20	Hardware	Vendor	ThreadX Teradici 3.2.0	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	P20	Hardware	Vendor	ThreadX Teradici 3.3.0	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	PocketCloud	Software	Vendor	iOS 3.0	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Wyse	PocketCloud 1.3	Software	Vendor	iOS 3.0	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	PocketCloud for iPad	Software	Vendor	iOS 2.0	View 4.5 ^{7, 8, 9}	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	PocketCloud for iPhone	Software	Vendor	iOS 2.0	View 4.5 ^{7, 8, 9}	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	R50L	Hardware	VMware	SUSE Linux Enterprise	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	R50L	Hardware	VMware	SUSE Linux Enterprise TC 11	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	R50L	Hardware	VMware	SUSE Linux Enterprise TC 11	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	R50L	Hardware	VMware	Wyse Enhanced SUSE Linux Enterprise	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
Wyse	R50L	Hardware	VMware	SUSE Linux Enterprise	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Wyse	R50LE	Hardware	VMware	SUSE Linux Enterprise	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	R50LE	Hardware	VMware	SUSE Linux Enterprise TC 11	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	R50LE	Hardware	VMware	SUSE Linux Enterprise TC 11	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	R50LE	Hardware	VMware	Wyse Enhanced SUSE Linux Enterprise	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Wyse	R50LE	Hardware	VMware	SUSE Linux Enterprise	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Wyse	R90L	Hardware	VMware	Windows XPe SP2	View 3.1 ⁵ , View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, VDM 2.1, VDM 2.0
Wyse	R90L7	Hardware	VMware	Windows Embedded Standard 7	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	R90L7	Hardware	VMware	Windows Embedded Standard 7	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	R90LE	Hardware	VMware	Windows XPe SP2	View 3.1 ⁵ , View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, VDM 2.1, VDM 2.0
Wyse	R90LE	Hardware	VMware	Windows XPe SP3	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	R90LE7	Hardware	VMware	Windows Embedded Standard 7	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	R90LE7	Hardware	VMware	Windows Embedded Standard 7	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	R90LEW	Hardware	VMware	Windows Embedded Standard	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
Wyse	R90LEW	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	R90LEW	Hardware	VMware	Windows Embedded Standard 2009	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	R90LEW	Hardware	VMware	Windows Embedded Standard 2009	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	R90LW	Hardware	VMware	Windows Embedded Standard	View 3.1 ⁵	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Wyse	R90LW	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	R90LW	Hardware	VMware	Windows Embedded Standard 2009	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	R90LW	Hardware	VMware	Windows Embedded Standard 2009	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	S10	Hardware	Vendor	WTOS	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	S10	Hardware	Vendor	WTOS	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Wyse	S10	Hardware	Vendor	WTOS 7.0.30	View 4.5 ¹⁰	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	S10	Hardware	Vendor	WTOS	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Wyse	S10	Hardware	Vendor	WTOS	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Wyse	S10 VDI Edition	Hardware	Vendor	WTOS 6.0.1_08	VDM 2.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
Wyse	S30	Hardware	Vendor	Windows CE	View 3.1, View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, VDM 2.1, VDM 2.0
Wyse	S90	Hardware	VMware	Windows XPe SP2	View 3.1 ⁵ , View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, VDM 2.1, VDM 2.0
Wyse	S90	Hardware	VMware	Windows XPe SP2	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Wyse	T10	Hardware	Vendor	WTOS	View 4.6	View 5.0, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	V10L	Hardware	Vendor	WTOS	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	V10L	Hardware	Vendor	WTOS	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Wyse	V10L	Hardware	Vendor	WTOS	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Wyse	V10L	Hardware	Vendor	WTOS	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Wyse	V10L	Hardware	Vendor	WTOS 6.0.1_08	VDM 2.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1
Wyse	V10L Dual DVI	Hardware	Vendor	WTOS	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	V10L Dual DVI	Hardware	Vendor	WTOS	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Wyse	V10L Dual DVI	Hardware	Vendor	WTOS	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Wyse	V10LE	Hardware	Vendor	WTOS	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	V30L	Hardware	Vendor	Windows CE	View 3.1, View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
Wyse	V30LE	Hardware	Vendor	Windows CE	View 4.0, View 3.0	View 5.0, View 4.6, View 4.5, View 3.1, VDM 2.1, VDM 2.0
Wyse	V90	Hardware	VMware	Windows XP SP2	VDM 2.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1
Wyse	V90	Hardware	VMware	Windows XP SP2	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Wyse	V90L	Hardware	VMware	Windows XP SP2	View 3.1 ⁵ , VDM 2.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1
Wyse	V90L	Hardware	VMware	Windows XP SP2	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Wyse	V90L/LE	Hardware	VMware	Windows XP SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Wyse	V90LE	Hardware	VMware	Windows XP SP2	View 3.1 ⁵ , VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.0
Wyse	V90LE	Hardware	VMware	Windows XP SP3	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	X50L	Hardware	VMware	SUSE Linux Enterprise	VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.0
Wyse	X50L	Hardware	VMware	SUSE Linux Enterprise	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	X50L	Hardware	VMware	SUSE Linux Enterprise TC 11	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	X50L	Hardware	VMware	Wyse Enhanced SUSE Linux Enterprise	View 3.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.1, VDM 2.0
Wyse	X50L	Hardware	VMware	SUSE Linux Enterprise TC 11	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	X90	Hardware	VMware	Windows XP SP2	View 3.1 ⁵ , VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
Wyse	X90/E	Hardware	VMware	Windows XPe SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Wyse	X90C7	Hardware	VMware	Windows Embedded Standard 7	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	X90C7	Hardware	VMware	Windows Embedded Standard 7	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	X90CW	Hardware	VMware	Windows Embedded Standard 2009	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	X90CW	Hardware	VMware	Windows Embedded Standard 2009	View 4.5	View 5.0, View 4.6, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	X90CW	Hardware	VMware	Windows Embedded Standard 2009	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	X90E	Hardware	VMware	Windows XPe SP2	View 3.1 ⁵ , VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.0
Wyse	X90L	Hardware	VMware	Windows XPe SP2	View 3.1 ⁵ , VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.0
Wyse	X90L/LE	Hardware	VMware	Windows XPe SP2	View 3.0	View 5.0, View 4.6, View 4.5, View 4.0, View 3.1, VDM 2.1, VDM 2.0
Wyse	X90LE	Hardware	VMware	Windows XPe SP3	View 4.0	View 5.0, View 4.6, View 4.5, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	X90LE	Hardware	VMware	Windows XPe SP2	View 3.1 ⁵ , VDM 2.1	View 5.0, View 4.6, View 4.5, View 4.0, View 3.0, VDM 2.0
Wyse	X90M7	Hardware	VMware	Windows Embedded Standard 7	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	X90MW	Hardware	VMware	Windows Embedded Standard 2009	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	Z90D7	Hardware	VMware	Windows Embedded Standard 7	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Partner Name	Model	Type	Client Type	OS Version	Certified For	Compatible With
Wyse	Z90DW	Hardware	VMware	Windows Embedded Standard 2009	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	Z90S7	Hardware	VMware	Windows Embedded Standard 7	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0
Wyse	Z90SW	Hardware	VMware	Windows Embedded Standard 2009	View 5.0	View 4.6, View 4.5, View 4.0, View 3.1, View 3.0, VDM 2.1, VDM 2.0

Footnotes:

1. In order to forward the thin client's timezone to the desktop VM, use the following procedure. Define an application for 'vmware-view' with the correct timezone settings: Start -> Control Panel -> Configuration -> New -> Local -> Name: vmware-view PST Application: Custom Parameter: export TZ='America/Los_Angeles';vmware-view Parameter for TZ (timezone) must be in Olson format (e.g. America/New_York, Europe/Berlin, etc.). Select "Desktop Icon". Apply the settings. Start 'vmware-view' by double-clicking on the desktop icon "vmware-view PST". You can create a desktop icon for any timezone that is required (e.g. "vmware-view Europe" with parameter export TZ='Europe/Berlin';vmware-view).
2. No Windows 7 x64 support
3. No audio redirection for Windows 7 VMs
4. No USB redirection support for Windows 7 VMs
5. Supports multimonitor
6. iPad is certified for VMware View 4.6 only & is not compatible with previous versions.
7. Build number may change during further revision of branding
8. SSL disabled on both Client and Server only works if tunneling is turned off
9. SSL settings on server need to match SSL settings on client. Client with SSL disabled will not work with a View Server with SSL enabled.
10. Video redirection does not work with Windows 7 VM

Disclaimer

THIS CONTENT IS PROVIDED AS IS, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, VMWARE DISCLAIMS ALL OTHER REPRESENTATIONS AND WARRANTIES, EXPRESS OR IMPLIED, REGARDING THIS CONTENT, INCLUDING THEIR FITNESS FOR A PARTICULAR PURPOSE, THEIR MERCHANTABILITY, OR THEIR NONINFRINGEMENT. VMWARE SHALL NOT BE LIABLE FOR ANY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF THIS CONTENT, INCLUDING DIRECT, INDIRECT, CONSEQUENTIAL DAMAGES, LOSS OF BUSINESS PROFITS OR SPECIAL DAMAGES, EVEN IF VMWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

THE VMWARE COMPATIBILITY GUIDE IS UPDATED FROM TIME TO TIME WITHOUT NOTICE. FOR THE LATEST VMWARE COMPATIBILITY GUIDE, PLEASE GO TO THE FOLLOWING LINK: <http://www.vmware.com/resources/compatibility>