

VMware Cloud Director Availability On-premises Guides


Guide #7

Connect to the provider cloud

You can find the most up-to-date technical documentation on the VMware website at: <https://docs.vmware.com/>


If you have comments about this documentation, submit your feedback to: vcav-light@vmware.com

1. To connect to the service provider cloud, click **Settings** and under **Site settings**, next to **Pairing** click **Configure**.



The **New Pairing** wizard opens.

2. In the **Site Details** page, enter the Site name, optionally enter a Description and click **Next**.



3. In the **Lookup Service Details** page, enter the SSO administrator account credentials and click **Next**.

New Pairing

- 1 Site Details
- 2 Lookup Service**
- 3 Cloud Service Details
- 4 Ready To Complete

Lookup Service Details

Enter the connection details for the Lookup service.

Lookup Service Address: *

SSO Admin Username: *

Password: *

Info: Applying the configuration will install the VMware Cloud Director availability plugin in the vSphere Client. To be able to use the plugin to monitor and manage your DR workflows, you must provide the address (FQDN, IP) you will be using to access the vSphere Web Client. If you provide IP here and then access the vSphere client by FQDN, the plugin will not be accessible.

CANCEL **BACK** **NEXT**

4. In the **Cloud Service Details** page, to allow managing the replications from the cloud, select **Allow Access from Cloud**.

Note: By leaving **Allow Access from Cloud** deselected, the replications can be created and managed only by using the on-premises vSphere plug-in. This option can be changed later by editing the pairing configuration.

New Pairing

- 1 Site Details
- 2 Lookup Service
- 3 Cloud Service Details**
- 4 Ready To Complete

Cloud Service Details

Enter VMware Cloud Director Availability Cloud Site details.

Service Endpoint address: *

Organization Admin: *


Organization Password: *

Allow Access from Cloud


Info: Privileged VMware Cloud Director users are allowed to remotely browse the VMs on this site and configure them for replication.

CANCEL **BACK** **NEXT**

5. In the **Cloud Service Details** page, click **Next**, verify the thumbprint and **accept** the cloud certificate.



6. In the **Ready To Complete** page, to provide the placement of newly recovered VMs details later, click **Finish**.



Optionally, to provide placement details now, select **Edit / Configure local placement now**, and click **Finish**.

The **Configure Placement** wizard opens.

Note: To configure the placement details, see Guide #4. Edit / Configure placement details.

