

Professional VMware NSX-T Data Center 2.4

Exam Details (Last Updated: 12/13/2019)

The Professional NSX-T Data Center 2.4 exam (2V0-41.19) which leads to VMware Certified Professional – Network Virtualization 2020 certification is a 70-item exam, with a passing score of 300 using a scaled method. Candidates are given an appointment time of 100 minutes, which includes an adequate time to complete the exam for non-native English speakers.

Exam Delivery

This is a proctored exam delivered through Pearson VUE. For more information, visit the [Pearson VUE website](#).

Certification Information

For details and a complete list of requirements and recommendations for attainment, please reference the [VMware Education Services – Certification website](#).

Minimally Qualified Candidate

The minimally qualified candidate should have 6 months or more experience installing, configuring, managing, and troubleshooting NSX-T Data Center 2.4 solutions. Candidates should be knowledgeable of the features, functions, and architectures of NSX-T. They should have at least 6 months hands-on experience with Linux and KVM. They should have 1 year of experience working in IT and with VMware vSphere and its command line. The successful candidate will likely hold additional industry-recognized IT certifications or accreditation. The MQC should have all the knowledge contained in the exam sections listed below.

Exam Sections

VMware exam blueprint sections are now standardized to the seven sections below, some of which may NOT be included in the final exam blueprint depending on the exam objectives.

Section 1 – Architecture and Technologies

Section 2 – Products and Solutions

Section 3 – Planning and Designing

Section 4 – Installing, Configuring, and Setup

Section 5 – Performance-tuning, Optimization, and Upgrades

Section 6 – Troubleshooting and Repairing

Section 7 – Administrative and Operational Tasks

If a section is missing from the list below, please note it is because the exam has no testable objectives for that section. The objective numbering may be referenced in your score report at the end of your testing event for further preparation should a retake of the exam be necessary.

Sections Included in this Exam

Section 1 – VMware vSphere Architectures and Technologies - There are no testable objectives for this section

Section 2 – VMware Products and Solutions

Objective 2.1 Describe the VMware Virtual Cloud Network Vision

Objective 2.2 Outline the solutions of NSX Portfolio

Objective 2.3 List the use-cases for NSX Data Center

Objective 2.4 Explain the value proposition and features of NSX

Objective 2.5 Identify Physical and Virtual Infrastructure Requirements for NSX-T Data Center

Objective 2.6 Describe NSX Architecture and Component sub-systems

Objective 2.7 Differentiate the functionalities of Management Plane, Control Plane, Data Plane, and Consumption Planes

Objective 2.8 Define NSX-T Data Center Terminology

Objective 2.9 Describe the Logical Switching Architecture and Features

Objective 2.10 Describe the Logical Routing Architecture and Features

Objective 2.11 Describe the NSX-T Data Center Network Services

Objective 2.12 Explain the Edge Architecture and Features

Objective 2.13 Explain the NSX Security Architecture and Features

Objective 2.14 Identify the supported integration platforms of NSX-T (Containers, Public Cloud, Private Cloud, Hybrid Cloud, DevOps tools, 3rd Party etc.)

Section 3 – There are no testable objectives for this section.

Section 4 – Installing, Configuring, and Setting Up a VMware vSphere Solution

Objective 4.1 Outline the installation and preparation workflow of NSX-T Data Center

Objective 4.2 Deploy and Configure NSX-T Data Center Environment

Objective 4.3 Configure Hypervisor Networking [vSphere and KVM] for NSX-T Data Center

Objective 4.4 Configure and manage Logical Switching Features

Objective 4.5 Configure and manage Logical Routing Features

Objective 4.6 Configure NSX-T Edge Nodes and Edge Cluster

Objective 4.7 Configure NSX-T Data Center Network Services [Layer-3]

Objective 4.8 Configure NSX Security Features

Objective 4.9 Configure Service Insertion with NSX-T Data Center

Section 5 – Performance-tuning and Optimizing Upgrades – There are no testable objectives for this section.

Section 6 – Troubleshooting and Repairing

- Objective 6.1 Identify the default log file locations of NSX-T Data Center components
- Objective 6.2 Compare and Contrast Tools Available for Troubleshooting
- Objective 6.3 Troubleshoot Common NSX Installation/Configuration Issues
- Objective 6.4 Troubleshoot Common NSX Component Issues
- Objective 6.5 Troubleshoot Common Connectivity Issues
- Objective 6.6 Troubleshoot Common physical infrastructure Issues

Section 7 – Administrative and Operational Tasks in a VMware vSphere Solution

- Objective 7.1 List Operations Tasks in a VMware NSX Environment (syslog, backup/restore etc.)
- Objective 7.2 Configure roles and permissions for NSX-T Data Center environment
- Objective 7.3 Generate Log bundles
- Objective 7.4 Monitor a VMware NSX Implementation

Recommended Courses

[VMware NSX-T Data Center: Install, Configure, Manage \[v2.4\]](#)

References*

In addition to the recommended courses, item writers use the following references for information when writing exam questions. It is recommended that you study the reference content as you prepare to take the exam, in addition to any recommended training.

<http://www.vmware.com> - [Section and Objective Topics]

<http://kb.vmware.com> - [Section and Objective Topics]

<https://blogs.vmware.com> - [Section and Objective Topics]

<https://docs.vmware.com> - [Section and Objective Topics]

<https://pubs.vmware.com> - [Section and Objective Topics]

<https://www.vmware.com/techpapers.html> - [Section and Objective Topics]

Sample Questions

Sample questions presented here are examples of the types of questions candidates may encounter and should not be used as a resource for exam preparation.

[Sample Question 1](#)

Which two VMware Cloud Management systems are compatible with NSX-T Data Center capabilities? (Choose two.)

- A. VMware Power CLI
- B. vRealize Automation
- C. vRealize CodeStream
- D. VMware Integrated OpenStack
- E. VMware vSphere

Sample Question 2

Which three networking features could be configured using the NSX Manager Simplified UI? (Choose three.)

- A. NAT Rules
- B. containers
- C. load balancers
- D. logical routers
- E. segments
- F. logical switches

Sample Question 3

Which discovery protocol is supported for hypervisor transport nodes?

- A. Link Layer Discovery Protocol
- B. Cisco Discovery Protocol
- C. Neighbor Discovery Protocol
- D. Adobe Real-time CDP

Sample Question 4

Which two tools could be used to view NSX Policy logs? (Choose two.)

- A. NSX Manager CLI
- B. NSX Manager root privileged mode
- C. ESXI host nsxcli
- D. KVM host nsxcli
- E. Edge CLI

Sample Question 5

Which CLI command does a NSX administrator use to obtain information about the NSX Manager configuration when troubleshooting a production system?

- A. show configuration
- B. get managers
- C. show interface
- D. get configuration

Sample Question 6 Refer to the exhibit.

```

2019-01-28T13:45:44.359Z INFO http-nio-127.0.0.1-7440-exec-1 RuleFactoryService - FIREWALL [nsx@6876 comp="nsx-manager" subcomp="manager"]
RuleID [1033] allocated.
2019-01-28T13:45:44.359Z INFO http-nio-127.0.0.1-7440-exec-1 RuleFactoryService - FIREWALL [nsx@6876 comp="nsx-manager" subcomp="manager"]
Coverted UUID 00000000-0000-0000-0000-000000000409 from ruleId 1033
...
2019-01-28T13:45:44.379Z INFO http-nio-127.0.0.1-7440-exec-1 FirewallPatchServiceImpl - FIREWALL [nsx@6876 comp="nsx-manager"
subcomp="manager"] processSinglePatch: CREATE operation 1-1 end for section patch DSSectionRulePatch [sId=d0d2ca5d-2352-4d77-8c89-96d6ca5b47c0,
section=FirewallSection [id=FirewallSection/d0d2ca5d-2352-4d77-8c89-96d6ca5b47c0, fTN=LRFIREWALL, ap=false, sT=LAYER3, isD=false, dN=BLOCK SSH
TRAFFIC, r=0, oM=STATELESS, rules=0, parent=DSSection [sT=LAYER3, mBy=null, dS=false, appTos=1]], iP=InsertParams [anchorId=null,
isBefore=true], sOp=InsertParams [anchorId=null, isBefore=true], rPtchCnt=1, rPatches=[DSRulePatch [rId=-1, rule=FirewallRule [rId=1033,
id=FirewallRule/00000000-0000-0000-0000-000000000409, sId=FirewallSection/d0d2ca5d-2352-4d77-8c89-96d6ca5b47c0, isD=false, ap=false,
p=2305843009213693951, a=DROP, dN=Block SSH to Web, isL=false, isDis=false, xS=0, ctxP=0, parent=DSRule [ruleId=1033, sEF=false, dEF=false,
srcs=0, dests=1, srvc=1, appTos=0, t=, acn=DROP, d=false, l=false, n=null, dir=IN_OUT, pktT=IPV4_IPV6, defR=false,
sectionId=FirewallSection/d0d2ca5d-2352-4d77-8c89-96d6ca5b47c0, p=2305843009213693951]]]]]
...
2019-01-28T14:13:33.880Z INFO http-nio-127.0.0.1-7440-exec-8 RealizationRpcClientService - SYSTEM [nsx@6876 comp="nsx-manager"
subcomp="manager"] Publishing realization status request to all CCP nodes [entityid=00000000-0000-0000-0000-000000000409, entityType=RULE,
barrier=3491, correlation key=073190e7-885d-4e91-973a-2a356bcd639c]
2019-01-28T14:13:33.917Z INFO http-nio-127.0.0.1-7440-exec-8 RealizationStateServiceImpl - SYSTEM [nsx@6876 comp="nsx-manager"
subcomp="manager"] The entity with id '00000000-0000-0000-0000-000000000409' and type 'RULE' is realized!
2019-01-28T14:13:33.918Z INFO http-nio-127.0.0.1-7440-exec-8 RealizationStateServiceImpl - SYSTEM [nsx@6876 comp="nsx-manager"
subcomp="manager"] RealizationStateService.getEntityRealizedStatus response [id=00000000-0000-0000-0000-000000000409, type=RULE, barrier=3491,
overallStatus=SUCCESS]

```

A security administrator has configured a gateway firewall rule to block traffic to all Web servers. What can the administrator infer about the rule publication after reviewing the log extract?

- A. The user has no permission to create gateway firewall rules.
- B. The rule has been successfully realized in the NSX Manager.
- C. The rule has been successfully realized in the data path.
- D. There was a communication problem with the Central Control Plane.

Sample Question 7

Which command is used to set the NSX Manager's logging-level to debug mode for troubleshooting?

- A. set service manager logging-level debug
- B. set service nsx-manager logging-level debug
- C. set service manager log-level debug
- D. set service nsx-manager log-level debug

Sample Question 8

Which three protocols could an NSX administrator use to transfer log messages to a remote log server? (Choose three.)

- A. TCP
- B. SSL
- C. UDP
- D. HTTPS
- E. TLS
- F. SSH

Sample Question 9

A centralized packet analysis tool VM configured to monitor a NSX-T deployment is dropping some of the packets sent to it.

Which three actions could minimize the drops? (Choose three.)

- A. Increase the RX buffer ring size.
- B. Assign more CPU resources to the VM.



VMware, Inc. 3401 Hillview Avenue Palo Alto CA 94304 USA Tel 877-486-9273 Fax 650-427-5001 www.vmware.com
© 2019 VMware, Inc. All rights reserved. The product or workshop materials is protected by U.S. and international copyright and intellectual property laws. VMware products are covered by one or more patents listed at <http://www.vmware.com/download/patents.html>. VMware is a registered trademark or trademark of VMware, Inc. in the United States and/or other jurisdictions. All other marks and names mentioned herein may be trademarks of their respective companies.

VMware warrants that it will perform these workshop services in a reasonable manner using generally accepted industry standards and practices. THE EXPRESS WARRANTY SET FORTH IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE SERVICES AND DELIVERABLES PROVIDED BY VMWARE, OR AS TO THE RESULTS WHICH MAY BE OBTAINED THEREFROM. VMWARE WILL NOT BE LIABLE FOR ANY THIRD-PARTY SERVICES OR PRODUCTS IDENTIFIED OR REFERRED TO CUSTOMER. All materials provided in this workshop are copyrighted by VMware ("Workshop Materials"). VMware grants the customer of this workshop a license to use and make reasonable copies of any Workshop Materials strictly for the purpose of facilitating such company's internal understanding, utilization and operation of its licensed VMware product(s). Except as set forth expressly in the sentence above, there is no transfer of any intellectual property rights or any other license granted under the terms of this workshop. If you are located in the United States, the VMware contracting entity for the service will be VMware, Inc., and if outside of the United States, the VMware contracting entity will be VMware International Limited.

- C. Use DPDK to improve packet processing performance.
- D. Ensure the host 10GbE NIC is configured for full duplex.
- E. Increase the TX buffer ring size.
- F. Increase MTU on the VM to 9000.

Answer Key: 1-B,D; 2-A,C,E; 3-A; 4-A,B; 5-B; 6-A,B; 7-C, 8-A,C,E; 9-A,B,C

Exam Content Contributors

Abdullah Abdullah
Adam Bluhm
Anthony Burke
Arantxa Duque Barrachina
Brant Scalan
Chand Basha Shaik
Chris Muthcler
Daniel Castillo
John Hathaway
Karel Novak
Manish Patel
Marco Van Baggum
Matt Callaway
Matt Williams
Mike Brown
Pavan Kumar Thota
Raymundo Escobar
Rick Watson
Ron Fuller
Ryan Costello
Sean Kenny
Steve Schwarze
Tim Burkard



VMware, Inc. 3401 Hillview Avenue Palo Alto CA 94304 USA Tel 877-486-9273 Fax 650-427-5001 www.vmware.com
© 2019 VMware, Inc. All rights reserved. The product or workshop materials is protected by U.S. and international copyright and intellectual property laws. VMware products are covered by one or more patents listed at <http://www.vmware.com/download/patents.html>. VMware is a registered trademark or trademark of VMware, Inc. in the United States and/or other jurisdictions. All other marks and names mentioned herein may be trademarks of their respective companies.

VMware warrants that it will perform these workshop services in a reasonable manner using generally accepted industry standards and practices. THE EXPRESS WARRANTY SET FORTH IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE SERVICES AND DELIVERABLES PROVIDED BY VMWARE, OR AS TO THE RESULTS WHICH MAY BE OBTAINED THEREFROM. VMWARE WILL NOT BE LIABLE FOR ANY THIRD-PARTY SERVICES OR PRODUCTS IDENTIFIED OR REFERRED TO CUSTOMER. All materials provided in this workshop are copyrighted by VMware ("Workshop Materials"). VMware grants the customer of this workshop a license to use and make reasonable copies of any Workshop Materials strictly for the purpose of facilitating such company's internal understanding, utilization and operation of its licensed VMware product(s). Except as set forth expressly in the sentence above, there is no transfer of any intellectual property rights or any other license granted under the terms of this workshop. If you are located in the United States, the VMware contracting entity for the service will be VMware, Inc., and if outside of the United States, the VMware contracting entity will be VMware International Limited.