

VMware Cloud Activation Standard

For VMware Cloud on Dell EMC

AT A GLANCE

VMware Cloud Activation Standard for VMware Cloud on Dell EMC provides an expedited deployment of HCX product components, L2 stretching of one network segment, and migration of up to fifteen (15) virtual machines (VMs) in a single wave from your on-premises environment to VMware Cloud on Dell EMC.

KEY BENEFITS

- Quickly deploy and validate a mobility platform
- Free IT staff to work on business-critical activities
- Minimize disruption to existing resources and operations
- Enable your team to perform additional migrations through knowledge transfer

SKU

PS-VMC-D-ACT-STD-C

Service overview

VMware Cloud Activation™ Standard for VMware Cloud™ on Dell EMC Solution provides an expedited deployment of VMware HCX® product components, L2 stretching of one network segment, and migration of up to fifteen (15) virtual machines (VMs) in a single wave from your on-premises environment to VMware Cloud on Dell EMC.

The VMware Professional Services delivery team will demonstrate how to use VMware vRealize® Network Insight Cloud™ to get insight into virtual machine traffic flows and will also provide an overview of the centralized log collection capabilities with out-of-the-box capabilities of VMware vRealize Log Insight Cloud™.

Finally, to ensure your team is fully enabled to perform additional workload migrations, this service also includes a knowledge transfer workshop, which provides an overview of the VMware application migration methodology, best practices, and Information resources.

The following activities are included in this service:

- Review of your first SDDC in VMware Cloud on Dell EMC
- Configuration and access to your VMware Cloud on Dell EMC environment
- Deployment of HCX components on-premises and pairing with VMware Cloud on Dell EMC
- L2 stretching one (1) network segment for validation purpose
- A pilot migration of up to (15) low-complexity virtual machines in a single wave
- Enablement session on how to use vRealize Network Insight Cloud for application dependencies mapping
- Overview of default capabilities provided by vRealize Log Insight Cloud
- A VMware Migration Methodology knowledge transfer session

This service requires the following VMware on-premises and VMware SaaS products, with vendor-supported versions as agreed to by VMware and Customer at project kickoff, but limited to those that are in general availability (GA):

- VMware Cloud on Dell EMC
- VMware HCX (source requires VMware vSphere® 6.0 or higher) (*)
- VMware vRealize Network Insight Cloud (requires vSphere 6.5 or higher) (*), (**)
- VMware vRealize Log Insight Cloud

(*) Note: please check the VMware Requirements and Product Interoperability Matrix links in the Appendix

(**) Note 2: if Customer already has VMware vRealize Network Insight™ (4.x or higher) running in the source environment we will be able to leverage it if it matches the requirements.

Service Delivery Description

Service activities will be entirely delivered remotely by VMware Professional Services. Due to the nature of some on-premises components and security aspects we require Customer to join virtual sessions and engage their infrastructure, network, and security teams when appropriate to execute required actions (i.e., firewall port configurations or appliance deployments) under VMware Team supervision. The delivery team will also require validating the proper configurations and requirements are in place before proceeding with the remote installation.

Service Capabilities

This service provides the following:

- Configuration and access to your VMware Cloud on Dell EMC SDDC
- Enable of the application and workload mobility platform (HCX)
- Migration of VMs with no need to change IP or network topology
- Out-of-the-box centralized log collect and analysis

Project scope

The scope of the service is defined in the following tables.

VMWARE CLOUD ON DELL EMC - SDDC		
SPECIFICATION	PARAMETERS	DESCRIPTION
VMware Cloud on Dell EMC SDDC	Up to one (1) Cluster	Review connectivity and validation of requirements for the first existing SDDC of VMware Cloud on Dell EMC
Configure firewall Rules	Up to five (5)	Configure VMware on Dell EMC firewall rules

VMWARE HCX		
SPECIFICATION	PARAMETERS	DESCRIPTION
VMware Cloud on Dell EMC VMware vCenter Server® Instances	Up to one (1)	VMware Cloud on Dell EMC SDDC VMware vCenter Server instance where to pair VMware HCX
On-Premises VMware vCenter Server Instances	Up to one (1)	On-premises VMware vCenter Server instance where to deploy VMware HCX for pairing
On-premises Layer 2 networks extended	Up to one (1)	On-premises Layer 2 networks to extend with VMware HCX
Additional VMware HCX Activities		Review of the on-premises VMware HCX integration (plug-in) with VMware vCenter and standalone interfaces.

WORKLOAD MIGRATION		
SPECIFICATION	PARAMETERS	DESCRIPTION
Virtual Machines Included in Migration	Up to fifteen (15)	This is the total number of Virtual Machines in scope for this migration effort. These will be included into one (1) migration wave.
Configure Migration Waves	Up to one (1)	Configure workload migrations in HCX with proper resource selections for the target site. This includes monitoring and management of workload replication to ensure synchronization prior to the migration event.
Run Migration Waves	Up to one (1)	During the scheduled migration window, the VMware Consultant will operate the HCX console to ensure a secure and seamless migration process. This includes facilitating failback if necessary.
Additional Activities		Review of the exists list of workloads planned for migration to the new SDDC.

VMWARE VREALIZE LOG INSIGHT CLOUD		
SPECIFICATION	PARAMETERS	DESCRIPTION
Alerts	Up to two (2)	Out of the box Alerts configured
Dashboards	Up to one (1)	Out of the box Dashboards configured
Widgets	Up to six (6)	Out of the box Widgets placed

VMWARE VREALIZE NETWORK INSIGHT CLOUD		
SPECIFICATION	PARAMETERS	DESCRIPTION
VMware product required		Network Insight subscription through http://cloud.vmware.com . Customer must provide access user account if Customer subscription is used.
VMware vCenter Server® instances	Up to one (1)	VMware vCenter Server instances used during the application discovery process.
Applications	Up to three (3)	Unique application instances discovered and mapped, across all vCenter instances (total).

Out of scope

The following are out of scope items for this project.

General

- Installation and configuration of custom or third-party applications and operating systems on deployed virtual machines
- Operating system administration including the operating system itself or any operating system features or components
- Management of change to virtual machines, operating systems, custom or third-party applications, databases, and administration of general network changes within Customer control
- Remediation work associated with any problems resulting from the content, completeness, accuracy, and consistency of any data, materials, or information supplied by Customer
- Installation or configuration of VMware products not included in the scope of this document
- Installation and configuration of third-party software or other technical services that are not applicable to VMware components
- Installation and configuration of Customer-signed certificates
- Configuration of VMware products used for the service other than those implemented for the mutually agreed-to use cases
- Customer solution training other than the defined knowledge transfer session

VMware Cloud on Dell EMC

- Creation of user roles and groups
- Creation of local accounts
- Configuration of LDAP/Active Directory sources
- Creation of Networking segments, VPNs, and additional firewall rules not included in the specific service scope
- Design or configuration of interconnectivity between different SDDCs or other native cloud services
- Creation of additional SDDCs

VMware HCX

- Creation of additional network extensions or stretched networks
- Deployment of additional target or source endpoints
- Deployment and configuration of Enterprise features like OSAM, MON, RAV or Mobility Groups
- Bandwidth available and size of VMs will affect the time to replicate; the group of VMs that doesn't fit in an up to two (2) days of replication time will not be included.

Workload Migration

- Pre and Post Application validation
- Backup/Restore of Virtual Machines
- Multi-instances databases and/or part of database Clusters will not be migrated
- No Specific application dependency will be analyzed
- Virtual machines with Raw Device Mappings (RDM) in Physical Compatibility mode cannot be bulk migrated.

- Virtual machines with SCSI bus sharing cannot be migrated.
- NSX Security tags and configurations related to the virtual machine will not be migrated. vSphere tags will be migrated
- Virtual machine (with) Snapshots cannot be migrated. HCX bulk migration allow to remove the snapshot.

vRealize Log Insight Cloud

- Additional collectors that are not part of the VMware Cloud
- Log forwarding/Archival/Processing rules
- Webhook Configuration
- API configuration
- Custom dashboards and alerts

vRealize Network Insight Cloud

- Valid product license must be provided by the customer
- Configuration of customer's physical devices
- Applications that consume only physical resources may not be recognized by the discovery process.
- Troubleshooting of Customer's networking and devices

Estimated Schedule

VMware estimates that the duration of this project will not exceed 3 weeks. VMware Professional Services will operate according to a schedule agreed to by both parties. Typically, services are performed during normal business hours and workdays (weekdays and non-holidays).

Project Activities

Phase 1: Initiate

VMware hosts a project initiation call with key Customer and VMware stakeholders.

Topics to be discussed include:

- Project business drivers, scope, and objectives
- Project deadlines, timelines, scheduling, and logistics
- Identification of key Customer team members who VMware will work with to accomplish the tasks defined in this data sheet
- Technology prerequisites necessary for a successful project, including review of the Service Checklist for the VMware solution
- Confirmation of team members and contact details will be exchanged to schedule the project kickoff meeting

Deliverables include:

- Initial pre-engagement call

Phase 2: Plan

VMware leads a project kickoff meeting with Customer to assess prerequisite completion readiness, review the VMware standard architecture, and confirm project milestone dates.

The objectives of the meeting are as follows:

- Introducing the VMware team, roles, and responsibilities
- Describing the project goals, phases, and key dates
- Explaining the expected project results and deliverables
- Agreeing on communication and reporting process
- Validating the project expectations and clarifying roles and responsibilities

After Customer and VMware agree on project expectations, the VMware Project Manager and the Customer Project Manager work together on the detailed project plan.

Deliverables include:

- Project kickoff meeting minutes
- VMware Cloud on Dell EMC Cloud activation kickoff presentation
- vRealize network insights Cloud requirements validation
- Identification of the network segment to be extended
- Identification of VMs to be migrated

Phase 3: Execute

The key activities for this phase are organized into Deploy and Knowledge Transfer subphases.

In the Deploy subphase VMware deploys, documents, and validates the technology components according to the specifics. VMware does the following:

- Installs and configures the VMware technologies according to the specifics
- Finalizes the Configuration Workbook
- Executes 1 migration wave (up to 15 VMs) and service component functional test validation
- Demonstration of vRealize Log Insight Cloud capabilities
- Demonstration of vRealize Network insight Cloud capabilities

In the Knowledge Transfer subphase, VMware conducts knowledge transfer sessions covering the design, deployment procedures, and operations procedures relating to the technologies in the scope of this project. VMware does the following:

- Conducts technical knowledge transfer sessions for administrators and operators
- Conducts up to four (4) hours of knowledge transfer sessions, including fundamental operational discussions

Phase 4: Close

VMware conducts a closure meeting of up to two (2) hours with the Customer covering project status, reviewing completions, next steps and how to engage with VMware support.

LEARN MORE

Visit vmware.com/services.

FOR MORE INFORMATION

Contact a VMware Professional Services expert at vmware.com/company/contact.html.

TERMS AND CONDITIONS

This datasheet is for informational purposes only. VMWARE MAKES NO WARRANTIES, EXPRESS OR IMPLIED, IN THIS DATASHEET. All VMware service engagements are governed by the VMware Professional Services [General Terms and Conditions](#). If you are located in the United States, the VMware contracting entity for the service will be VMware, Inc. If you are outside the United States, the VMware contracting entity will be VMware International Limited.

This service must be delivered and accepted within the first 12 months of purchase, or the service will be forfeited. Pricing for this service excludes travel and other expenses. For detailed pricing, contact your local VMware representative.

Appendix

The following Customer stakeholders are required to deliver this service:

- VMware operations team leads
- Application operations leads
- Security policy team leads
- Enterprise Architect
- Infrastructure Architect
- Network Operations team leads
- Network Architecture team leads

The following are the technical prerequisites to deliver this service:

- The VMware Cloud on Dell EMC hardware should have been already delivered and physically provisioned at customer's site
- The VMware Cloud on Dell EMC first SDDC is already created
- VMware vCenter Server version 6.0 or higher for HCX Components
- VMware vCenter Server version 6.5 or higher for vRealize Network Insight Cloud
- Virtual machines must be running hardware version 9 or higher
- 3+ on-prem IP addresses from management network for HCX service installation
- Virtual machines must have VMware tools installed
- Virtual machines must reside in a service cluster (defined in the compute profile)
- Each Virtual machine overall allocated disk size should not exceed more than 250 GB
- Distributed vSwitch for networks that will be extended
- The availability of the NTP service is critical to system operations.
- Migration potential throughput can vary depending on bandwidth available for migrations, latency, available CPU/MEM/IOPS, and disk read speed. For successful switchover phase, the bandwidth and network conditions must be sufficient to satisfy the operation considering the dataset and virtual machine data change rate. For more information about how to determine bandwidth requirements, see [Bandwidth Requirements for vSphere Replication](#)

Please verify HCX requirements using the following:

- [VMware Products Interoperability Matrix for HCX](#)
- [System Requirements for HCX](#)
- [Software Version Requirements for HCX](#)
- [VMware Cloud on Dell EMC documentation](#)
- [VMware Products Interoperability Matrix for vRealize Network Insight Cloud](#)
- [System Requirements for vRealize Network Insight Cloud](#)
- [vRealize Log Insight for VMware Cloud on Dell EMC](#)