

# Tanzu CLI Accessibility Conformance Report International Edition

(Based on VPAT® Version 2.4)

**Name of Product/Version:** Tanzu Command-Line Interface v1.3.0

**Report Date:** March 2<sup>nd</sup>, 2021

**Product Description:** Tanzu CLI provides organizations an easy way to access Tanzu Kubernetes Clusters across IaaS. The CLI enables provisioning and management of regional management clusters and workload clusters.

## Contact Information:

VMware Inc.

3401 Hillview Ave.

Palo Alto, CA 94304, USA

Tel: 1-877-486-9273

Fax: 650-427-5001

For more information, contact [accessibility@vmware.com](mailto:accessibility@vmware.com)

**Notes:** N/A

**Evaluation Methods Used:** Tested with Windows 10 Enterprise using Command Prompt and NVDA. Also, tested with macOS Catalina Version 10.15.4 using the terminal and VoiceOver.

# Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
<a href="#">Web Content Accessibility Guidelines 2.0</a>	Level A: Yes Level AA: Yes Level AAA: No
<a href="#">Web Content Accessibility Guidelines 2.1</a>	Level A: Yes Level AA: Yes Level AAA: No
<a href="#">Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018</a>	Yes
<a href="#">EN 301 549 Accessibility requirements suitable for public procurement of ICT products and services in Europe, - V3.1.1 (2019-11)</a>	Yes

## Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

# WCAG 2.1 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.1 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

# Table 1: Success Criteria, Level A

Notes: NA

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.1.1 Non-text Content</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.1.1 (Web)</li> <li>• 10.1.1.1 (Non-web document)</li> <li>• 11.1.1.1.1 (Open Functionality Software)</li> <li>• 11.1.1.1.2 (Closed Functionality Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: Supports</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: TANZU CLI v1.3.0 does not display any non-textual content</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>
<p><b><u>1.2.1 Audio-only and Video-only (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.1 (Web)</li> <li>• 10.1.2.1 (Non-web document)</li> <li>• 11.1.2.1.1 (Open Functionality Software)</li> <li>• 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: Supports</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: TANZU CLI v1.3.0 does not play any prerecorded audio, on its own or combined with video. Additionally, TANZU CLI v1.3.0 does not play prerecorded video, with or without audio.</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>
<p><b><u>1.2.2 Captions (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.2 (Web)</li> <li>• 10.1.2.2 (Non-web document)</li> <li>• 11.1.2.2 (Open Functionality Software)</li> <li>• 11.1.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> </ul>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: Supports</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: TANZU CLI v1.3.0 does not use captions because it does not play pre-recorded video.</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>602.3 (Support Docs)</li> </ul>		
<p><b><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.2.3 (Web)</li> <li>10.1.2.3 (Non-web document)</li> <li>11.1.2.3.1 (Open Functionality Software)</li> <li>11.1.2.3.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: Supports</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: TANZU CLI v1.3.0 does not provide media of any type therefore audio descriptions and other media alternatives are not necessary for users of TANZU CLI v1.3.0.</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>
<p><b><u>1.3.1 Info and Relationships</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.3.1 (Web)</li> <li>10.1.3.1 (Non-web document)</li> <li>11.1.3.1.1 (Open Functionality Software)</li> <li>11.1.3.1.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: Supports</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: TANZU CLI v1.3.0 does not convey Information, structure, and relationships through any of form of presentation.</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>
<p><b><u>1.3.2 Meaningful Sequence</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.3.2 (Web)</li> <li>10.1.3.2 (Non-web document)</li> <li>11.1.3.2.1 (Open Functionality Software)</li> <li>11.1.3.2.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: Supports</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: TANZU CLI v1.3.0 does not change the sequence or reading order of the output displayed.</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>
<p><b><u>1.3.3 Sensory Characteristics</u></b> (Level A)</p> <p>Also applies to:</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p>

Criteria	Conformance Level	Remarks and Explanations
<p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.3 (Web)</li> <li>• 10.1.3.3 (Non-web document)</li> <li>• 11.1.3.3 (Open Functionality Software)</li> <li>• 11.1.3.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Software: Supports Closed: NA Authoring Tool: NA</p>	<p>Software: Since TANZU CLI v1.3.0 does not present a user interface, there is no need to use shape, size, visual location, orientation, or sound to provide instructions on how to use the user interface. Closed: NA Authoring Tool: NA</p>
<p><b>1.4.1 Use of Color</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.1 (Web)</li> <li>• 10.1.4.1 (Non-web document)</li> <li>• 11.1.4.1 (Open Functionality Software)</li> <li>• 11.1.4.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA</p>	<p>Web: NA Electronic Docs: NA Software: TANZU CLI v1.3.0 does not control the colors of the console it executes in. Closed: NA Authoring Tool: NA</p>
<p><b>1.4.2 Audio Control</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.2 (Web)</li> <li>• 10.1.4.2 (Non-web document)</li> <li>• 11.1.4.2 (Open Functionality Software)</li> <li>• 11.1.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA</p>	<p>Web: NA Electronic Docs: NA Software: TANZU CLI v1.3.0 does not present any audio content. Closed: NA Authoring Tool: NA</p>
<p><b>2.1.1 Keyboard</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.1 (Web)</li> <li>• 10.2.1.1 (Non-web document)</li> <li>• 11.2.1.1.1 (Open Functionality Software)</li> </ul>	<p>Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA</p>	<p>Electronic Docs: NA Software: TANZU CLI v1.3.0 allows all the commands to be executed with the keyboard alone Closed: NA Authoring Tool: NA</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 11.2.1.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b>2.1.2 No Keyboard Trap</b> (Level A)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.2.1.2 (Web)</li> <li>• 10.2.1.2 (Non-web document)</li> <li>• 11.2.1.2 (Open Functionality Software)</li> <li>• 11.2.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: TANZU CLI v1.3.0 does not trap the keyboard focus. Closed: NA Authoring Tool: NA
<p><b>2.1.4 Character Key Shortcuts</b> (Level A 2.1 only)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.2.1.4 (Web)</li> <li>• 10.2.1.4 (Non-web document)</li> <li>• 11.2.1.4.1 (Open Functionality Software)</li> <li>• 11.2.1.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: TANZU CLI v1.3.0 does not present a user interface therefore character key shortcuts not conceptually applicable. Closed: NA Authoring Tool: NA
<p><b>2.2.1 Timing Adjustable</b> (Level A)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.2.2.1 (Web)</li> <li>• 10.2.2.1 (Non-web document)</li> <li>• 11.2.2.1 (Open Functionality Software)</li> <li>• 11.2.2.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> </ul>	Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: TANZU CLI v1.3.0 does not present users with time limits. Closed: NA Authoring Tool: NA

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>602.3 (Support Docs)</li> </ul>		
<p><b>2.2.2 Pause, Stop, Hide</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.2.2 (Web)</li> <li>10.2.2.2 (Non-web document)</li> <li>11.2.2.2 (Open Functionality Software)</li> <li>11.2.2.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<p>Web: Not Applicable</p>	<p>Web: NA  Electronic Docs: NA  Software: TANZU CLI v1.3.0 does not present moving, blinking, scrolling, or auto-updating information.  Closed: NA  Authoring Tool: NA</p>
<p><b>2.3.1 Three Flashes or Below Threshold</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.3.1 (Web)</li> <li>10.2.3.1 (Non-web document)</li> <li>11.2.3.1 (Open Functionality Software)</li> <li>11.2.3.1 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<p>Web: NA  Electronic Docs: NA  Software: Supports  Closed: NA  Authoring Tool: NA</p>	<p>Web: NA  Electronic Docs: NA  Software: TANZU CLI v1.3.0 does not present and any flashing visualizations.  Closed: NA  Authoring Tool: NA</p>
<p><b>2.4.1 Bypass Blocks</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.1 (Web)</li> <li>10.2.4.1 (Non-web document) – Does not apply</li> <li>11.2.4.1 (Open Functionality Software) – Does not apply</li> <li>11.2.4.1 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software) – Does not apply to non-web software</li> <li>504.2 (Authoring Tool)</li> </ul>	<p>Web: NA  Electronic Docs: NA  Software: Supports  Closed: NA  Authoring Tool: NA</p>	<p>Web: NA  Electronic Docs: NA  Software: TANZU CLI v1.3.0 does not present repetitive blocks of content and or user interface components that require bypassing by keyboard-only or assistive technology users.  Closed: NA  Authoring Tool: NA</p>



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>		
<p><b>2.4.2 Page Titled</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.2 (Web)</li> <li>10.2.4.2 (Non-web document)</li> <li>11.2.4.2 (Open Functionality Software) - Does not apply</li> <li>11.2.4.2 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: Supports</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: TANZU CLI v1.3.0 does not control the title of the console window.</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>
<p><b>2.4.3 Focus Order</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.3 (Web)</li> <li>10.2.4.3 (Non-web document)</li> <li>11.2.4.3 (Open Functionality Software)</li> <li>11.2.4.3 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: Supports</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: TANZU CLI v1.3.0 does not present focusable user interface components.</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>
<p><b>2.4.4 Link Purpose (In Context)</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.4 (Web)</li> <li>10.2.4.4 (Non-web document)</li> <li>11.2.4.4 (Open Functionality Software)</li> <li>11.2.4.4 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: Supports</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: TANZU CLI v1.3.0 does not present hyperlinks.</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b>2.5.1 Pointer Gestures</b> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.1 (Web)</li> <li>• 10.2.5.1 (Non-web document)</li> <li>• 11.2.5.1 (Open Functionality Software)</li> <li>• 11.2.5.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: Supports</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: TANZU CLI v1.3.0 does not present web content that requires the use of pointer gestures.</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>
<p><b>2.5.2 Pointer Cancellation</b> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.2 (Web)</li> <li>• 10.2.5.2 (Non-web document)</li> <li>• 11.2.5.2 (Open Functionality Software)</li> <li>• 11.2.5.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: Supports</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: TANZU CLI v1.3.0 does not present web content that interprets pointer actions.</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>
<p><b>2.5.3 Label in Name</b> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.3 (Web)</li> <li>• 10.2.5.3 (Non-web document)</li> <li>• 11.2.5.3.1 (Open Functionality Software)</li> <li>• 11.2.5.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: Supports</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: TANZU CLI v1.3.0 does not present user interface components</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>
<p><b>2.5.4 Motion Actuation</b> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.4 (Web)</li> <li>• 10.2.5.4 (Non-web document)</li> <li>• 11.2.5.4 (Open Functionality Software)</li> <li>• 11.2.5.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: Supports</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: TANZU CLI v1.3.0 does not offer any functionality that can be operated by device motion or user motion.</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>
<p><b>3.1.1 Language of Page</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: Supports</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 9.3.1.1 (Web)</li> <li>• 10.3.1.1 (Non-web document)</li> <li>• 11.3.1.1.1 (Open Functionality Software)</li> <li>• 11.3.1.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Closed: NA Authoring Tool: NA	Software: TANZU CLI v1.3.0 does not override the text encoding or international settings of the console or host operating system. Closed: NA Authoring Tool: NA
<b>3.2.1 On Focus</b> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.3.2.1 (Web)</li> <li>• 10.3.2.1 (Non-web document)</li> <li>• 11.3.2.1 (Open Functionality Software)</li> <li>• 11.3.2.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: TANZU CLI v1.3.0 does not present the user with a visual user interface, therefore it cannot present any components that receive focus. Focus is not applicable to TANZU CLI v1.3.0. Closed: NA Authoring Tool: NA
<b>3.2.2 On Input</b> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.3.2.2 (Web)</li> <li>• 10.3.2.2 (Non-web document)</li> <li>• 11.3.2.2 (Open Functionality Software)</li> <li>• 11.3.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: TANZU CLI v1.3.0 does not present the user with a visual user interface, so no context changes as the result of setting a value by entering data into or manipulating a user interface component. Closed: NA Authoring Tool: NA
<b>3.3.1 Error Identification</b> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.3.3.1 (Web)</li> <li>• 10.3.3.1 (Non-web document)</li> <li>• 11.3.3.1.1 (Open Functionality Software)</li> <li>• 11.3.3.1.2 (Closed Software)</li> </ul>	Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: TANZU CLI v1.3.0 outputs errors after commands are executed. Closed: NA Authoring Tool: NA

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b>3.3.2 Labels or Instructions</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.2 (Web)</li> <li>• 10.3.3.2 (Non-web document)</li> <li>• 11.3.3.2 (Open Functionality Software)</li> <li>• 11.3.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: NA Electronic Docs: NA Software: Support Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: TANZU CLI v1.3.0 does not present any user interface components to label or provide instructions on how to use. Closed: NA Authoring Tool: NA
<p><b>4.1.1 Parsing</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.4.1.1 (Web)</li> <li>• 10.4.1.1 (Non-web document)</li> <li>• 11.4.1.1.1 (Open Functionality Software)</li> <li>• 11.4.1.1.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: TANZU CLI v1.3.0 is not implemented with a markup language. Closed: NA Authoring Tool: NA
<p><b>4.1.2 Name, Role, Value</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.4.1.2 (Web)</li> <li>• 10.4.1.2 (Non-web document)</li> <li>• 11.4.1.2.1 (Open Functionality Software)</li> <li>• 11.4.1.2.2 (Closed Software) – Not required</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> </ul>	Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: TANZU CLI v1.3.0 does not display user interface components to inspect for name, role and value. Closed: NA Authoring Tool: NA

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		

## Table 2: Success Criteria, Level AA

Notes: NA

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.2.4 Captions (Live)</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.4 (Web)</li> <li>• 10.1.2.4 (Non-web document)</li> <li>• 11.1.2.4 (Open Functionality Software)</li> <li>• 11.1.2.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: Supports</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: TANZU CLI v1.3.0 does not provide any synchronized media that contains live audio content.</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>
<p><b><u>1.2.5 Audio Description (Prerecorded)</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.5 (Web)</li> <li>• 10.1.2.5 (Non-web document)</li> <li>• 11.1.2.5 (Open Functionality Software)</li> <li>• 11.1.2.5 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software:</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: TANZU CLI v1.3.0 does not provide any synchronized media that contains live audio content.</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>
<p><b><u>1.3.4 Orientation</u></b> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.4 (Web)</li> <li>• 10.1.3.4 (Non-web document)</li> <li>• 11.1.3.4 (Open Functionality Software)</li> <li>• 11.1.3.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: Supports</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: TANZU CLI v1.3.0 does not display output in a manner that restricts its view and operation to a single display orientation.</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>
<p><b><u>1.3.5 Identify Input Purpose</u></b> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.5 (Web)</li> </ul>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: Supports</p> <p>Closed: NA</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: TANZU CLI v1.3.0 does not display user input fields.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 10.1.3.5 (Non-web document)</li> <li>• 11.1.3.5.1 (Open Functionality Software)</li> <li>• 11.1.3.5.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Authoring Tool: NA	Closed: NA Authoring Tool: NA
<b>1.4.3 Contrast (Minimum)</b> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.1.4.3 (Web)</li> <li>• 10.1.4.3 (Non-web document)</li> <li>• 11.1.4.3 (Open Functionality Software)</li> <li>• 11.1.4.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: TANZU CLI v1.3.0 does not interfere with console display settings so uses need to set console colors accessibly. Closed: NA Authoring Tool: NA
<b>1.4.4 Resize text</b> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.1.4.4 (Web)</li> <li>• 10.1.4.4 (Non-web document)</li> <li>• 11.1.4.4.1 (Open Functionality Software)</li> <li>• 11.1.4.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: Console output from TANZU CLI v1.3.0 can be resized up to 200% without the loss of content or functionality using zoom or resize functionality offered by the host operating system. Closed: NA Authoring Tool: NA
<b>1.4.5 Images of Text</b> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.1.4.5 (Web)</li> <li>• 10.1.4.5 (Non-web document)</li> <li>• 11.1.4.5.1 (Open Functionality Software)</li> <li>• 11.1.4.5.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul>	Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: TANZU CLI v1.3.0 does not display any images. Closed: NA Authoring Tool: NA

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<b><u>1.4.10 Reflow</u></b> (Level AA 2.1 only) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.1.4.10 (Web)</li> <li>• 10.1.4.10 (Non-web document)</li> <li>• 11.1.4.10 (Open Functionality Software)</li> <li>• 11.1.4.10 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: The display of content in TANZU CLI v1.3.0 is not controlled by CSS and cannot be measured in CSS pixels. Reflow is not applicable to TANZU CLI v1.3.0. Closed: NA Authoring Tool: NA
<b><u>1.4.11 Non-text Contrast</u></b> (Level AA 2.1 only) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.1.4.11 (Web)</li> <li>• 10.1.4.11 (Non-web document)</li> <li>• 11.1.4.11 (Open Functionality Software)</li> <li>• 11.1.4.11 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: TANZU CLI v1.3.0 does not display any non-text user interface components or graphical objects. Closed: NA Authoring Tool: NA
<b><u>1.4.12 Text Spacing</u></b> (Level AA 2.1 only) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.1.4.12 (Web)</li> <li>• 10.1.4.12 (Non-web document)</li> <li>• 11.1.4.12 (Open Functionality Software)</li> <li>• 11.1.4.12 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: Text spacing is not applicable to TANZU CLI v1.3.0 because it is not implemented with a markup language and does not offer the capability to configure text style properties such as line height, spacing between paragraphs, letter spacing and word spacing. Closed: NA Authoring Tool: NA
<b><u>1.4.13 Content on Hover or Focus</u></b> (Level AA 2.1 only) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.1.4.13 (Web)</li> <li>• 10.1.4.13 (Non-web document)</li> <li>• 11.1.4.13 (Open Functionality Software)</li> <li>• 11.1.4.13 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> </ul>	Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: TANZU CLI v1.3.0 does not use focus or pointer hover to trigger additional content to become visible and then hidden. Closed: NA Authoring Tool: NA



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply		
<p><b>2.4.5 Multiple Ways</b> (Level AA)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.2.4.5 (Web)</li> <li>10.2.4.5 (Non-web document) – Does not apply</li> <li>11.2.4.5 (Open Functionality Software) – Does not apply</li> <li>11.2.4.5 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software) – Does not apply to non-web software</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: TANZU CLI v1.3.0 does not present pages. This criterion does not apply. Closed: NA Authoring Tool: NA
<p><b>2.4.6 Headings and Labels</b> (Level AA)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.2.4.6 (Web)</li> <li>10.2.4.6 (Non-web document)</li> <li>11.2.4.6 (Open Functionality Software)</li> <li>11.2.4.6 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: TANZU CLI v1.3.0 is not implemented with a semantic markup language such as HTML and therefore it is not structured with headings and labels as these semantic concepts to do not apply to TANZU CLI v1.3.0. Closed: NA Authoring Tool: NA
<p><b>2.4.7 Focus Visible</b> (Level AA)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.2.4.7 (Web)</li> <li>10.2.4.7 (Non-web document)</li> <li>11.2.4.7 (Open Functionality Software)</li> <li>11.2.4.7 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> </ul>	Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: TANZU CLI v1.3.0 not offer a user interface. The concept of a user interface element in the focused state is not applicable to TANZU CLI v1.3.0. Closed: NA Authoring Tool: NA

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>		
<p><b>3.1.2 Language of Parts</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.3.1.2 (Web)</li> <li>10.3.1.2 (Non-web document)</li> <li>11.3.1.2 (Open Functionality Software) – Does not apply</li> <li>11.3.1.2 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: Supports</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: TANZU CLI v1.3.0 is not implemented in a markup language such as HTML. TANZU CLI v1.3.0 does not present parts of its content in a language that is different than the language the host operating system is configured for. The concept of Language of Parts does not apply to TANZU CLI v1.3.0.</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>
<p><b>3.2.3 Consistent Navigation</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.3.2.3 (Web)</li> <li>10.3.2.3 (Non-web document) – Does not apply</li> <li>11.3.2.3 (Open Functionality Software) – Does not apply</li> <li>11.3.2.3 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software) – Does not apply to non-web software</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: Supports</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: TANZU CLI v1.3.0 is not composed multiple views. The concept of navigation does not apply to TANZU CLI v1.3.0 and TANZU CLI v1.3.0 does not provide any mechanism that performs navigation.</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>
<p><b>3.2.4 Consistent Identification</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.3.2.4 (Web)</li> <li>10.3.2.4 (Non-web document) – Does not apply</li> <li>11.3.2.4 (Open Functionality Software) – Does not apply</li> <li>11.3.2.4 (Closed Software) – Does not apply</li> </ul>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: Supports</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>	<p>Web: NA</p> <p>Electronic Docs: NA</p> <p>Software: TANZU CLI v1.3.0 does not provided user interface elements which require identification.</p> <p>Closed: NA</p> <p>Authoring Tool: NA</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>		
<p><b>3.3.3 Error Suggestion</b> (Level AA)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.3.3.3 (Web)</li> <li>• 10.3.3.3 (Non-web document)</li> <li>• 11.3.3.3 (Open Functionality Software)</li> <li>• 11.3.3.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: TANZU CLI v1.3.0 provides error suggestions in the console output. Closed: NA Authoring Tool: NA
<p><b>3.3.4 Error Prevention (Legal, Financial, Data)</b> (Level AA)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.3.3.4 (Web)</li> <li>• 10.3.3.4 (Non-web document)</li> <li>• 11.3.3.4 (Open Functionality Software)</li> <li>• 11.3.3.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: Usage of TANZU CLI v1.3.0 does not cause legal commitments or create financial transactions Closed: NA Authoring Tool: NA
<p><b>4.1.3 Status Messages</b> (Level AA 2.1 only)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.4.1.3 (Web)</li> <li>• 10.4.1.3 (Non-web document)</li> <li>• 11.4.1.3 (Open Functionality Software)</li> <li>• 11.4.1.3 (Closed Software) – Does not apply</li> </ul>	Web: NA Electronic Docs: NA Software: Supports Closed: NA Authoring Tool: NA	Web: NA Electronic Docs: NA Software: TANZU CLI v1.3.0 is not implemented with a markup language and does not display status messages. Closed: NA Authoring Tool: NA

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply		

**Table 3: Success Criteria, Level AAA**

Notes: AAA Criteria are not evaluated in this report.

# Revised Section 508 Report

Notes:

## Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes: NA

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Supports	TANZU CLI v1.3.0 output content can be read using NVDA & VoiceOver Screen Readers.
302.2 With Limited Vision	Supports	TANZU CLI v1.3.0 output content can be read using NVDA & VoiceOver Screen Readers. It also supports any operating system zoom functionality.
302.3 Without Perception of Color	Supports	TANZU CLI v1.3.0 does not use color as the sole method to convey information.
302.4 Without Hearing	Supports	TANZU CLI v1.3.0 does not use sound to convey information.
302.5 With Limited Hearing	Supports	TANZU CLI v1.3.0 does not use sound to convey information.
302.6 Without Speech	Supports	TANZU CLI v1.3.0 does require the use of speech.
302.7 With Limited Manipulation	Supports	TANZU CLI v1.3.0 can be used with limited manipulation by using the keyboard instead of a mouse.
302.8 With Limited Reach and Strength	Supports	TANZU CLI v1.3.0 can be used with limited reach, strength and manipulation by using the keyboard.
302.9 With Limited Language, Cognitive, and Learning Abilities	Not Applicable	TANZU CLI v1.3.0 is not designed for users with limited language, cognitive or learning abilities.

## Chapter 4: [Hardware](#)

Notes: Not included in report

## Chapter 5: [Software](#)

Notes: NA

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See <a href="#">WCAG 2.1</a> section. Refer to Table 1: 1.1.1, 1.2.2, 1.2.3, 1.3.1, 1.3.2, 1.4.1, 2.1.1, 2.1.2, 2.2.1, 2.4.2, 3.3.1, 3.3.2, 4.1.1, 4.1.2. Table 2: 1.2.5, 1.3.5, 1.4.3, 1.4.4, 1.4.10, 1.4.11, 1.4.12, 2.4.6, 2.4.7, 4.1.3.	See information in WCAG 2.1 section
<b><a href="#">502 Interoperability with Assistive Technology</a></b>	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Not Applicable	TANZU CLI v1.3.0 does not offer any accessibility features.
502.2.2 No Disruption of Accessibility Features	Not Applicable	TANZU CLI v1.3.0 does not disrupt any accessibility features provided by the host operating system.
<b>502.3 Accessibility Services</b>	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Not Applicable	TANZU CLI v1.3.0 does not provide a user interface which contains objects to inspect for information.
502.3.2 Modification of Object Information	Not Applicable	TANZU CLI v1.3.0 does not provide a user interface which contains objects that are modified.
502.3.3 Row, Column, and Headers	Not Applicable	TANZU CLI v1.3.0 is not implemented with a markup language that can specify semantic rows, columns and headers for tabular information.
502.3.4 Values	Not Applicable	TANZU CLI v1.3.0 does not provide user interface components that can set or store values.
502.3.5 Modification of Values	Not Applicable	TANZU CLI v1.3.0 does not provide user interface components that can store data and allow it to be modified.
502.3.6 Label Relationships	Not Applicable	TANZU CLI v1.3.0 does not present form elements so it does not use labels.
502.3.7 Hierarchical Relationships	Not Applicable	TANZU CLI v1.3.0 does not present hierarchical data

Criteria	Conformance Level	Remarks and Explanations
502.3.8 Text	Supports	TANZU CLI v1.3.0 output content can be read using NVDA & VoiceOver Screen Readers.
502.3.9 Modification of Text	Not Applicable	TANZU CLI v1.3.0 outputs text to STDOUT but does not support modification of text.
502.3.10 List of Actions	Supports	TANZU CLI v1.3.0 provides a list of actions with the Tanzu 'help' command.
502.3.11 Actions on Objects	Not Applicable	TANZU CLI v1.3.0 does not provide a user interface of objects that can be acted upon by the user.
502.3.12 Focus Cursor	Not Applicable	TANZU CLI v1.3.0 does not provide its own focus cursor and does not interfere with the host operating system's focus cursor.
502.3.13 Modification of Focus Cursor	Not Applicable	TANZU CLI v1.3.0 does not provide its own focus cursor and does not interfere with the host operating system's focus cursor nor does it allow for modification of the operating system's focus indicator.
502.3.14 Event Notification	Not Applicable	TANZU CLI v1.3.0 is not an event driven application.
502.4 Platform Accessibility Features	Not Applicable	TANZU CLI v1.3.0 does not interfere with platform accessibility features.
<b><u>503 Applications</u></b>	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Not Applicable	TANZU CLI v1.3.0 does not interfere with user preferences.
503.3 Alternative User Interfaces	Not Applicable	TANZU CLI v1.3.0 does not interfere with alternative user preferences.
<b><i>503.4 User Controls for Captions and Audio Description</i></b>	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Applicable	TANZU CLI v1.3.0 does not present multimedia content.
503.4.2 Audio Description Controls	Not Applicable	TANZU CLI v1.3.0 does not present multimedia content.
<b><u>504 Authoring Tools</u></b>	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	See WCAG 2.x section	See information in WCAG 2.x section.
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not Applicable	TANZU CLI v1.3.0 does not convert content from one format to another.
504.2.2 PDF Export	Not Applicable	TANZU CLI v1.3.0 does not export PDF content.
504.3 Prompts	Not Applicable	TANZU CLI v1.3.0 does not prompt the user to create accessible content.
504.4 Templates	Not Applicable	TANZU CLI v1.3.0 does not use templates.

## Chapter 6: [Support Documentation and Services](#)

Notes: Not included in report.



# EN 301 549 Report

Notes: NA

## Chapter 4: [Functional Performance Statements \(FPS\)](#)

Notes: NA

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Supports	TANZU CLI v1.3.0 output content can be read using NVDA & VoiceOver Screen Readers.
4.2.2 Usage with limited vision	Supports	TANZU CLI v1.3.0 output content can be read using NVDA & VoiceOver Screen Readers. It also supports any operating system zoom functionality.
4.2.3 Usage without perception of colour	Supports	TANZU CLI v1.3.0 does not use color as the sole method to convey information.
4.2.4 Usage without hearing	Supports	TANZU CLI v1.3.0 does not use sound to convey information.
4.2.5 Usage with limited hearing	Supports	TANZU CLI v1.3.0 does not use sound to convey information.
4.2.6 Usage with no or limited vocal capability	Supports	TANZU CLI v1.3.0 does not use sound to convey information.
4.2.7 Usage with limited manipulation or strength	Supports	TANZU CLI v1.3.0 can be used with limited strength or manipulation by using the keyboard.
4.2.8 Usage with limited reach	Supports	TANZU CLI v1.3.0 can be used with limited reach by using the keyboard.
4.2.9 Minimize photosensitive seizure triggers	Supports	TANZU CLI v1.3.0 does not use photosensitive content
4.2.10 Usage with limited cognition, language or learning	Not Applicable	TANZU CLI v1.3.0 is not designed for users with limited language, cognitive or learning abilities.
4.2.11 Privacy	Supports	TANZU CLI v1.3.0 expose user's personal information

## Chapter 5: [Generic Requirements](#)

Notes: NA

Criteria	Conformance Level	Remarks and Explanations
<b>5.1 Closed functionality</b>	Heading cell – no response required	Heading cell – no response required
<b>5.1.2 General</b>	Heading cell – no response required	Heading cell – no response required
<b>5.1.2.1 Closed functionality</b>	See 5.2 through 13	See information in 5.2 through 13
<b>5.1.2.2 Assistive technology</b>	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
<b>5.1.3 Non-visual access</b>	Heading cell – no response required	Heading cell – no response required
5.1.3.1 Audio output of visual information	Not Applicable	TANZU CLI v1.3.0 does not output audio content of any kind.
5.1.3.2 Auditory output delivery including speech	Not Applicable	TANZU CLI v1.3.0 does not output audio content of any kind.
5.1.3.3 Auditory output correlation	Not Applicable	TANZU CLI v1.3.0 does not output audio content of any kind.
5.1.3.4 Speech output user control	Not Applicable	TANZU CLI v1.3.0 does not output audio content of any kind.
5.1.3.5 Speech output automatic interruption	Not Applicable	TANZU CLI v1.3.0 does not output audio content of any kind.
5.1.3.6 Speech output for non-text content	Not Applicable	TANZU CLI v1.3.0 does not provide any non-text content.
5.1.3.7 Speech output for video information	Not Applicable	TANZU CLI v1.3.0 does not provide and video information and does not generate speech output for video information.
5.1.3.8 Masked entry	Not Applicable	TANZU CLI v1.3.0 does not provide masked entry capability.
5.1.3.9 Private access to personal data	Not Applicable	TANZU CLI v1.3.0 does not use personal data.
5.1.3.10 Non-interfering audio output	Not Applicable	TANZU CLI v1.3.0 does not interfere with the host operating system’s audio output functionality.
5.1.3.11 Private listening volume	Not Applicable	TANZU CLI v1.3.0 does not provide auditory content or a private listening feature.
5.1.3.12 Speaker volume	Not Applicable	TANZU CLI v1.3.0 does not control the host operating system’s speaker volume.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.13 Volume reset	Not Applicable	TANZU CLI v1.3.0 cannot reset the host operating system's speaker volume.
5.1.3.14 Spoken languages	Not Applicable	TANZU CLI v1.3.0 does not provide speech output.
5.1.3.15 Non-visual error identification	Not Applicable	TANZU CLI v1.3.0 displays all errors visually in the console.
5.1.3.16 Receipts, tickets, and transactional outputs	Not Applicable	TANZU CLI v1.3.0 does not generate transactional outputs
5.1.4 Functionality closed to text enlargement	Not Applicable	TANZU CLI v1.3.0 supports host operating system zoom features.
5.1.5 Visual output for auditory information	Not Applicable	TANZU CLI v1.3.0 does not provide auditory information.
<b>5.1.6 Operation without keyboard interface</b>	Heading cell – no response required	Heading cell – no response required
<b>5.1.6.1 Closed functionality</b>	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Not Applicable	TANZU CLI v1.3.0 is not closed to keyboard usage but lacks user interface elements to apply a focus state to.
5.1.7 Access without speech	Not Applicable	TANZU CLI v1.3.0 does not require the use of speech.
5.2 Activation of accessibility features	Not Applicable	TANZU CLI v1.3.0 does not have documented accessibility features that require activation.
5.3 Biometrics	Not Applicable	TANZU CLI v1.3.0 does not user biometrics.
5.4 Preservation of accessibility information during conversion	Not Applicable	TANZU CLI v1.3.0 does not convert content from one format to another.
<b>5.5 Operable parts</b>	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Not Applicable	TANZU CLI v1.3.0 does not require grasping, pinching, or twisting of the wrist to operate
5.5.2 Operable parts discernibility	Not Applicable	TANZU CLI v1.3.0 does not offer a user interface, therefore it does not have operable parts.
<b>5.6 Locking or toggle controls</b>	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Not Applicable	TANZU CLI v1.3.0 does not have any locking or toggle controls to for the user to determine the status of using touch or sound.

Criteria	Conformance Level	Remarks and Explanations
5.6.2 Visual status	Not Applicable	TANZU CLI v1.3.0 does not have any locking or toggle controls, therefore it does not have any locking or toggle controls that do not convey their state visually.
5.7 Key repeat	Not Applicable	TANZU CLI v1.3.0 does not offer key repeat functionality.
5.8 Double-strike key acceptance	Not Applicable	TANZU CLI v1.3.0 does not provide keyboard or keypad or cause any delay after keystrokes during which additional keystrokes are not accepted.
5.9 Simultaneous user actions	Not Applicable	TANZU CLI v1.3.0 does not require simultaneous user actions.

## Chapter [6: ICT with Two-Way Voice Communication](#)

Notes: NA

## Chapter [7: ICT with Video Capabilities](#)

Notes: Not included in report

## Chapter [8: Hardware](#)

Notes: Not included in report

## Chapter [9: Web](#) (see [WCAG 2.1 section](#))

Notes: NA

## Chapter [10: Non-Web Software](#)

Notes: NA

## Chapter [11: Software](#)

Notes: NA

Criteria	Conformance Level	Remarks and Explanations
<b>11.0 General (informative)</b>	Heading cell – no response required	Heading cell – no response required
11.1.1.1 through 11.4.1.3	See <a href="#">WCAG 2.1</a> section. Refer to Table 1: 1.1.1, 1.2.2, 1.2.3, 1.3.1, 1.3.2, 1.4.1, 2.1.1, 2.1.2, 2.2.1, 2.4.2, 3.3.1, 3.3.2, 4.1.1, 4.1.2. Table 2: 1.2.5, 1.3.5, 1.4.3, 1.4.4, 1.4.10, 1.4.11, 1.4.12, 2.4.6, 2.4.7, 4.1.3.	See information in WCAG 2.1 section
<b>11.5 Interoperability with assistive technology</b>	Heading cell – no response required	Heading cell – no response required
<b>11.5.1 Closed functionality</b>	Heading cell – no response required	Heading cell – no response required
<b>11.5.2 Accessibility services</b>	Heading cell – no response required	Heading cell – no response required
<b>11.5.2.1 Platform accessibility service support for software that provides a user interface</b>	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
<b>11.5.2.2 Platform accessibility service support for assistive technologies</b>	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	Supports	TANZU CLI v1.3.0 supports the use of the host operating system's accessibility API.
11.5.2.4 Assistive technology	Supports	TANZU CLI v1.3.0 output content can be read using NVDA & VoiceOver Screen Readers.

Criteria	Conformance Level	Remarks and Explanations
11.5.2.5 Object information	Not Applicable	TANZU CLI v1.3.0 does not provide a user interface of objects.
11.5.2.6 Row, column, and headers	Not Applicable	TANZU CLI v1.3.0 is not implemented with a markup language that can specify semantic rows, columns and headers for tabular information.
11.5.2.7 Values	Not Applicable	TANZU CLI v1.3.0 does not provide user interface components than can set or store values.
11.5.2.8 Label relationships	Not Applicable	TANZU CLI v1.3.0 does not present form elements so it does not use labels.
11.5.2.9 Parent-child relationships	Not Applicable	TANZU CLI v1.3.0 does not present content using parent-child relationships.
11.5.2.10 Text	Supports	TANZU CLI v1.3.0 output content can be read using NVDA & VoiceOver Screen Readers.
11.5.2.11 List of available actions	Supports	TANZU CLI v1.3.0 provides a list of actions with the Tanzu 'help' command
11.5.2.12 Execution of available actions	Supports	TANZU CLI v1.3.0 provides a list of actions with the Tanzu 'help' command. All actions can be invoked with the appropriate command.
11.5.2.13 Tracking of focus and selection attributes	Not Applicable	TANZU CLI v1.3.0 does not provide its own focus cursor and does not interfere with the host operating system's focus cursor.
11.5.2.14 Modification of focus and selection attributes	Not Applicable	TANZU CLI v1.3.0 does not provide a user interface. Consequently, it does not need allow assistive technologies to programmatically modify focus, text insertion point, and selection attributes of user interface elements.
11.5.2.15 Change notification	Not Applicable	TANZU CLI v1.3.0 does not provide a user interface. Consequently, it does need to

Criteria	Conformance Level	Remarks and Explanations
		notify assistive technologies of any changes to the user interface.
11.5.2.16 Modifications of states and properties	Not Applicable	TANZU CLI v1.3.0 does not provide a user interface. There are no components with states and properties to modify.
11.5.2.17 Modifications of values and text	Not Applicable	TANZU CLI v1.3.0 does not provide a user interface or any mechanism to change values or text of content printed to STDOUT.
<b>11.6 Documented accessibility usage</b>	Heading cell – no response required	Heading cell – no response required
11.6.1 User control of accessibility features	Not Applicable	TANZU CLI v1.3.0 is not a software platform and does not offer control over platform accessibility features.
11.6.2 No disruption of accessibility features	Not Applicable	TANZU CLI v1.3.0 does not conflict with or disrupt host operating system accessibility features.
11.7 User preferences	Not Applicable	TANZU CLI v1.3.0 does not conflict with or disrupt host operating system user preferences.
<b>11.8 Authoring tools</b>	Heading cell – no response required	Heading cell – no response required
<b>11.8.1 Content technology</b>	Heading cell – no response required	Heading cell – no response required
11.8.2 Accessible content creation	See <a href="#">WCAG 2.x</a> section	See information in WCAG 2.x section
11.8.3 Preservation of accessibility information in transformations	Not Applicable	TANZU CLI v1.3.0 does not offer content conversion.
11.8.4 Repair assistance	Not Applicable	TANZU CLI v1.3.0 is not an authoring tool and does not offer accessibility testing or repair functionality.
11.8.5 Templates	Not Applicable	TANZU CLI v1.3.0 does not use templates.

## Chapter [12: Documentation and Support Services](#)

Notes: Not included in report

## Chapter [13: ICT Providing Relay or Emergency Service Access](#)

Notes: Not included in report

### Legal Disclaimer (DCLI)

This VPAT is for information purposes only. The information contained in this VPAT represents VMware's view regarding matters discussed herein as of the date of publication. Because of changing market conditions, this VPAT is not a commitment on the part of VMware, and VMware cannot guarantee the accuracy of any information presented after the date of publication. VMware makes no warranties, express or implied.

E202.2 Legacy ICT. Any component or portion of existing ICT that complies with an earlier standard issued pursuant to Section 508 of the Rehabilitation Act of 1973, as amended (as republished in Appendix D), and that has not been altered on or after January 18, 2018, shall not be required to be modified to conform to the Revised 508 Standards.

VMware defers to [www.microsoft.com](http://www.microsoft.com) for Windows and Windows application VPATs.

VMware defers to Google for Chrome VPATs.

VMware defers third party applications and tools to the third-party supplier.