

Deploying Workspace

The tasks to deploy and set up Workspace using the vSphere Client or the vSphere Web Client includes deploying the OVF template, booting up the Workspace virtual appliance, and setting up Workspace.

After the Workspace virtual appliance is deployed, you use the Workspace Setup wizard to setup the Workspace environment.

Use your information in the deployment checklists to complete the installation. See [“Deployment Checklists,”](#) on page 12.

This chapter includes the following topics:

- [“Install the Workspace OVF File,”](#) on page 15
- [“\(Optional\) Add IP Pools in Workspace,”](#) on page 16
- [“Configure Workspace Settings,”](#) on page 17
- [“Set Proxy Server Settings for Workspace,”](#) on page 19
- [“Workspace Administrative Services,”](#) on page 20
- [“Customer Experience Improvement Program,”](#) on page 20

Install the Workspace OVF File

To start the Workspace installation, you must deploy the OVF file using the VMware vSphere Client or the vSphere Web Client. You can download and deploy the OVF file from a local file that is accessible to the vSphere Client or from a Web URL.

Prerequisites

- If using the vSphere Web Client, use either Firefox or Chrome browsers. Do not use Internet Explorer to deploy the OVF file.
- Download the Workspace OVF file.

Procedure

- 1 From the vSphere Client or the vSphere Web Client, select **OVF template** to deploy the Workspace OVF file.
- 2 In the Deploy OVF Template pages, enter the information specific to your deployment of Workspace.

Page	Description
Source	Browse to the OVF package location, or enter a specific URL.
OVF Template Details	Verify that you selected the correct version of Workspace.