

VMware® VMmark™ V1.1 Results

Vendor and Hardware Platform: Unisys ES7000 Model 7405R
Virtualization Platform: ESX 3.5 U3 Build 123630

VMmark V1.1 Score =
28.97 @ 19 Tiles

Tested By: Unisys Corp. Mission Viejo, CA

Test Date: 01/05/2009

Performance Section
[Performance](#)

Configuration Section
[Configuration](#)

Notes Section
[Notes for Workload](#)

Performance

	webserver		javaserver		mailserver		fileserver		database		
TILE_0	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	GM
p0	2023.88	1.99	18035.38	1.09	1817.47	1.66	19.48	1.52	2216.22	1.49	1.52
p1	2039.05	2.00	17575.95	1.06	1899.08	1.73	19.53	1.52	2213.03	1.48	1.53
p2	2052.03	2.01	18059.65	1.09	2094.97	1.91	19.48	1.52	2191.75	1.47	1.56
TILE_1	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	GM
p0	1922.47	1.89	17968.58	1.08	1839.58	1.68	20.10	1.57	2163.28	1.45	1.51
p1	1891.03	1.86	17553.85	1.06	1885.72	1.72	19.99	1.56	2185.93	1.46	1.50
p2	2003.22	1.97	18022.35	1.08	1829.20	1.67	19.50	1.52	2190.68	1.47	1.51
TILE_2	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	GM
p0	1985.80	1.95	17983.85	1.08	1947.88	1.78	20.48	1.60	2220.65	1.49	1.55
p1	2009.55	1.97	17978.42	1.08	1773.50	1.62	20.45	1.59	2224.30	1.49	1.52
p2	2015.20	1.98	17945.05	1.08	1811.38	1.65	20.52	1.60	2219.18	1.49	1.53
TILE_3	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	GM
p0	2004.58	1.97	17647.45	1.06	1938.80	1.77	20.37	1.59	2209.72	1.48	1.54
p1	2004.17	1.97	18100.17	1.09	1826.12	1.66	20.35	1.59	2208.47	1.48	1.53
p2	2001.70	1.96	18097.50	1.09	1814.30	1.65	20.25	1.58	2204.10	1.48	1.53
TILE_4	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	GM
p0	2068.78	2.03	17957.03	1.08	1832.38	1.67	20.41	1.59	2233.38	1.50	1.54
p1	2067.30	2.03	17988.50	1.08	1928.95	1.76	20.28	1.58	2239.85	1.50	1.56
p2	2068.40	2.03	18003.72	1.08	1844.92	1.68	20.37	1.59	2240.60	1.50	1.55
TILE_5	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	GM
p0	2090.50	2.05	18083.60	1.09	1806.10	1.65	20.87	1.63	2266.68	1.52	1.55
p1	2089.35	2.05	18060.25	1.09	1757.95	1.60	21.22	1.65	2245.75	1.50	1.55
p2	2091.62	2.05	17618.25	1.06	1850.53	1.69	20.98	1.64	2250.53	1.51	1.55
TILE_6	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	GM
p0	2006.62	1.97	18113.90	1.09	1728.08	1.58	20.92	1.63	2230.55	1.49	1.52

p1	2007.53	1.97	18121.90	1.09	1825.85	1.66	20.87	1.63	2244.70	1.50	1.54
p2	2002.70	1.97	18106.30	1.09	1901.42	1.73	21.29	1.66	2231.47	1.50	1.56
TILE_7	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	GM
p0	2092.90	2.05	18118.00	1.09	1844.85	1.68	20.96	1.63	2192.57	1.47	1.55
p1	2081.32	2.04	18109.08	1.09	1877.12	1.71	20.91	1.63	2185.03	1.46	1.56
p2	2085.10	2.05	17665.28	1.06	1816.30	1.66	21.18	1.65	2182.15	1.46	1.54
TILE_8	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	GM
p0	2090.00	2.05	17673.33	1.06	1732.30	1.58	20.82	1.62	2175.03	1.46	1.52
p1	2087.05	2.05	18126.47	1.09	1764.55	1.61	20.58	1.60	2176.68	1.46	1.53
p2	2085.82	2.05	18125.03	1.09	1730.20	1.58	20.51	1.60	2171.40	1.45	1.52
TILE_9	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	GM
p0	2029.15	1.99	18068.30	1.09	1735.55	1.58	21.13	1.65	2281.85	1.53	1.54
p1	2019.35	1.98	18047.42	1.09	1776.30	1.62	20.98	1.64	2284.22	1.53	1.54
p2	2020.35	1.98	18043.10	1.09	1888.28	1.72	20.94	1.63	2278.03	1.53	1.56
TILE_10	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	GM
p0	2064.72	2.03	18086.17	1.09	1704.97	1.55	20.79	1.62	2172.57	1.46	1.52
p1	2071.50	2.03	18088.28	1.09	1835.40	1.67	20.69	1.61	2202.72	1.48	1.55
p2	2072.35	2.03	18091.08	1.09	1811.33	1.65	20.46	1.59	2208.10	1.48	1.54
TILE_11	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	GM
p0	2053.53	2.02	18075.40	1.09	1701.90	1.55	21.31	1.66	2318.45	1.55	1.54
p1	2052.97	2.01	18074.45	1.09	1836.78	1.67	21.03	1.64	2331.43	1.56	1.57
p2	2044.58	2.01	18080.03	1.09	1779.50	1.62	21.07	1.64	2328.95	1.56	1.55
TILE_12	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	GM
p0	2075.10	2.04	18090.38	1.09	1613.97	1.47	20.37	1.59	2120.32	1.42	1.49
p1	2071.12	2.03	17645.50	1.06	1784.53	1.63	20.37	1.59	2122.70	1.42	1.51
p2	2018.97	1.98	18102.83	1.09	1820.15	1.66	20.29	1.58	2130.12	1.43	1.52
TILE_13	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	GM
p0	2079.12	2.04	18084.45	1.09	1526.95	1.39	20.32	1.58	1972.47	1.32	1.45
p1	2074.90	2.04	18073.30	1.09	1670.05	1.52	20.27	1.58	1986.47	1.33	1.48
p2	2074.70	2.04	18079.17	1.09	1806.85	1.65	20.21	1.58	1983.50	1.33	1.50
TILE_14	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	GM
p0	2093.35	2.05	18140.40	1.09	1544.30	1.41	20.32	1.58	2233.35	1.50	1.50
p1	2091.78	2.05	17667.20	1.06	1621.53	1.48	20.28	1.58	2217.68	1.49	1.50
p2	2090.60	2.05	18107.15	1.09	1685.38	1.54	20.34	1.59	2225.57	1.49	1.52
TILE_15	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	GM
p0	2029.78	1.99	18086.25	1.09	1513.83	1.38	21.08	1.64	2199.20	1.47	1.49
p1	2023.40	1.99	17628.45	1.06	1645.53	1.50	21.24	1.66	2101.53	1.41	1.49
p2	2026.12	1.99	18042.75	1.09	1770.45	1.61	21.10	1.64	2093.72	1.40	1.52

TILE_16	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	GM
p0	2025.92	1.99	18060.17	1.09	1355.12	1.24	21.06	1.64	2254.12	1.51	1.46
p1	2028.70	1.99	18065.20	1.09	1583.58	1.44	21.41	1.67	2254.85	1.51	1.51
p2	2025.42	1.99	18061.47	1.09	1729.72	1.58	20.94	1.63	2249.20	1.51	1.53
TILE_17	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	GM
p0	2059.72	2.02	17644.47	1.06	1303.55	1.19	20.47	1.60	2129.90	1.43	1.42
p1	2056.25	2.02	18093.95	1.09	1638.30	1.49	20.38	1.59	2164.00	1.45	1.50
p2	2048.20	2.01	18099.95	1.09	1664.78	1.52	20.42	1.59	2139.75	1.43	1.50
TILE_18	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	Actual	Ratio	GM
p0	2100.90	2.06	17598.33	1.06	1163.30	1.06	20.95	1.63	2267.20	1.52	1.42
p1	2101.85	2.06	18029.97	1.09	1534.72	1.40	20.93	1.63	2266.70	1.52	1.51
p2	2097.88	2.06	18044.30	1.09	1645.53	1.50	21.00	1.64	2265.53	1.52	1.53
p0_score:	28.64										
p1_score:	28.97										
p2_score:	29.12										
Unreviewed_VMmark_Score:	28.97										

Configuration

Server and Network	
Server Manufacturer and Model	Unisys ES7000 Model 7405R
Processor Vendor and Model	Quad-core AMD Opteron 8384
Processor Speed (GHz)	2.7
Number of Sockets/Cores per Socket	8 Sockets / 4 Cores per Socket (32 Cores Total)
Primary Cache	64KB I+D on chip per core
Secondary Cache	512KB I+D on chip per core
Other Cache	6MB I+D on chip per core
Memory	256GB (64x4GB) 667MHz
Disk Subsystem Type	SAS(OS) FC SAN(VMs)
Number of Disk Controllers	5
Number of Host Bus Adapters	3
Host Bus Adapter Vendors and Models	Emulex LPe11002 4Gb FC
Number of Network Controllers	4
Network Controller Vendors and Models	Intel PRO 1000PT 1GbE
Network Switch Vendors and Models	NETGEAR 16 port GigabitSwitch/GS516T
Network Speed	1000-Base T

Other Hardware	None
Other Software	None
Hardware Availability Date	Feb-2009
Software Availability Date	Nov-2008

Virtualization Software

Vendor, Product, Version, and Build	VMWare ESX 3.5 U3 (build 123630)
Virtualization Type	Hardware Virtualization
Supplemental Software	None
Virtualization Software Availability Date	Nov-2008

Storage

Array Vendor, Model, and Firmware Version	Unisys USS2200/JBD2000 Firmware A06
Fibre Channel Switch Vendors and Models	None
Disk Space Used	4780GB
Array Cache Size	None
Number and Size of LUNs	20 LUNs with 239GB each LUN
RAID Type	RAID 0
Number of Members per RAID Set	14
Disk Vendor, Model, and Speed	Seagate Cheetah ST318453FC 15KRPM

Clients

Number of Clients	19
System Model(s)	Unisys ES3020L
Processor Vendor(s) and Model(s)	Intel Xeon
Processor Speed(s) (GHz)	2.0
Number of Sockets/Cores per Socket	2 Sockets / 1 Cores per Socket (2 Cores Total)
Memory	3GB
Network Controller Vendor and Model	Broadcom NetXtreme Gigabit Ethernet
Operating System, Version, and Service Pack	Microsoft Windows Server 2003 SP1
Other Hardware	None
Other Software	None

Notes for Workload

Server and Network Notes

Disk Storage Notes

Five Unisys USS disk controllers were attached to 5 ports of three dual-port of HBAs.

Virtualization Software Notes

. Four vSwitches (0-3).vSwitch(1,2,3) were configured with 120 ports each. vSwitch0 was configured with 56 ports

. vSwitch0 was attached to vmnic7, used by the Service Console

. vSwitch1,vSwitch2,vSwitch3 were attached to vmnic4,vmnic5,vmnic6 respectively

. All the VMs of Tile0 to Tile4 and Tile17 were attached to vSwitch1

. All the VMs of Tile5 to Tile9 and Tile16 were attached to vSwitch2

. All the VMs of Tile 10 to Tile15 and Tile18 were attached to vSwitch3

. Each Tile was store on one LUN except MailServer 12,13,14,16,17 on LUN 17,18,20,13,14 respectively

. Network adapter type was set to enhanced vmxnet for all VMs

. Removed IDE and floppy devices from all VMs

. Enabled Virtualized MMU for all VMs

. Disabled ESX logging on all VMs

. Disabled Firewall

. Disk.SchedNumReqOutstanding=128 (default 32)

. Misc.RunningVCpuLimit=192 (default 128)

. VMFS3.MaxHeapSizeMB=64 (default 16)

. COW.MaxHeapSizeMB=64 (default 32)

. EtherswitchHashSize=4 (default 1)

. Pegasus service was stopped prior to run

. VMFS2 was unloaded prior to run

Operating System Notes

. Microsoft Windows Server 2003 R2 Enterprise Edition Service Pack 2 on Windows-based virtual machines

. SuSE Linux Enterprise Server 10 SP2 on Linux-based virtual machines

Software Notes

Client Notes

Other Notes

The disk storage system was generally available since May 2003; it has been available within the last five years; but no longer available now.

VMMARK.CONFIG

.TILEDELAY=750 (default 600)

.MailServer/DELAYTIME=360 (default 5)

.Standby/DELAYTIME=150 (default 170)

.WebServer/DELAYTIME=450 (default 180)

.Database/DELAYTIME=180 (default 360)

.FileServer/DELAYTIME=5 (default 450)

This is a full disclosure report for a VMmark benchmark result. All published VMmark results must be from fully-compliant tests for which a full disclosure report is publicly available.

For information about VMmark and the rules regarding its usage visit www.vmware.com/products/vmmark.

VMware and VMmark are trademarks or registered trademarks of VMware, Inc. VMware® VMmark™ is a product of [VMware, Inc.](http://www.vmware.com). VMmark utilizes SPECjbb®2005 and SPECweb®2005, which are available from the [Standard Performance Evaluation Corporation \(SPEC®\)](http://www.spec.org).