



# VMware Cloud Activation Essentials Services

## End of Sale March 1, 2024

### At a glance

VMware Cloud Activation Essentials Services accelerate the time to adopt your first cloud SDDC and give you the choice of setting up HCX for workload migration or configuring your first DR site to protect VMs to the cloud.

### Key benefits

- Rapidly instantiate a VMware Cloud™ solution
- Free IT staff to work on business-critical activities
- Minimize disruption to existing resources and operations
- Learn how to manage and operate your solution from VMware experts through knowledge transfer

### SKUs

#### Azure VMware® Solution

PS-AVS-ACT-ESSL-C

#### Google Cloud VMware® Engine

PS-GCVE-ACT-ESSL-C

#### Oracle Cloud VMware® Solution

PS-OCVS-ACT-ESSL-C

#### VMware Cloud™ on AWS

PS-VMC-ACT-ESSL-C

#### VMware Cloud™ on Dell EMC

PS-VMC-D-ACT-ESSL-C

### Service overview

VMware Cloud Activation™ Essentials Services provide a rapid setup of your first cloud SDDC, and your choice of the following:

- Setting up VMware HCX® to start migrating workloads
- Configuring your first disaster recovery (DR) site to protect VMs to the cloud

These services can help ensure your team understand the fundamentals of the cloud solution implemented.

If this is not your first VMware Cloud SDDC setup, we will help to extend the existing one.

Through a knowledge transfer workshop, VMware will provide an overview of the VMware methodology, best practices, and information resources.

### Workstreams

This offering allows you to choose only one (1) of the following two workstreams. Both workstreams require VMware on-premises and VMware on-cloud products, with vendor-supported versions as agreed to by VMware and Customer at project kickoff but limited to those that are in general availability (GA).

#### Workstream 1: Cloud SDDC and migration components setup

- Validation of requirements and creation of your first cloud SDDC in one of the supported cloud infrastructures
- Deployment of HCX components on-premises and pairing with a cloud SDDC
- Validation of the ability to migrate VMs from on-premises to the cloud SDDC
- A VMware Migration Methodology knowledge transfer session

This workstream applies to the following cloud infrastructure:

- Azure VMware Solution
- Google Cloud VMware Engine
- Oracle Cloud VMware Solution
- VMware Cloud on AWS and VMware Cloud Flex Storage™
- VMware Cloud on Dell EMC

### Workstream 2: DR solution and VM protection setup

- Validation of requirements and creation of your first cloud SDDC in one of the supported cloud infrastructures
- Activation in one recovery site of either VMware Cloud Disaster Recovery™ or VMware Site Recovery Manager™
- Activation in one protected site of either VMware Cloud Disaster Recovery or Site Recovery Manager
- Creation of one (1) protection group for up to five (5) VMs
- Creation and test of one (1) DR plan
- A knowledge transfer session about VMware Cloud Disaster Recovery or Site Recovery Manager

This workstream applies to the following cloud infrastructure:

- Azure VMware Solution
- Google Cloud VMware Engine
- Oracle Cloud VMware Solution
- VMware Cloud on AWS and VMware Cloud Flex Storage
- VMware Cloud on Dell EMC

### Workstream 3: Expand SDDC compute and storage

- Validation of requirements and creation of an additional cluster, with up to eight (8) Hosts, in your VMware Cloud SDDC.
- Attach of an external Datastore supported by your VMware Cloud SDDC.
- A knowledge transfer session

This workstream applies to the following cloud infrastructure:

- Azure VMware Solution with Azure Netapp Fileserver
- Google Cloud VMware Engine with CVS File Storage
- Oracle Cloud VMware Solution with OCI Blocks Volumes
- VMware Cloud on AWS with VMware Cloud Flex Storage

**Note:** For all the workstreams, please check the VMware Requirements and Product Interoperability Matrix links in the Appendix.

### Service delivery description

Service activities will be entirely delivered remotely by VMware Professional Services offshore resources. Due to the nature of some on-premises components and security aspects we require Customer to join virtual sessions and engage their infrastructure, network, and security teams when appropriate to execute required actions (e.g., firewall port configurations or appliance deployments) under VMware Team supervision. The delivery team will also

require validating the proper configurations and requirements are in place before proceeding with the remote installation.

### Project scope

The scope of the services delivered is dependent on which workstream is chosen:

- Workstream 1: Cloud SDDC and migration components setup
- Workstream 2: Disaster Recovery solution and VMs protection setup
- Workstream 3: Expand SDDC compute and storage

The scope of activities is defined in the following tables grouped under the specific workstream.

### Workstream 1: Migration use case

#### Cloud SDDC and migration components setup

Cloud SDDC		
Specification	Parameters	Description
Review requirements and validate user accounts	Up to one (1) cluster	Review and validation of cloud infrastructure and SDDC requirements.
Create VMware SDDC	Up to one (1)	Execute the deployment of the planned VMware SDDC through the cloud provider portal.
Cloud VPN	Up to one (1)	On-premises interconnectivity using cloud VPN is useful for low-volume data connections. For additional cloud connection options, please check the cloud provider links in the appendix.
Configure gateway firewall rules	Up to five (5)	Configure VMware NSX™ Management firewall rules for establishing the network connectivity between on-prem and the VMware SDDC.
Additional Storage	Up to one (1)	If available, up to 1 VMware Cloud Flex Storage datastore can be added to the default SDDC

VMware HCX		
Specification	Parameters	Description
VMware vCenter® cloud-side instances	Up to one (1)	VMware vCenter cloud-side instance identified as initial target to activate VMware HCX.
On-premises VMware vCenter instance	Up to one (1)	On-premises VMware vCenter instance identified as initial source to deploy VMware HCX.
On-premises Layer 2 networks extended	Up to one (1)	On-premises Layer 2 networks to extend with VMware HCX.
Additional VMware HCX activities		configure migration of up to five (5) low complexity virtual machines for validation purpose.

## Workstream 2: DR protection use case

### Cloud SDDC and DR solution and VM protection setup

Cloud SDDC		
Specification	Parameters	Description
Review requirements and validate user accounts	Up to one (1) cluster	Review and validation of cloud infrastructure and SDDC requirements.
Create VMware SDDC	Up to one (1)	Deploy the planned cloud SDDC through the cloud provider portal.
Cloud VPN	Up to one (1)	On-premises interconnectivity using cloud VPN is useful for low-volume data connections. For additional cloud connection options, please check the cloud provider links in the appendix.
Configure gateway firewall rules	Up to five (5)	This should be changed to configure NSX™ Management firewall rules for establishing the network connectivity between OnPrem and VMware SDDC
Additional Storage	Up to one (1)	If available up to 1 VMware Cloud Flex Storage datastore can be added to the SDDC

Based on the specific cloud infrastructure you can use only one (1) of following products options:

- VMware Cloud Disaster Recovery
- Site Recovery Manager (or VMware Site Recovery™)

VMware Cloud Disaster Recovery		
Specification	Parameters	Description
VMware Cloud Disaster Recovery in the recovery site	Up to one (1)	VMware Cloud Disaster Recovery region where the service will be activated.
VMware Cloud Disaster Recovery in the protected site	Up to one (1)	Activation of VMware Cloud Disaster Recovery at the protected SDDC on cloud-side or on-premises where an appliance will be deployed in Customer environment.
Protection groups	Up to one (1)	VMware Cloud Disaster Recovery protection group configured.
DR plans	Up to one (1)	VMware Cloud Disaster Recovery DR plan configured.
Virtual machines	Up to five (5)	Virtual machines protected.
DR plan testing and cleanup	Up to two (2)	Test and cleanup for a DR plan consisting of no more than five (5) non-business critical VMs and no larger than 200GB for each VM.

Site Recovery Manager		
Specification	Parameters	Description
Site Recovery Manager recovery site	Up to one (1) Recovery site	Site Recovery Manager to be activated and configured at the recovery site.
Site Recovery Manager protected site	Up to one (1) Protected site	Components deployed at the protected site: one (1) VMware vSphere® replication appliance and one (1) Site Recovery Manager appliance.
Protection groups	Up to one (1)	Site Recovery Manager server protection group configured.
Recovery plans	Up to one (1)	Site Recovery Manager server recovery plan configured.

Virtual Machines (VMs) protected	Up to five (5)	VMs to be protected.
Recovery Plan testing and cleanup	Up to two (2)	Test and cleanup of a recovery plan consisting of no more than five (5) non-business critical VMs and no larger than 200GB for each VM.

### Workstream 3: Expand use case

#### Expand SDDC compute and storage

Cloud SDDC		
Specification	Parameters	Description
Create new Cluster	Up to one (1) cluster	Review and validation of cloud infrastructure and SDDC requirements.
Number of Hosts	Up to eight (8)	Add new Hosts to the cluster as part of activities to expand the SDDC compute
Additional Storage	Up to one (1)	up to 1 External Storage datastore will be added to the SDDC

#### Estimated schedule

VMware estimates that the duration of one of the workstreams described will not exceed 2 weeks. VMware Professional Services will operate according to a schedule agreed to by both parties. Typically, services are performed during normal business hours and workdays (weekdays and non-holidays).

#### Out of scope

The following are out of scope items for the defined project workstreams:

##### General

- Installation and configuration of custom or third-party applications and operating systems on deployed virtual machines
- Operating system administration including the operating system itself or any operating system features or components
- Management of change to virtual machines, operating systems, custom or third-party applications, databases, and administration of general network changes within Customer control
- Remediation work associated with any problems resulting from the content, completeness, accuracy, and consistency of any data, materials, or information supplied by Customer

- Installation or configuration of VMware products not included in the scope of this document
- Installation and configuration of third-party software or other technical services that are not applicable to VMware components
- Installation and configuration of Customer-signed certificates
- Configuration of VMware products used for the service other than those implemented for the mutually agreed-to use cases
- Customer solution training other than the defined knowledge transfer session
- Creation of user roles and groups
- Creation of local accounts
- Configuration of additional LDAP/Active Directory sources
- vCenter content library creation, OS images creation/copy/sync
- Creation of networking segments, VPNs, and additional firewall rules not included in the specific service scope
- Specific cloud vendor networking solutions (i.e., AWS Direct Connect, Microsoft ExpressRoute, Google Cloud Interconnect) configuration and troubleshooting
- Design or configuration of interconnectivity between different SDDCs or other native cloud services

### **VMware HCX**

- Creation of additional network extensions or stretched networks not included in the specific service scope
- Deployment of additional target or source endpoints
- Deployment and configuration of Enterprise features like OSAM, MON, RAV or mobility groups
- Mixed cloud infrastructure for Initial target and initial source

### **VMware DR solutions**

- Configuration or troubleshooting of on-premises networking and firewall components
- Protection of VMs created by vSphere vApp(s)
- Protection of Fault Tolerant VMs
- Protection of VMs with Shared disks
- Replication using Array-based, VVOLs, and storage policy protection groups
- Mixed cloud infrastructure for protected and recovery sites

### Workload migration

- Pre- and post-application validation
- Backup/restore of virtual machines
- Multi-instances databases and/or part of database clusters will not be migrated
- Virtual machines with raw device mappings (RDM)
- Virtual machines with SCSI bus sharing cannot be migrated.
- NSX security tags and configurations related to the virtual machine will not be migrated.
- Virtual machine (with) snapshots
- Migration of physical to virtual environments
- Migration of clustered virtual machines
- Migration of virtual machines other than vSphere as source and target

### Project Activities

#### Phase 1: Initiate

VMware hosts a project initiation call with key Customer and VMware stakeholders.

Topics to be discussed include:

- Project business drivers, workstream scope identification, and objectives
- Project deadlines, timelines, scheduling, and logistics
- Identification of key Customer team members who VMware will work with to accomplish the tasks defined in this project
- Technology prerequisites necessary for a successful project, including review of the Service Checklist for the VMware solution
- Confirmation of team members and contact details will be exchanged to schedule the project kickoff meeting

Deliverables include:

- Initial pre-engagement call

#### Phase 2: Plan

VMware leads a project kickoff meeting with Customer to assess prerequisite completion readiness, review the VMware standard architecture, and confirm project milestone dates.

The objectives of the meeting are as follows:

- Introducing the VMware team, roles, and responsibilities
- Describing the project goals, phases, and key dates



- Explaining the expected project results and deliverables
- Agreeing on communication and reporting process
- Validating the project expectations and clarifying roles and responsibilities

After Customer and VMware agree on project expectations, the VMware Project Manager and the Customer Project Manager work together on the detailed project plan.

Deliverables include:

- Project kickoff meeting minutes
- VMware Cloud Activation kickoff presentation

### **Phase 3: Build**

The key activities for this phase are organized into Deploy and Knowledge Transfer subphases.

In the Deploy subphase VMware does the following:

- Activate, Deploy, configure, and demonstrate VMware technologies accordingly to the workstream
- Finalize the configuration workbook
- Perform components functional testing

In the Knowledge Transfer subphase, VMware conducts knowledge transfer sessions covering the overall architecture, deployment procedures, and operations procedures relating to the technologies in the scope. VMware does the following:

- Conduct technical knowledge transfer for administrators and operators during the activities
- Conduct up to 4 hours of knowledge transfer sessions, including fundamental operational discussions

### **Phase 4: Close**

VMware conducts a closure meeting of up to four (4) hours with the Customer covering project status, reviewing completions, next steps and how to engage with VMware support.

## Learn more

Visit [vmware.com/services](https://vmware.com/services).

## Terms and conditions

All VMware service engagements are governed by the VMware General Terms and Professional Services Exhibit on the [VMware ONE Contract Center](#). If you are located in the United States, the VMware contracting entity for the service will be VMware, Inc. If you are outside the United States, the VMware contracting entity will be VMware International Limited.

This service must be delivered and accepted within the first 12 months of purchase, or the service will be forfeited. Pricing for this service excludes travel and other expenses. For detailed pricing, contact your local VMware representative.

## Appendix

The following Customer stakeholders are required to participate during the delivery of project activities:

- VMware operations team leads
- Application operations leads
- Security policy team leads
- Enterprise architect
- Infrastructure architect
- Network operations team leads
- Network architecture team leads

## Requirements

To deliver the service accordingly to the expected timeline we require:

- Virtual machines must be running hardware version 9 or higher
- Virtual machines must have VMware tools installed
- Each virtual machine overall allocated disk size should not exceed more than 250 GB
- Distributed vSwitch must be in use for VMware Aria Operations™ for Networks and networks that need to be extended with HCX
- The availability of the NTP service is critical to system operations
- Migration potential throughput can vary depending on bandwidth available for migrations, latency, available CPU/MEM/IOPS, and disk read speed. For more information about how to determine bandwidth requirements, see [Bandwidth Requirements for vSphere Replication](#)

Please verify product requirements and interoperability with the following:

- [VMware Products interoperability matrix](#)
- [System Requirements for HCX](#)
- [Software Version Requirements for HCX](#)
- [VMware Cloud on AWS documentation](#)
- [VMware Cloud Flex Storage Documentation](#)
- [VMware Cloud on Dell EMC documentation](#)
- [KB about VMware Cloud on Dell EMC End of Sales and End of Support](#)
- [Azure VMware solution documentation](#)
- [Google Cloud VMware Engine documentation](#)
- [Oracle Cloud VMware Solution documentation](#)
- [VMware Cloud Disaster Recovery documentation](#)
- [VMware Site Recovery Manager documentation](#)
- [VMware Site Recovery for VMware Cloud on AWS documentation](#)