

VMmark[®] 4.0.1 Disclosure

Server Vendor & Model: Dell PowerEdge R7725 Storage Vendor & Model: Dell PowerStore 5000T Hypervisor: VMware ESXi 8.0 Update 3, Build 24022510 Server Management Software: VMware vCenter Server 8.0 Update 3, Build 24022515
--

Non-compliant

Number of Hosts: 2		Uniform Hosts: yes		Total sockets/cores/threads in test: 4/768/1536	
Tested By: Dell Technologies		Test Date: 09-17-2024		SUT Availability Date: 11-19-2024	
Performance Section Performance		Configuration Section Configuration		Notes Section Notes for Workload	
				Virtual Machines Section Virtual Machines	

It has been determined that this result was not in compliance with the VMmark Run and Reporting Rules. This result did not meet public availability requirements and therefore was not in compliance with section 3.2.8 of the Run and Reporting Rules.

Performance

[illegible]

[illegible]

p1											
p2											
TILE_4_Ratios	WVAuctionVM	WVAuctionK8S	DVDStoreA	DVDStoreB	DVDStoreC	NoSQLBenchA	NoSQLBenchB	NoSQLBenchC	SocialNetwork	Standby	Geo.Mean
p0											
p1											
p2											
TILE_4_QoS	WVAuctionVM%	WVAuctionK8S%	DVDStoreA	DVDStoreB	DVDStoreC	NoSQLBenchA	NoSQLBenchB	NoSQLBenchC			
p0											
p1											
p2											
TILE_5_Scores	WVAuctionVM	WVAuctionK8S	DVDStoreA	DVDStoreB	DVDStoreC	NoSQLBenchA	NoSQLBenchB	NoSQLBenchC	SocialNetwork	Standby	
p0											
p1											
p2											
TILE_5_Ratios	WVAuctionVM	WVAuctionK8S	DVDStoreA	DVDStoreB	DVDStoreC	NoSQLBenchA	NoSQLBenchB	NoSQLBenchC	SocialNetwork	Standby	Geo.Mean
p0											
p1											
p2											
TILE_5_QoS	WVAuctionVM%	WVAuctionK8S%	DVDStoreA	DVDStoreB	DVDStoreC	NoSQLBenchA	NoSQLBenchB	NoSQLBenchC			
p0											
p1											
p2											
p0_score:	NC										
p1_score:	NC										
p2_score:	NC										

Infrastructure_Operations_Scores:					vMotion		SVMotion		XVMotion		Deploy	
Completed_Ops_PerHour					NC		NC		NC		NC	
Avg_Seconds_To_Complete					NC		NC		NC		NC	
Failures					NC		NC		NC		NC	
Ratio					NC		NC		NC		NC	
Number_Of_Threads					NC		NC		NC		NC	

Summary						Run_Is_Compliant			Median_Phase(p1)		

Virtual Network Controllers, Speeds, MTUs, Firmware, Drivers, Vendors, and Models	vmnic0	100 Gbps	Full	9000	229.2.62.0 /pkg 22.92.07.50	bnxtnet	Broadcom NetXtreme-E P2100D BCM57508 2x100G QSFP PCIE Ethernet
	vmnic1	100 Gbps	Full	9000	229.2.62.0 /pkg 22.92.07.50	bnxtnet	Broadcom NetXtreme-E P2100D BCM57508 2x100G QSFP PCIE Ethernet
	vmnic2	25 Gbps	Full	9000	229.2.62.0 /pkg 22.92.07.50	bnxtnet	Broadcom NetXtreme E-Series Quad-port 25Gb OCP 3.0 Ethernet Adapter
	vmnic3	25 Gbps	Full	9000	229.2.62.0 /pkg 22.92.07.50	bnxtnet	Broadcom NetXtreme E-Series Quad-port 25Gb OCP 3.0 Ethernet Adapter
	vmnic4	25 Gbps	Full	9000	229.2.62.0 /pkg 22.92.07.50	bnxtnet	Broadcom NetXtreme E-Series Quad-port 25Gb OCP 3.0 Ethernet Adapter
	vmnic5	25 Gbps	Full	9000	229.2.62.0 /pkg 22.92.07.50	bnxtnet	Broadcom NetXtreme E-Series Quad-port 25Gb OCP 3.0 Ethernet Adapter

Number of Virtual Switches	4
----------------------------	---

Virtual Switches, Ports, Port Groups, MTUs, and Uplinks

Switch	Ports	Configured Ports	MTU	Uplinks
vSwitch0	9216	128	9000	vmnic2, vmnic3
vSwitch1	9216	128	9000	vmnic1
vSwitch2	9216	128	9000	vmnic4, vmnic5
vSwitch3	9216	128	9000	vmnic0

Switch	Port Group	VLAN ID	Uplinks
vSwitch0	Management Network	0	vmnic2, vmnic3
vSwitch0	VMNetwork	0	vmnic2, vmnic3
vSwitch1	NVMe over TCP	0	vmnic1
vSwitch2	VMNetwork2	0	vmnic4, vmnic5
vSwitch3	vMotion	0	vmnic0

VMkernel Network Adapters, Port Groups, MTUs, TCP/IP Stacks, and Services	Device	Port Group/DVPort	MTU	TCP/IP Stack	Services
	vmk0	Management Network	9000	Default	Management
	vmk1	vMotion	9000	Default	vMotion
	vmk2	NVMe over TCP	9000	Default	NVMeTCP

Physical Switch Vendors, Models, and Speeds	Dell PowerSwitch Z9264F-ON 100Gb
---	----------------------------------

Primary Storage	
-----------------	--

Storage Category	NVMe over TCP
------------------	---------------

	<table><tr><th>Datastores</th><th>Type</th><th>Size</th><th>Storage Device</th></tr><tr><td>Deploy</td><td>VMFS-6</td><td>2.2 TB</td><td>NVMe TCP Disk</td></tr></table>	Datastores	Type	Size	Storage Device	Deploy	VMFS-6	2.2 TB	NVMe TCP Disk	
Datastores	Type	Size	Storage Device							
Deploy	VMFS-6	2.2 TB	NVMe TCP Disk							

Datastores	OSDATA-66da37ca-bc7dd97c-4b27-00620b21fc50		VMFSOS	128.6 GB	Local NVMe Disk				
	Tile0		VMFS-6	3.3 TB	NVMe TCP Disk				
	Tile1		VMFS-6	3.3 TB	NVMe TCP Disk				
	Tile2		VMFS-6	3.3 TB	NVMe TCP Disk				
	Tile3		VMFS-6	3.3 TB	NVMe TCP Disk				
	Tile4		VMFS-6	3.3 TB	NVMe TCP Disk				
	Tile5		VMFS-6	3.3 TB	NVMe TCP Disk				
	svmotion		VMFS-6	2.2 TB	NVMe TCP Disk				
	xvmotion		VMFS-6	2.2 TB	NVMe TCP Disk				
	Number of Storage Devices		11						
Storage Device Names, Sizes, Types, Vendors, Models, and Revisions	Storage Device	Size	Type	Vendor	Model	Revision	Path Selection Policy	Path Selection Policy Config	# Working Paths
	NVMe TCP Disk	2.2 TB	Direct-Access	NVMe	dell EMC PowerStore	3.6.0.0	LB-IOPS	iops=1	1
	NVMe TCP Disk	2.2 TB	Direct-Access	NVMe	dell EMC PowerStore	3.6.0.0	LB-IOPS	iops=1	1
	NVMe TCP Disk	2.2 TB	Direct-Access	NVMe	dell EMC PowerStore	3.6.0.0	LB-IOPS	iops=1	1
	Local NVMe Disk (Boot Device)	3.2 TB	Direct-Access	NVMe	Dell NVMe PM1745 MU E3.S 3.2TB	1.0.1	FIXED	preferred=none	1
	NVMe TCP Disk	3.3 TB	Direct-Access	NVMe	dell EMC PowerStore	3.6.0.0	LB-IOPS	iops=1	1
	NVMe TCP Disk	3.3 TB	Direct-Access	NVMe	dell EMC PowerStore	3.6.0.0	LB-IOPS	iops=1	1
	NVMe TCP Disk	3.3 TB	Direct-Access	NVMe	dell EMC PowerStore	3.6.0.0	LB-IOPS	iops=1	1
	NVMe TCP Disk	3.3 TB	Direct-Access	NVMe	dell EMC PowerStore	3.6.0.0	LB-IOPS	iops=1	1
	NVMe TCP Disk	3.3 TB	Direct-Access	NVMe	dell EMC PowerStore	3.6.0.0	LB-IOPS	iops=1	1
	NVMe TCP Disk	3.3 TB	Direct-Access	NVMe	dell EMC PowerStore	3.6.0.0	LB-IOPS	iops=1	1
	NVMe TCP Disk	3.3 TB	Direct-Access	NVMe	dell EMC PowerStore	3.6.0.0	LB-IOPS	iops=1	1
	NVMe TCP Disk	3.3 TB	Direct-Access	NVMe	dell EMC PowerStore	3.6.0.0	LB-IOPS	iops=1	1
How Datastores Map to Storage Devices		See detailed storage notes							

VMware vSAN Configuration (if used)				None																			
RAID Configuration (if used)				None																			
Server Management																							
VMware vCenter Server Number of vCPUs							8																
VMware vCenter Server Virtual Memory (in GB)							30																
Clients																							
Total Client VMs (including Prime Client)		7																					
Number of Client Hosts (all subsequent fields in this section are per Client Host)		2																					
System Model(s)		- Client Host 1: Dell PowerEdge R7625 - Client Host 2: Dell PowerEdge R7625																					
Processor Vendor(s) and Model(s)		- Client Host 1: AMD EPYC 9754 - Client Host 2: AMD EPYC 9754																					
Processor Speed(s) (GHz)		- Client Host 1: 2.25 GHz - Client Host 2: 2.25 GHz																					
Total Sockets/Total Cores/Total Threads		<table><tr><td>Client Host</td><td>Sockets</td><td>Cores</td><td>Threads</td></tr><tr><td>Client Host 1</td><td>2</td><td>256</td><td>512</td></tr><tr><td>Client Host 2</td><td>2</td><td>256</td><td>512</td></tr><tr><td>Total</td><td>4</td><td>512</td><td>1024</td></tr></table>						Client Host	Sockets	Cores	Threads	Client Host 1	2	256	512	Client Host 2	2	256	512	Total	4	512	1024
Client Host	Sockets	Cores	Threads																				
Client Host 1	2	256	512																				
Client Host 2	2	256	512																				
Total	4	512	1024																				
NUMA Nodes		- Client Host 1: 2 - Client Host 2: 2																					
Memory Size (in GB) per Client Host		<table><tr><td>Client Host</td><td>BIOS</td><td>ESXi</td></tr><tr><td>Client Host 1</td><td>3072 GB</td><td>3072 GB</td></tr><tr><td>Client Host 2</td><td>3072 GB</td><td>3072 GB</td></tr></table>						Client Host	BIOS	ESXi	Client Host 1	3072 GB	3072 GB	Client Host 2	3072 GB	3072 GB							
Client Host	BIOS	ESXi																					
Client Host 1	3072 GB	3072 GB																					
Client Host 2	3072 GB	3072 GB																					
Virtual Network Controllers, Speeds, MTUs, Firmware, Drivers, Vendors, and Models		Client Host	Device	Speed	Duplex	MTU	Firmware	Driver	Description														
		Client Host 1	vmnic0	1 Gbps	Full	1500	bc 1.39 ncsi 1.5.53.0	ntg3	Broadcom Corporation NetXtreme BCM5720 Gigabit Ethernet														
			vmnic2	25 Gbps	Full	9000	229.2.52.0 /pkg 22.92.06.10	bnxtnet	Broadcom NetXtreme E-Series Advanced Dual-port 25Gb SFP28 Ethernet OCP 3.0 Adapter														
			vmnic3	25 Gbps	Full	9000	229.2.52.0 /pkg 22.92.06.10	bnxtnet	Broadcom NetXtreme E-Series Advanced Dual-port 25Gb SFP28 Ethernet OCP 3.0 Adapter														
			vmnic4	100 Gbps	Full	9000	229.2.54.0 /pkg 22.92.06.10	bnxtnet	Broadcom NetXtreme-E P2100D BCM57508 2x100G QSFP PCIE Ethernet														
			vmnic5	100 Gbps	Full	9000	229.2.54.0 /pkg 22.92.06.10	bnxtnet	Broadcom NetXtreme-E P2100D BCM57508 2x100G QSFP PCIE Ethernet														
			vmnic0	1 Gbps	Full	1500	bc 1.39 ncsi 1.5.53.0	ntg3	Broadcom Corporation NetXtreme BCM5720 Gigabit Ethernet														

	<table><tr><td rowspan="4">Client Host 2</td><td>vmnic2</td><td>25 Gbps</td><td>Full</td><td>9000</td><td>229.2.52.0 /pkg 22.92.06.10</td><td>bnxtnet</td><td>Broadcom NetXtreme E-Series Advanced Dual-port 25Gb SFP28 Ethernet OCP 3.0 Adapter</td></tr><tr><td>vmnic3</td><td>25 Gbps</td><td>Full</td><td>9000</td><td>229.2.52.0 /pkg 22.92.06.10</td><td>bnxtnet</td><td>Broadcom NetXtreme E-Series Advanced Dual-port 25Gb SFP28 Ethernet OCP 3.0 Adapter</td></tr><tr><td>vmnic4</td><td>100 Gbps</td><td>Full</td><td>9000</td><td>229.2.54.0 /pkg 22.92.06.10</td><td>bnxtnet</td><td>Broadcom NetXtreme-E P2100D BCM57508 2x100G QSFP PCIE Ethernet</td></tr><tr><td>vmnic5</td><td>100 Gbps</td><td>Full</td><td>9000</td><td>229.2.54.0 /pkg 22.92.06.10</td><td>bnxtnet</td><td>Broadcom NetXtreme-E P2100D BCM57508 2x100G QSFP PCIE Ethernet</td></tr></table>	Client Host 2	vmnic2	25 Gbps	Full	9000	229.2.52.0 /pkg 22.92.06.10	bnxtnet	Broadcom NetXtreme E-Series Advanced Dual-port 25Gb SFP28 Ethernet OCP 3.0 Adapter	vmnic3	25 Gbps	Full	9000	229.2.52.0 /pkg 22.92.06.10	bnxtnet	Broadcom NetXtreme E-Series Advanced Dual-port 25Gb SFP28 Ethernet OCP 3.0 Adapter	vmnic4	100 Gbps	Full	9000	229.2.54.0 /pkg 22.92.06.10	bnxtnet	Broadcom NetXtreme-E P2100D BCM57508 2x100G QSFP PCIE Ethernet	vmnic5	100 Gbps	Full	9000	229.2.54.0 /pkg 22.92.06.10	bnxtnet	Broadcom NetXtreme-E P2100D BCM57508 2x100G QSFP PCIE Ethernet																																																									
Client Host 2	vmnic2		25 Gbps	Full	9000	229.2.52.0 /pkg 22.92.06.10	bnxtnet	Broadcom NetXtreme E-Series Advanced Dual-port 25Gb SFP28 Ethernet OCP 3.0 Adapter																																																																															
	vmnic3		25 Gbps	Full	9000	229.2.52.0 /pkg 22.92.06.10	bnxtnet	Broadcom NetXtreme E-Series Advanced Dual-port 25Gb SFP28 Ethernet OCP 3.0 Adapter																																																																															
	vmnic4		100 Gbps	Full	9000	229.2.54.0 /pkg 22.92.06.10	bnxtnet	Broadcom NetXtreme-E P2100D BCM57508 2x100G QSFP PCIE Ethernet																																																																															
	vmnic5	100 Gbps	Full	9000	229.2.54.0 /pkg 22.92.06.10	bnxtnet	Broadcom NetXtreme-E P2100D BCM57508 2x100G QSFP PCIE Ethernet																																																																																
Virtual Switches, Ports, Port Groups, MTUs, and Uplinks	<table><tr><th>Client Host</th><th>Switch</th><th>Ports</th><th>Configured Ports</th><th>MTU</th><th>Uplinks</th></tr><tr><td rowspan="4">Client Host 1</td><td>vSwitch0</td><td>9216</td><td>128</td><td>9000</td><td>vmnic4</td></tr><tr><td>vSwitch1</td><td>9216</td><td>128</td><td>9000</td><td>vmnic5</td></tr><tr><td>vSwitch2</td><td>9216</td><td>128</td><td>1500</td><td>vmnic0</td></tr><tr><td>vSwitch3</td><td>9216</td><td>128</td><td>9000</td><td>vmnic2, vmnic3</td></tr><tr><td rowspan="3">Client Host 2</td><td>vSwitch0</td><td>9216</td><td>128</td><td>9000</td><td>vmnic4</td></tr><tr><td>vSwitch1</td><td>9216</td><td>128</td><td>9000</td><td>vmnic5</td></tr><tr><td>vSwitch2</td><td>9216</td><td>128</td><td>9000</td><td>vmnic2, vmnic3</td></tr></table> <table><tr><th>Client Host</th><th>Switch</th><th>Port Group</th><th>VLAN ID</th><th>Uplinks</th></tr><tr><td rowspan="5">Client Host 1</td><td>vSwitch0</td><td>Management Network</td><td>0</td><td>vmnic4</td></tr><tr><td>vSwitch0</td><td>VMNetwork</td><td>0</td><td>vmnic4</td></tr><tr><td>vSwitch1</td><td>NVMe over TCP</td><td>0</td><td>vmnic5</td></tr><tr><td>vSwitch2</td><td>VAAI</td><td>0</td><td>vmnic0</td></tr><tr><td>vSwitch3</td><td>VMNetwork2</td><td>0</td><td>vmnic2, vmnic3</td></tr><tr><td rowspan="4">Client Host 2</td><td>vSwitch0</td><td>Management Network</td><td>0</td><td>vmnic4</td></tr><tr><td>vSwitch0</td><td>VMNetwork</td><td>0</td><td>vmnic4</td></tr><tr><td>vSwitch1</td><td>NVMe over TCP</td><td>0</td><td>vmnic5</td></tr><tr><td>vSwitch2</td><td>VMNetwork2</td><td>0</td><td>vmnic2, vmnic3</td></tr></table>	Client Host	Switch	Ports	Configured Ports	MTU	Uplinks	Client Host 1	vSwitch0	9216	128	9000	vmnic4	vSwitch1	9216	128	9000	vmnic5	vSwitch2	9216	128	1500	vmnic0	vSwitch3	9216	128	9000	vmnic2, vmnic3	Client Host 2	vSwitch0	9216	128	9000	vmnic4	vSwitch1	9216	128	9000	vmnic5	vSwitch2	9216	128	9000	vmnic2, vmnic3	Client Host	Switch	Port Group	VLAN ID	Uplinks	Client Host 1	vSwitch0	Management Network	0	vmnic4	vSwitch0	VMNetwork	0	vmnic4	vSwitch1	NVMe over TCP	0	vmnic5	vSwitch2	VAAI	0	vmnic0	vSwitch3	VMNetwork2	0	vmnic2, vmnic3	Client Host 2	vSwitch0	Management Network	0	vmnic4	vSwitch0	VMNetwork	0	vmnic4	vSwitch1	NVMe over TCP	0	vmnic5	vSwitch2	VMNetwork2	0	vmnic2, vmnic3
Client Host	Switch	Ports	Configured Ports	MTU	Uplinks																																																																																		
Client Host 1	vSwitch0	9216	128	9000	vmnic4																																																																																		
	vSwitch1	9216	128	9000	vmnic5																																																																																		
	vSwitch2	9216	128	1500	vmnic0																																																																																		
	vSwitch3	9216	128	9000	vmnic2, vmnic3																																																																																		
Client Host 2	vSwitch0	9216	128	9000	vmnic4																																																																																		
	vSwitch1	9216	128	9000	vmnic5																																																																																		
	vSwitch2	9216	128	9000	vmnic2, vmnic3																																																																																		
Client Host	Switch	Port Group	VLAN ID	Uplinks																																																																																			
Client Host 1	vSwitch0	Management Network	0	vmnic4																																																																																			
	vSwitch0	VMNetwork	0	vmnic4																																																																																			
	vSwitch1	NVMe over TCP	0	vmnic5																																																																																			
	vSwitch2	VAAI	0	vmnic0																																																																																			
	vSwitch3	VMNetwork2	0	vmnic2, vmnic3																																																																																			
Client Host 2	vSwitch0	Management Network	0	vmnic4																																																																																			
	vSwitch0	VMNetwork	0	vmnic4																																																																																			
	vSwitch1	NVMe over TCP	0	vmnic5																																																																																			
	vSwitch2	VMNetwork2	0	vmnic2, vmnic3																																																																																			
VMkernel Network Adapters, Port Groups, MTUs, TCP/IP Stacks, and Services	<table><tr><th>Client Host</th><th>Device</th><th>Port Group/DVPort</th><th>MTU</th><th>TCP/IP Stack</th><th>Services</th></tr><tr><td rowspan="2">Client Host 1</td><td>vmk0</td><td>Management Network</td><td>9000</td><td>Default</td><td>Management</td></tr><tr><td>vmk1</td><td>NVMe over TCP</td><td>9000</td><td>Default</td><td>NVMeTCP</td></tr><tr><td rowspan="2">Client Host 2</td><td>vmk0</td><td>Management Network</td><td>9000</td><td>Default</td><td>Management</td></tr><tr><td>vmk1</td><td>NVMe over TCP</td><td>9000</td><td>Default</td><td>NVMeTCP</td></tr></table>	Client Host	Device	Port Group/DVPort	MTU	TCP/IP Stack	Services	Client Host 1	vmk0	Management Network	9000	Default	Management	vmk1	NVMe over TCP	9000	Default	NVMeTCP	Client Host 2	vmk0	Management Network	9000	Default	Management	vmk1	NVMe over TCP	9000	Default	NVMeTCP																																																										
Client Host	Device	Port Group/DVPort	MTU	TCP/IP Stack	Services																																																																																		
Client Host 1	vmk0	Management Network	9000	Default	Management																																																																																		
	vmk1	NVMe over TCP	9000	Default	NVMeTCP																																																																																		
Client Host 2	vmk0	Management Network	9000	Default	Management																																																																																		
	vmk1	NVMe over TCP	9000	Default	NVMeTCP																																																																																		
Client Storage Notes	See Client Notes Section																																																																																						

Other Hardware	None
Other Software	VMware ESXi 8.0 Update 3, Build 24022510

Notes for Workload

Template deployed with disk type: Thick Eager

Virtualization Software Notes

- vSphere DRS Enabled
- vSphere DRS Automation Level set to Fully Automated
- vSphere DRS Migration Threshold set to 2
- Logical CPU layout changed for all multi-CPU VMs to 1 socket with multiple cores (default single core per socket) except Prime Client, Template, Client and AuctionK* VMs
- Logging was disabled for all VMs except Prime Client (default enabled)
- All DS35DB VMs had CPU shares set to High (default Normal)
- All DS35DB VMs had Memory shares set to High (default Normal)
- All memory reserved (LockedToMax) for all DS35DB VMs
- All Standby VMs had CPU shares set to Low (default Normal)
- sched.mem.lpage.enable1GPage set to TRUE for all DS35DB VMs (default FALSE)
- CD/DVD device was removed from all VMs except Prime Client (default present)

SUT Host ESXi Advanced Settings:

Advanced Setting	Host 1	Host 2	Default
Cpu.CreditAgePeriod	1000	1000	3000
Cpu.HTWholeCoreThreshold	0	0	800
DataMover.HardwareAcceleratedInit	0	0	1
DataMover.HardwareAcceleratedMove	0	0	1
Disk.IdleCredit	64	64	32
Disk.ReqCallThreshold	1	1	8
Mem.CtlMaxPercent	0	0	65
Mem.ShareScanGHz	0	0	4
Numa.LTermFairnessInterval	0	0	5
Numa.LocalityWeightActionAffinity	0	0	130
Numa.MigImbalanceThreshold	57	57	10
Numa.PageMigEnable	0	0	1
Numa.RebalancePeriod	60000	60000	2000
Numa.SwapLoadEnable	0	0	1
Numa.SwapLocalityEnable	0	0	1

Power.CpuPolicy	Performance	Performance	Balanced
UserVars.HostClientCEIPOptIn	2	2	0
UserVars.SuppressShellWarning	1	1	0

SUT Host ESXi Module Options:

Module	Host 1	Host 2	Default
tcpip4	ipv6=1	ipv6=1	ipv6=1

Server Notes

Server BIOS Settings:

- System Profile Settings : Performance (default Performance per Watt(OS))
- Thermal Profile : Max Performance (default Default Thermal Profile Settings)
- Multi-segment Enable : Disabled (default Enabled)

Networking Notes

SUTs:

- vSwitch0 : Management Network (vmk0) and vMotion (vmk1) using vmnic0
- vSwitch1 : NVMe over TCP (vmk2) using vmnic 1
- vSwitch2 : VMNetwork2 for VM traffic using vmnic2, vmnic3, vmnic4 and vmnic5
All vSwitches vmk0,vmk1,vmk2 and vmnic0-vmnic5 set to MTU 9000

ClientHost1:

- vSwitch0 : Management Network (vmk0) and VMNetwork using vmnic4
- vSwitch1 : NVMe over TCP (vmk1) using vmnic 5
- vSwitch2 : VAAI to connect to PowerStore using vmnic0
- vSwitch3 : VMNetwork2 using vmnic2 and vmnic3
All vSwitches (except vSwitch2) vmk0, vmk1 and vmnic0, vmnic2-vmnic5 set to MTU 9000

ClientHost2:

- vSwitch0 : Management Network (vmk0) and VMNetwork using vmnic4
- vSwitch1 : NVMe over TCP (vmk2) using vmnic 5
- vSwitch2 : VMNetwork2 using vmnic2 and vmnic3
All vSwitches, vmk0, vmk1 and vmnic2-vmnic5 set to MTU 9000

Storage Notes

- Primary Storage : Dell PowerStore 5000T, Software Version :3.6.0.0, Build 2145637
- Drives used in Dell PowerStore 5000T : 16 x 7.7TB NVMe SSD + 5 x 3.84TB NVMe SSD
- NVMe over TCP was used for connectivity to the LUNs in Powerstore 5000T
- Claim rules were used to change the Path Selection Policy to LB-IOPS and iops=1
- Template was located on the Deploy Datastore which was created on the PowerStore for Deploy operations (Deploy : 2TB)
- On both SUT hosts Dell Customized VMware ESXi 8.0 Update 3 was installed on Dell NVMe PM1745 MU E3.S 3.2TB

- On both Client hosts, VMware ESXi 8.0 Update 3 was installed on Dell NVMe PE8010 RI M.2 960GB (RAID 1)

Server Management Notes

VMware vCenter Server 8.0 Update 3, Build 24022515 was hosted as a VM on ClientHost1

Operating System Notes

SUT Host ESXi Image Profile: DEL-ESXi_803.24022510-X71

Software Notes

None

Client Notes

- vSphere DRS Disabled

Client Host BIOS settings:

- L2 Prefetcher : Disabled (default Enabled)
- L2 Up/Down Prefetcher : Disabled (default Enabled)
- System Profile Settings : Performance (default Performance per Watt(OS))
- Thermal Profile : Max Performance (default Default Thermal Profile Settings)

Client Host ESXi Advanced Settings:

Advanced Setting	Host 1	Host 2	Default
Cpu.CreditAgePeriod	1000	1000	3000
Cpu.HTWholeCoreThreshold	0	0	800
DataMover.HardwareAcceleratedInit	0	0	1
DataMover.HardwareAcceleratedMove	0	0	1
Disk.IdleCredit	64	64	32
Disk.ReqCallThreshold	1	1	8
Mem.CtlMaxPercent	0	0	65
Mem.ShareScanGHz	0	0	4
Numa.LTermFairnessInterval	0	0	5
Numa.LocalityWeightActionAffinity	0	0	130
Numa.MigImbalanceThreshold	57	57	10
Numa.PageMigEnable	0	0	1
Numa.RebalancePeriod	60000	60000	2000
Numa.SwapLoadEnable	0	0	1

AuctionAppB1	4	4	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile1	VMNetwork2	17	12325
AuctionAppB2	4	4	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile2	VMNetwork2	17	12325
AuctionAppB3	4	4	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile3	VMNetwork2	17	12325
AuctionAppB4	4	4	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile4	VMNetwork2	17	12325
AuctionAppB5	4	4	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile5	VMNetwork2	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionAppC0	4	4	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile0	VMNetwork2	17	12325
AuctionAppC1	4	4	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile1	VMNetwork2	17	12325
AuctionAppC2	4	4	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile2	VMNetwork2	17	12325
AuctionAppC3	4	4	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile3	VMNetwork2	17	12325
AuctionAppC4	4	4	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile4	VMNetwork2	17	12325
AuctionAppC5	4	4	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile5	VMNetwork2	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionKA0	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile0	VMNetwork2	17	12325
AuctionKA1	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile1	VMNetwork2	17	12325
AuctionKA2	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile2	VMNetwork2	17	12325
AuctionKA3	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile3	VMNetwork2	17	12325
AuctionKA4	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile4	VMNetwork2	17	12325
AuctionKA5	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile5	VMNetwork2	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionKB0	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile0	VMNetwork2	17	12325
AuctionKB1	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile1	VMNetwork2	17	12325
AuctionKB2	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile2	VMNetwork2	17	12325
AuctionKB3	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile3	VMNetwork2	17	12325
AuctionKB4	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile4	VMNetwork2	17	12325
AuctionKB5	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile5	VMNetwork2	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionKC0	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile0	VMNetwork2	17	12325
AuctionKC1	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile1	VMNetwork2	17	12325
AuctionKC2	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile2	VMNetwork2	17	12325

AuctionKC3	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile3	VMNetwork2	17	12325
AuctionKC4	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile4	VMNetwork2	17	12325
AuctionKC5	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile5	VMNetwork2	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionKD0	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile0	VMNetwork2	17	12325
AuctionKD1	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile1	VMNetwork2	17	12325
AuctionKD2	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile2	VMNetwork2	17	12325
AuctionKD3	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile3	VMNetwork2	17	12325
AuctionKD4	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile4	VMNetwork2	17	12325
AuctionKD5	8	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile5	VMNetwork2	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionWebA0	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile0	VMNetwork2	17	12325
AuctionWebA1	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile1	VMNetwork2	17	12325
AuctionWebA2	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile2	VMNetwork2	17	12325
AuctionWebA3	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile3	VMNetwork2	17	12325
AuctionWebA4	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile4	VMNetwork2	17	12325
AuctionWebA5	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile5	VMNetwork2	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionWebB0	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile0	VMNetwork2	17	12325
AuctionWebB1	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile1	VMNetwork2	17	12325
AuctionWebB2	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile2	VMNetwork2	17	12325
AuctionWebB3	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile3	VMNetwork2	17	12325
AuctionWebB4	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile4	VMNetwork2	17	12325
AuctionWebB5	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile5	VMNetwork2	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionWebC0	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile0	VMNetwork2	17	12325
AuctionWebC1	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile1	VMNetwork2	17	12325
AuctionWebC2	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile2	VMNetwork2	17	12325
AuctionWebC3	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile3	VMNetwork2	17	12325

AuctionWebC4	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile4	VMNetwork2	17	12325
AuctionWebC5	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile5	VMNetwork2	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionWebDNosql0	4	4	20480	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile0	VMNetwork2	17	12325
AuctionWebDNosql1	4	4	20480	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile1	VMNetwork2	17	12325
AuctionWebDNosql2	4	4	20480	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile2	VMNetwork2	17	12325
AuctionWebDNosql3	4	4	20480	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile3	VMNetwork2	17	12325
AuctionWebDNosql4	4	4	20480	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile4	VMNetwork2	17	12325
AuctionWebDNosql5	4	4	20480	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile5	VMNetwork2	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionWebEDB0	4	4	16384	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile0	VMNetwork2	17	12325
AuctionWebEDB1	4	4	16384	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile1	VMNetwork2	17	12325
AuctionWebEDB2	4	4	16384	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile2	VMNetwork2	17	12325
AuctionWebEDB3	4	4	16384	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile3	VMNetwork2	17	12325
AuctionWebEDB4	4	4	16384	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile4	VMNetwork2	17	12325
AuctionWebEDB5	4	4	16384	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile5	VMNetwork2	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionWebF0	2	2	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile0	VMNetwork2	17	12325
AuctionWebF1	2	2	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile1	VMNetwork2	17	12325
AuctionWebF2	2	2	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile2	VMNetwork2	17	12325
AuctionWebF3	2	2	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile3	VMNetwork2	17	12325
AuctionWebF4	2	2	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile4	VMNetwork2	17	12325
AuctionWebF5	2	2	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile5	VMNetwork2	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
DS35DB0	24	24	49152	TRUE	FALSE	Removed	0	Unlimited	high	49152	Unlimited	high	TRUE	TRUE	normal	Tile0	VMNetwork2	17	12325
DS35DB1	24	24	49152	TRUE	FALSE	Removed	0	Unlimited	high	49152	Unlimited	high	TRUE	TRUE	normal	Tile1	VMNetwork2	17	12325
DS35DB2	24	24	49152	TRUE	FALSE	Removed	0	Unlimited	high	49152	Unlimited	high	TRUE	TRUE	normal	Tile2	VMNetwork2	17	12325
DS35DB3	24	24	49152	TRUE	FALSE	Removed	0	Unlimited	high	49152	Unlimited	high	TRUE	TRUE	normal	Tile3	VMNetwork2	17	12325
DS35DB4	24	24	49152	TRUE	FALSE	Removed	0	Unlimited	high	49152	Unlimited	high	TRUE	TRUE	normal	Tile4	VMNetwork2	17	12325
DS35DB5	24	24	49152	TRUE	FALSE	Removed	0	Unlimited	high	49152	Unlimited	high	TRUE	TRUE	normal	Tile5	VMNetwork2	17	12325

VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
DS35WebA0	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile0	VMNetwork2	17	12325
DS35WebA1	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile1	VMNetwork2	17	12325
DS35WebA2	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile2	VMNetwork2	17	12325
DS35WebA3	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile3	VMNetwork2	17	12325
DS35WebA4	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile4	VMNetwork2	17	12325
DS35WebA5	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile5	VMNetwork2	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
DS35WebB0	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile0	VMNetwork2	17	12325
DS35WebB1	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile1	VMNetwork2	17	12325
DS35WebB2	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile2	VMNetwork2	17	12325
DS35WebB3	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile3	VMNetwork2	17	12325
DS35WebB4	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile4	VMNetwork2	17	12325
DS35WebB5	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile5	VMNetwork2	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
DS35WebC0	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile0	VMNetwork2	17	12325
DS35WebC1	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile1	VMNetwork2	17	12325
DS35WebC2	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile2	VMNetwork2	17	12325
DS35WebC3	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile3	VMNetwork2	17	12325
DS35WebC4	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile4	VMNetwork2	17	12325
DS35WebC5	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile5	VMNetwork2	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
NoSQLBenchA0	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile0	VMNetwork2	17	12325
NoSQLBenchA1	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile1	VMNetwork2	17	12325
NoSQLBenchA2	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile2	VMNetwork2	17	12325
NoSQLBenchA3	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile3	VMNetwork2	17	12325
NoSQLBenchA4	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile4	VMNetwork2	17	12325
NoSQLBenchA5	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile5	VMNetwork2	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version

NoSQLBenchB0	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile0	VMNetwork2	17	12325
NoSQLBenchB1	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile1	VMNetwork2	17	12325
NoSQLBenchB2	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile2	VMNetwork2	17	12325
NoSQLBenchB3	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile3	VMNetwork2	17	12325
NoSQLBenchB4	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile4	VMNetwork2	17	12325
NoSQLBenchB5	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile5	VMNetwork2	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
NoSQLBenchC0	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile0	VMNetwork2	17	12325
NoSQLBenchC1	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile1	VMNetwork2	17	12325
NoSQLBenchC2	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile2	VMNetwork2	17	12325
NoSQLBenchC3	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile3	VMNetwork2	17	12325
NoSQLBenchC4	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile4	VMNetwork2	17	12325
NoSQLBenchC5	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile5	VMNetwork2	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
SocialNetwork0	36	36	16384	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile0	VMNetwork2	17	12325
SocialNetwork1	36	36	16384	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile1	VMNetwork2	17	12325
SocialNetwork2	36	36	16384	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile2	VMNetwork2	17	12325
SocialNetwork3	36	36	16384	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile3	VMNetwork2	17	12325
SocialNetwork4	36	36	16384	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile4	VMNetwork2	17	12325
SocialNetwork5	36	36	16384	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Tile5	VMNetwork2	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
Standby0	1	1	2048	TRUE	FALSE	Removed	0	Unlimited	low	0	Unlimited	normal	FALSE	FALSE	normal	Tile0	VMNetwork2	17	12325
Standby1	1	1	2048	TRUE	FALSE	Removed	0	Unlimited	low	0	Unlimited	normal	FALSE	FALSE	normal	Tile1	VMNetwork2	17	12325
Standby2	1	1	2048	TRUE	FALSE	Removed	0	Unlimited	low	0	Unlimited	normal	FALSE	FALSE	normal	Tile2	VMNetwork2	17	12325
Standby3	1	1	2048	TRUE	FALSE	Removed	0	Unlimited	low	0	Unlimited	normal	FALSE	FALSE	normal	Tile3	VMNetwork2	17	12325
Standby4	1	1	2048	TRUE	FALSE	Removed	0	Unlimited	low	0	Unlimited	normal	FALSE	FALSE	normal	Tile4	VMNetwork2	17	12325
Standby5	1	1	2048	TRUE	FALSE	Removed	0	Unlimited	low	0	Unlimited	normal	FALSE	FALSE	normal	Tile5	VMNetwork2	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
VMmark-4.0.1-208	4	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Deploy	VMNetwork2	17	12325

Client Host Virtual Machines

VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
Client0	64	1	98304	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Client_Datastore	VMNetwork2	17	12325
Client1	64	1	98304	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Client_Datastore	VMNetwork2	17	12325
Client2	64	1	98304	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Client_Datastore	VMNetwork2	17	12325
Client3	64	1	98304	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Client_Datastore	VMNetwork2	17	12325
Client4	64	1	98304	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Client_Datastore	VMNetwork2	17	12325
Client5	64	1	98304	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Client_Datastore	VMNetwork2	17	12325
Prime Client	4	1	32768	TRUE	TRUE	Present	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Client_Datastore	VMNetwork, VMNetwork2	17	12325
VMware vCenter Server	8	1	30720	FALSE	TRUE	Present	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	Client_Datastore	VMNetwork, VMNetwork, VAAI	10	12389

This is a full disclosure report for a VMmark® benchmark result. All published VMmark results must be from fully-compliant tests for which a full disclosure report is publicly available.

For information about VMmark and the rules regarding its usage visit www.vmware.com/products/vmmark [vmware.com].

VMware and VMmark are trademarks or registered trademarks of VMware, Inc. VMmark is a product of VMware, Inc. [vmware.com]