

VMmark[®] 4.0.2 Disclosure

Server Vendor & Model: HPE ProLiant DL385 Gen11 Storage Vendor & Model: iSCSI with 2 * HPE ProLiant DL385 Gen11 Hypervisor: VMware ESXi 8.0 Update 3e, Build 24674464 Server Management Software: VMware vCenter Server 8.0 Update 3, Build 24022515	VMmark 4.0.2 Score = 1.08 @ 1.2 Tiles
---	--

Number of Hosts: 2	Uniform Hosts: yes	Total sockets/cores/threads in test: 4/96/192
---------------------------	---------------------------	--

Tested By: Hewlett Packard Enterprise	Test Date: 06-25-2025	SUT Availability Date: 04-17-2025
--	------------------------------	--

Performance Section Performance	Configuration Section Configuration	Notes Section Notes for Workload	Virtual Machines Section Virtual Machines
---	---	--	---

Performance

TILE_0_Scores	WVAuctionVM	WVAuctionK8S	DVDStoreA	DVDStoreB	DVDStoreC	NoSQLBenchA	NoSQLBenchB	NoSQLBenchC	SocialNetwork	Standby	
p0	13953.87	9218.85	2881.93	2058.78	1548.95	51966.31	51980.96	52014.26	71.38	1.00	
p1	13937.62	9189.77	2832.05	2037.83	1457.55	52360.14	52360.13	52360.60	71.21	1.00	
p2	13936.47	9163.96	2843.82	2053.90	1533.62	51578.08	51577.72	51577.84	70.86	1.00	
TILE_0_Ratios	WVAuctionVM	WVAuctionK8S	DVDStoreA	DVDStoreB	DVDStoreC	NoSQLBenchA	NoSQLBenchB	NoSQLBenchC	SocialNetwork	Standby	Geo.Mean
p0	1.00	1.00	0.99	0.96	1.01	0.92	0.92	0.92	0.99	1.00	0.97
p1	1.00	1.00	0.98	0.95	0.95	0.93	0.93	0.93	0.99	1.00	0.96
p2	1.00	1.00	0.98	0.96	1.00	0.91	0.91	0.91	0.98	1.00	0.96
TILE_0_QoS	WVAuctionVM%	WVAuctionK8S%	DVDStoreA	DVDStoreB	DVDStoreC	NoSQLBenchA	NoSQLBenchB	NoSQLBenchC			
p0	0.66 0.01	0.40 0.00	442.29	536.29	557.67	0.60	0.60	0.61			
p1	0.75 0.03	0.41 0.00	477.21	551.73	584.08	0.64	0.64	0.64			
p2	0.82 0.02	0.42 0.00	465.14	535.64	575.34	0.66	0.66	0.66			
TILE_1_Scores	WVAuctionVM	WVAuctionK8S	DVDStoreA	DVDStoreB	DVDStoreC	NoSQLBenchA	NoSQLBenchB	NoSQLBenchC	SocialNetwork	Standby	
p0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	71.01	N/A	
p1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	70.11	N/A	
p2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	69.73	N/A	
TILE_1_Ratios	WVAuctionVM	WVAuctionK8S	DVDStoreA	DVDStoreB	DVDStoreC	NoSQLBenchA	NoSQLBenchB	NoSQLBenchC	SocialNetwork	Standby	Geo.Mean
p0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.99	N/A	0.11
p1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.97	N/A	0.11
p2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.97	N/A	0.11
TILE_1_QoS	WVAuctionVM%	WVAuctionK8S%	DVDStoreA	DVDStoreB	DVDStoreC	NoSQLBenchA	NoSQLBenchB	NoSQLBenchC			
p0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
p1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
p2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
p0_score:	1.08										
p1_score:	1.07										
p2_score:	1.07										

Infrastructure_Operations_Scores:	vMotion	SVMotion	XVMotion	Deploy
Completed_Ops_PerHour	29.00	15.00	15.00	18.00
Avg_Seconds_To_Complete	1.09	19.33	16.60	158.58
Failures	0.00	0.00	0.00	0.00
Ratio	0.98	1.15	1.15	1.24
Number_Of_Threads	1	1	1	1
Summary		Run_Is_Compliant	Median_Phase(p2)	
Unreviewed_VMmark4_Applications_Score		1.07		
Unreviewed_VMmark4_Infrastructure_Score		1.13		
Unreviewed_VMmark4_Score		1.08 @ 1.2 Tiles		

Configuration

Virtualization Software																																			
Hypervisor Vendor, Product, Version, and Build / Availability Date (MM-DD-YYYY)	VMware ESXi 8.0 Update 3e, Build 24674464 / 04-10-2025																																		
Server Management Software Vendor, Product, Version, and Build / Availability Date (MM-DD-YYYY)	VMware vCenter Server 8.0 Update 3, Build 24022515 / 06-25-2024																																		
Supplemental Software	None																																		
Servers																																			
Number of Servers in System Under Test (all subsequent fields in this section are per Server)	2																																		
Server Manufacturer and Model	HPE ProLiant DL385 Gen11																																		
Processor Vendor and Model	AMD EPYC 9224																																		
Processor Speed (GHz) / Turbo Boost Speed (GHz)	2.5 GHz / 3.7 GHz																																		
Total Sockets/Total Cores/Total Threads	2 Sockets / 48 Cores / 96 Threads																																		
NUMA Nodes	2																																		
BIOS Version	2.42																																		
Memory Size (in GB, Number of DIMMs)	Physical Memory (BIOS): 1536 GB Physical Memory (ESXi): 1536 GB Number of DIMMs: 24																																		
Memory Type and Speed	<table><tr><th>Location</th><th>Size</th><th>Speed</th><th>Max Speed</th><th>Rank</th><th>Type</th><th>Detail</th></tr><tr><td>PROC 1 DIMM 1</td><td>64 GB</td><td>4800 MT/s</td><td>4800 MT/s</td><td>2</td><td>DDR5</td><td>Synchronous, Registered</td></tr><tr><td>PROC 1 DIMM 2</td><td>64 GB</td><td>4800 MT/s</td><td>4800 MT/s</td><td>2</td><td>DDR5</td><td>Synchronous, Registered</td></tr><tr><td>PROC 1 DIMM 3</td><td>64 GB</td><td>4800 MT/s</td><td>4800 MT/s</td><td>2</td><td>DDR5</td><td>Synchronous, Registered</td></tr></table>							Location	Size	Speed	Max Speed	Rank	Type	Detail	PROC 1 DIMM 1	64 GB	4800 MT/s	4800 MT/s	2	DDR5	Synchronous, Registered	PROC 1 DIMM 2	64 GB	4800 MT/s	4800 MT/s	2	DDR5	Synchronous, Registered	PROC 1 DIMM 3	64 GB	4800 MT/s	4800 MT/s	2	DDR5	Synchronous, Registered
	Location	Size	Speed	Max Speed	Rank	Type	Detail																												
	PROC 1 DIMM 1	64 GB	4800 MT/s	4800 MT/s	2	DDR5	Synchronous, Registered																												
	PROC 1 DIMM 2	64 GB	4800 MT/s	4800 MT/s	2	DDR5	Synchronous, Registered																												
	PROC 1 DIMM 3	64 GB	4800 MT/s	4800 MT/s	2	DDR5	Synchronous, Registered																												

Software Availability Date (MM-DD-YYYY)	04-17-2025						
Network							
Number of Virtual Network Controllers	4						
Virtual Network Controllers, Speeds, MTUs, Firmware, Drivers, Vendors, and Models	Device	Speed	Duplex	MTU	Firmware	Driver	Description
	vmnic0	25 Gbps	Full	9000	26.33.1048	nmlx5_core	Mellanox Technologies ConnectX-6 Lx EN NIC; 25GbE; dual-port SFP28; PCIe4.0 x8; (MCX631102AN-ADA)
	vmnic1	25 Gbps	Full	9000	26.33.1048	nmlx5_core	Mellanox Technologies ConnectX-6 Lx EN NIC; 25GbE; dual-port SFP28; PCIe4.0 x8; (MCX631102AN-ADA)
	vmnic2	100 Gbps	Full	9000	28.36.1700	nmlx5_core	Mellanox Technologies ConnectX-7 VPI NIC; NDR200/HDR IB /200GbE; dual-port QSFP; PCIe5.0 x16; (MCX755106AS-HEA)
	vmnic3	100 Gbps	Full	9000	28.36.1700	nmlx5_core	Mellanox Technologies ConnectX-7 VPI NIC; NDR200/HDR IB /200GbE; dual-port QSFP; PCIe5.0 x16; (MCX755106AS-HEA)
Number of Virtual Switches	3						
Virtual Switches, Ports, Port Groups, MTUs, and Uplinks	Switch	Ports	Configured Ports	MTU	Uplinks		
	vSwitch0	9216	128	9000	vmnic0		
	vSwitch1	9216	128	9000	vmnic1		
	vSwitch2	9216	128	9000	vmnic2, vmnic3		
	Switch	Port Group		VLAN ID	Uplinks		
	vSwitch0	Management Network		0	vmnic0		
	vSwitch0	VM Network		0	vmnic0		
	vSwitch1	vmotion		0	vmnic1		
	vSwitch2	iSER1		0	vmnic2		
	vSwitch2	iSER2		0	vmnic3		
	VMkernel Network Adapters, Port Groups, MTUs, TCP/IP Stacks, and Services	Device	Port Group/DVPort		MTU	TCP/IP Stack	Services
		vmk0	Management Network		9000	Default	Management
		vmk1	vmotion		9000	Default	vMotion
vmk2		iSER1		9000	Default	None	
vmk3		iSER2		9000	Default	None	
Physical Switch Vendors, Models, and Speeds	HPE SN2700M 100GbE 32QSFP28						
Primary Storage							
Storage Category	iSCSI Target						
Datastores	Datastores			Type	Size	Storage Device	
	OSDATA-3a523004-cb8c4fff-60a1-b83fd2c922da			VMFSOS	128.6 GB	Local NVMe Disk	
	datastore1 (1)			VMFS-6	342.5 GB	Local NVMe Disk	
	deploy			VMFS-6	8.8 TB	LIO-ORG iSCSI Disk	
	nosql0			VMFS-6	2.2 TB	LIO-ORG iSCSI Disk	
	nosql1			VMFS-6	2.2 TB	LIO-ORG iSCSI Disk	
	nosql2			VMFS-6	2.2 TB	LIO-ORG iSCSI Disk	
	nosql3			VMFS-6	2.2 TB	LIO-ORG iSCSI Disk	
	nosql4			VMFS-6	2.2 TB	LIO-ORG iSCSI Disk	

RAID Configuration (if used)	None										
Server Management											
VMware vCenter Server Number of vCPUs	8										
VMware vCenter Server Virtual Memory (in GB)	30										
Clients											
Total Client VMs (including Prime Client)	3										
Number of Client Hosts (all subsequent fields in this section are per Client Host)	2										
System Model(s)	- Client Host 1: HPE ProLiant DL385 Gen11 - Client Host 2: HPE ProLiant DL385 Gen11										
Processor Vendor(s) and Model(s)	- Client Host 1: AMD EPYC 9754 - Client Host 2: AMD EPYC 9754										
Processor Speed(s) (GHz)	- Client Host 1: 2.25 GHz - Client Host 2: 2.25 GHz										
Total Sockets/Total Cores/Total Threads	Client Host		Sockets	Cores	Threads						
	Client Host 1		2	256	512						
	Client Host 2		2	256	512						
	Total		4	512	1024						
NUMA Nodes	- Client Host 1: 4 - Client Host 2: 4										
Memory Size (in GB) per Client Host	Client Host		BIOS	ESXi							
	Client Host 1		1536 GB	1536 GB							
	Client Host 2		1536 GB	1536 GB							
Virtual Network Controllers, Speeds, MTUs, Firmware, Drivers, Vendors, and Models	Client Host		Device	Speed	Duplex	MTU	Firmware	Driver	Description		
	Client Host 1	vmnic0	25 Gbps	Full	9000	26.33.1048	nmlx5_core	Mellanox Technologies ConnectX-6 Lx EN NIC; 25GbE; dual-port SFP28; PCIe4.0 x8; (MCX631102AN-ADA)			
		vmnic1	25 Gbps	Full	9000	26.33.1048	nmlx5_core	Mellanox Technologies ConnectX-6 Lx EN NIC; 25GbE; dual-port SFP28; PCIe4.0 x8; (MCX631102AN-ADA)			
	Client Host 2	vmnic0	25 Gbps	Full	9000	26.33.1048	nmlx5_core	Mellanox Technologies ConnectX-6 Lx EN NIC; 25GbE; dual-port SFP28; PCIe4.0 x8; (MCX631102AN-ADA)			
		vmnic1	25 Gbps	Full	9000	26.33.1048	nmlx5_core	Mellanox Technologies ConnectX-6 Lx EN NIC; 25GbE; dual-port SFP28; PCIe4.0 x8; (MCX631102AN-ADA)			
Virtual Switches, Ports, Port Groups, MTUs, and Uplinks	Client Host		Switch	Ports	Configured Ports	MTU	Uplinks				
	Client Host 1		vSwitch0	9216	128	9000	vmnic0, vmnic1				
	Client Host 2		vSwitch0	9216	128	9000	vmnic0, vmnic1				
	Client Host		Switch	Port Group		VLAN ID	Uplinks				

	Client Host 1	vSwitch0	Management Network	0	vmnic0, vmnic1	
		vSwitch0	VM Network	0	vmnic0, vmnic1	
	Client Host 2	vSwitch0	Management Network	0	vmnic0, vmnic1	
		vSwitch0	VM Network	0	vmnic0, vmnic1	
VMkernel Network Adapters, Port Groups, MTUs, TCP/IP Stacks, and Services	Client Host	Device	Port Group/DVPort	MTU	TCP/IP Stack	Services
	Client Host 1	vmk0	Management Network	9000	Default	vSAN, Management, vMotion
	Client Host 2	vmk0	Management Network	9000	Default	vSAN, Management, vMotion
Client Storage Notes	See Client Notes Section					
Other Hardware	None					
Other Software	VMware ESXi 8.0 Update 3, Build 24022510					

Notes for Workload

Template deployed with disk type: Thick Eager

Virtualization Software Notes

- vSphere DRS Enabled
- vSphere DRS Automation Level set to Fully Automated
- vSphere DRS Migration Threshold set to 1
- vSphere DRS Advanced Option AggressiveCPUActive set to 1
- Logical CPU layout changed for all multi-CPU VMs to 1 socket with multiple cores except Template, PrimeClient, and Client VMs.(default single core per socket)
- Logging was disabled for all VMs (default enabled)
- All DS35DB, NoSQLBench, SocialNetwork and Auction K VMs had CPU shares set to High (default Normal)
- All Standby VMs had CPU shares set to Low (default Normal)
- All memory reserved (LockedToMax) for all DS35DB VMs
- All DS35DB VMs had memory shares set to high
- sched.mem.lpage.enable1GPage set to TRUE for all DS35DB VMs (default FALSE)
- CD/DVD device was removed from all VMs (default present)
- PrimeClient's second virtual disk configured to be 1 TB (default: 50 GB)

SUT Host ESXi Advanced Settings:

Advanced Setting	Host 1	Host 2	Default
Cpu.CreditAgePeriod	1000	1000	3000
Cpu.HTWholeCoreThreshold	0	0	800
Disk.IdleCredit	64	64	32
Disk.ReqCallThreshold	1	1	8
Mem.CtlMaxPercent	0	0	65
Mem.ShareScanGHz	0	0	4
Numa.LTermFairnessInterval	0	0	5
Numa.LocalityWeightActionAffinity	0	0	130
Numa.MigImbalanceThreshold	57	57	10
Numa.PageMigEnable	0	0	1
Numa.PreferHT	1	1	0
Numa.RebalancePeriod	60000	60000	2000

Numa.SwapLoadEnable	0	0	1
Numa.SwapLocalityEnable	0	0	1
Power.CpuPolicy	Performance	Performance	Balanced
UserVars.SuppressShellWarning	1	1	0

SUT Host ESXi Module Options:

Module	Host 1	Host 2	Default
tcpip4	ipv6=1	ipv6=1	ipv6=1

Server Notes

Server BIOS settings

- HPE Workload Profile set to "Virtualization - Max Performance" (default: General Power Efficient Compute)
- Thermal Configuration set to Maximum Cooling (default: Optimal Cooling)
- Determinism control set to manual (default: Auto)
- Minimum Processor Idle Power Core C-state set to No-Cstates (default: C6)
- Memory Patrol Scrubbing set to Disabled (default: Enabled)
- ACPI CST C2 Latency set to 18 ms (default: 800 ms)

Networking Notes

SUT hosts

- vSwitch0 configuration
 - Uplink: vmnic0
 - Usage: vmk0 (MTU 9000) - used for management and VM network
- vSwitch1 configuration
 - Uplink: vmnic1
 - Usage: vmk1 (MTU 9000) - used for vMotion
- vSwitch2 configuration
 - Uplink: vmnic2, vmnic3
 - Usage:
 - vmk2 (MTU 9000) - configured for iSCSI traffic, vmnic2 configured as the Failover Override Active Adapter for Portgroup iSER1
 - vmk3 (MTU 9000) - configured for iSCSI traffic, vmnic3 configured as the Failover Override Active Adapter for Portgroup iSER2

Client hosts

- vSwitch0 configuration
 - Uplink: vmnic0, vmnic1
 - Usage: vmk0 (MTU 9000) - used for management, vMotion, and Client VM network
 - vSAN networking was enabled, but unused on vmk0

Storage Notes

OS Storage

- On each SUT host, VMware ESXi 8.0 Update 3e was installed on HPE NS204i-u Gen11 NVMe Hot Plug Boot Optimized Storage Device which provides a RAID1 volume on 2 x 480 GB NVMe M.2 SSDs.
- On each client host, VMware ESXi 8.0 Update 3 was installed on HPE NS204i-u Gen11 NVMe Hot Plug Boot Optimized Storage Device which provides a RAID1 volume on 2 x 480 GB NVMe M.2 SSDs.

Primary and Secondary Storage: iSCSI Target via SCSI Target Server (LIO)

- Hardware details
 - 2 x HPE ProLiant DL385 Gen11

- 2 x AMD EPYC 9374F (3.85 GHz)
 - 1.5TB (24 x 64GB 2Rx4 5600 MHz DDR5 RDIMMs)
 - 1 x 2-port Mellanox Technologies ConnectX-7 VPI NDR200/HDR IB /200GbE NIC used as iSCSI target controller(Operating at 100 Gbps speed)
 - 1 x HPE NS204i-u Gen11 NVMe Hot Plug Boot Optimized Storage Device
 - 24 x HPE 3.84TB NVMe Gen5 High Performance Read Intensive E3S EC1 EDSFF SPDM PM1743
- Software Details
 - Operating System: Canonical Ubuntu Linux 24.04 LTS - 6.8.0-57-generic
 - iSCSI Target SW: LIO
 - Software RAID configuration
 - On each iSCSI Target, two RAID 10 volume groups created on 12 x HPE 3.84TB NVMe Gen5 High Performance Read Intensive E3S EC1 EDSFF SPDM PM1743
- All disks within each RAID 10 volume group were exclusively connected to socket 1 or socket 2

- LUN details

- iSCSI Target 1, socket 1, RAID 10 volume group
 - 3 x 2TB volume groups exported as LUNs named nosql0, nosql2, and source
 - nosql0 LUN stored AuctionWebDNosql, NoSQLBenchA, NoSQLBenchB, and NoSQLBenchC VMs of Tile0
 - source LUN stored AuctionWebF and DS35WebA VMs for all the tiles
- iSCSI Target 1, socket 2, RAID 10 volume group
 - 2 x 2TB volume groups exported as LUNs named nosql1 and target
 - nosql1 LUN stored AuctionWebDNosql, NoSQLBenchA, NoSQLBenchB, and NoSQLBenchC VMs of Tile1
 - target LUN was used for Storage Vmotion and XvMotion operations
- iSCSI Target 2, socket 1, RAID 10 volume group
 - 2 x 2TB volume groups exported as LUNs named tile0 and tile2
 - tile0 LUN stored AuctionAppA, AuctionAppB, AuctionAppC, AuctionWebA, AuctionWebB, AuctionWebC, AuctionWebEDB, DS35WebB, DS35WebC, Standby, SocialNetwork VMs of Tile0
- iSCSI Target 2, socket 2, RAID 10 volume group
 - 1 x 2TB volume group exported as LUNs named tile1
 - tile1 LUN stored AuctionAppA, AuctionAppB, AuctionAppC, AuctionWebA, AuctionWebB, AuctionWebC, AuctionWebEDB, DS35WebB, DS35WebC, Standby, SocialNetwork VMs of Tile1

Server Management Notes

VMware vCenter Server Appliance 8.0 Update 3, Build 24022515 was hosted on Client host2 which is part of the client cluster

Operating System Notes

SUT Host ESXi Image Profile: HPE-Custom-AddOn_803.0.0.12.1.0-11

Software Notes

None

Client Notes

- vSphere DRS Disabled

Client BIOS settings

- HPE Workload Profile set to "Virtualization - Max Performance" (default: General Power Efficient Compute)
- Thermal Configuration set to Maximum Cooling (default: Optimal Cooling)
- Numa nodes per socket set to 2 (default: Auto)

Client Host ESXi Advanced Settings:

Advanced Setting	Host 1	Host 2	Default
Power.CpuPolicy	Performance	Performance	Balanced
UserVars.HostClientCEIPOptIn	2	2	0

UserVars.SuppressShellWarning	1	1	0
-------------------------------	---	---	---

Client Host ESXi Module Options:

Module	Host 1	Host 2	Default
tcpip4	ipv6=1	ipv6=1	ipv6=1

Client Host ESXi Image Profile: (Updated) HPE-Custom-AddOn_803.0.0.11.7.0-23

- Client Storage
 - 2 * HPE 3.84TB NVMe Gen5 High Performance Read Intensive E3S EC1 EDSFF SPDM PM1743 SSD was used for all client VMs, including the PrimeClient, and the vCenter Server VM
 - All Client VMs stored on the first NVMe of each Client host, except the PrimeClient
 - The PrimeClient and VCSA VM were stored on the second NVMe of the second Client host

Client Host VMs:

- Client Host 1: Client0
- Client Host 2: Client1, PrimeClient, VCSA8U3

Other Notes

None

VMmark4.properties Settings

- TileDelay = 15 (default 60)
- LogLevel = DEBUG (default INFO)
- ReporterSkipNonCompliant = 1 (default 0)
- ErrorImmediate = 1 (default 0)

Virtual Machines

SUT Host Virtual Machines

VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionAppA0	4	4	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	tile0	VM Network	17	12325
AuctionAppA1	4	4	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	tile1	VM Network	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionAppB0	4	4	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	tile0	VM Network	17	12325
AuctionAppB1	4	4	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	tile1	VM Network	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionAppC0	4	4	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	tile0	VM Network	17	12325
AuctionAppC1	4	4	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	tile1	VM Network	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionKA0	8	8	32768	TRUE	FALSE	Removed	0	Unlimited	high	0	Unlimited	normal	FALSE	FALSE	normal	tile0	VM Network	17	12325
AuctionKA1	8	8	32768	TRUE	FALSE	Removed	0	Unlimited	high	0	Unlimited	normal	FALSE	FALSE	normal	tile1 deploy	VM Network	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionKB0	8	8	32768	TRUE	FALSE	Removed	0	Unlimited	high	0	Unlimited	normal	FALSE	FALSE	normal	tile0	VM Network	17	12325
AuctionKB1	8	8	32768	TRUE	FALSE	Removed	0	Unlimited	high	0	Unlimited	normal	FALSE	FALSE	normal	tile1 deploy	VM Network	17	12325

VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionKC0	8	8	32768	TRUE	FALSE	Removed	0	Unlimited	high	0	Unlimited	normal	FALSE	FALSE	normal	tile0	VM Network	17	12325
AuctionKC1	8	8	32768	TRUE	FALSE	Removed	0	Unlimited	high	0	Unlimited	normal	FALSE	FALSE	normal	tile1 deploy	VM Network	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionKD0	8	8	32768	TRUE	FALSE	Removed	0	Unlimited	high	0	Unlimited	normal	FALSE	FALSE	normal	tile0	VM Network	17	12325
AuctionKD1	8	8	32768	TRUE	FALSE	Removed	0	Unlimited	high	0	Unlimited	normal	FALSE	FALSE	normal	tile1 deploy	VM Network	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionWebA0	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	tile0	VM Network	17	12325
AuctionWebA1	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	tile1	VM Network	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionWebB0	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	tile0	VM Network	17	12325
AuctionWebB1	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	tile1	VM Network	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionWebC0	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	tile0	VM Network	17	12325
AuctionWebC1	4	4	12288	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	tile1	VM Network	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionWebDNosql0	4	4	20480	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	nosql0	VM Network	17	12325
AuctionWebDNosql1	4	4	20480	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	nosql1	VM Network	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionWebEDB0	4	4	16384	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	tile0	VM Network	17	12325
AuctionWebEDB1	4	4	16384	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	tile1	VM Network	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
AuctionWebF0	2	2	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	source	VM Network	17	12325
AuctionWebF1	2	2	8192	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	source	VM Network	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
DS35DB0	24	24	49152	TRUE	FALSE	Removed	0	Unlimited	high	49152	Unlimited	high	TRUE	TRUE	normal	tile0	VM Network	17	12325
DS35DB1	24	24	49152	TRUE	FALSE	Removed	0	Unlimited	high	49152	Unlimited	high	TRUE	TRUE	normal	tile1	VM Network	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
DS35WebA0	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	source	VM Network	17	12325
DS35WebA1	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	source	VM Network	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
DS35WebB0	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	tile0	VM Network	17	12325
DS35WebB1	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	tile1	VM Network	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
DS35WebC0	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	tile0	VM Network	17	12325
DS35WebC1	6	6	512	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	tile1	VM Network	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
NoSQLBenchA0	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	high	0	Unlimited	normal	FALSE	FALSE	normal	nosql0	VM Network	17	12325
NoSQLBenchA1	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	high	0	Unlimited	normal	FALSE	FALSE	normal	nosql1	VM Network	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
NoSQLBenchB0	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	high	0	Unlimited	normal	FALSE	FALSE	normal	nosql0	VM Network	17	12325
NoSQLBenchB1	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	high	0	Unlimited	normal	FALSE	FALSE	normal	nosql1	VM Network	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
NoSQLBenchC0	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	high	0	Unlimited	normal	FALSE	FALSE	normal	nosql0	VM Network	17	12325
NoSQLBenchC1	8	8	8192	TRUE	FALSE	Removed	0	Unlimited	high	0	Unlimited	normal	FALSE	FALSE	normal	nosql1	VM Network	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version

SocialNetwork0	36	36	16384	TRUE	FALSE	Removed	0	Unlimited	high	0	Unlimited	normal	FALSE	FALSE	normal	tile0	VM Network	17	12325
SocialNetwork1	36	36	16384	TRUE	FALSE	Removed	0	Unlimited	high	0	Unlimited	normal	FALSE	FALSE	normal	tile1	VM Network	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
Standby0	1	1	2048	TRUE	FALSE	Removed	0	Unlimited	low	0	Unlimited	normal	FALSE	FALSE	normal	tile0	VM Network	17	12325
Standby1	1	1	2048	TRUE	FALSE	Removed	0	Unlimited	low	0	Unlimited	normal	FALSE	FALSE	normal	tile1	VM Network	17	12325
VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
VMmark-4.0.2-209	4	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	source	VM Network	17	12325

Client Host Virtual Machines

VM	vCPUs	Cores Per Socket	Memory (MB)	Sync Time	Logging	CD/DVD	CPU Res	CPU Limit	CPU Shares	Mem Res	Mem Limit	Mem Shares	Mem Pin	Mem 1G Page	Disk Shares	Datastore	Port Group	vHW Version	Tools Version
Client0	64	1	98304	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	client1-datastore1	VM Network	17	12325
Client1	64	1	98304	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	client2-datastore1	VM Network	17	12325
PrimeClient	4	1	32768	TRUE	FALSE	Removed	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	client2-datastore2	VM Network, VM Network	17	12325
VCSA8U3	8	1	30720	FALSE	TRUE	Present	0	Unlimited	normal	0	Unlimited	normal	FALSE	FALSE	normal	client2-datastore2	VM Network	10	12389

This is a full disclosure report for a VMmark® benchmark result. All published VMmark results must be from fully-compliant tests for which a full disclosure report is publicly available.

For information about VMmark and the rules regarding its usage visit www.vmware.com/products/vmmark.

Copyright (c)2024-2025 Broadcom. All rights reserved. The term "Broadcom" refers to Broadcom Inc. and/or its subsidiaries.

VMware and VMmark are trademarks or registered trademarks of VMware LLC. VMmark is a product of [VMware LLC](#).