



# Horizon Turnkey Appliances (Rapid Desktop Appliances) Guide

Last Updated: September 1, 2019

[For more information go to vmware.com.](https://www.vmware.com)

## What's New

Changes made in the last 7 days include:

None

## Introduction

Turnkey Appliances (Rapid Desktop Appliances) with pre-integrated, pre-configured, pre-tested, and validated software, storage and compute components offer a one-stop shop for Horizon deployment. These help customers:

- 1) Save money and minimize risk with an all-in-one solution.
- 2) Simplify deployment with converged infrastructure that works together out of the box.
- 3) Scale by simply adding additional load-balanced appliances.

It is a requirement that the relevant components of each certified solution are also ESX certified and listed on the appropriate [VMware Compatibility Guide](#) .

For detailed information regarding the individual View Appliances and solutions, please go to [https://solutionexchange.vmware.com/store/category\\_groups/end-user-computing/fast\\_track\\_turnkey](https://solutionexchange.vmware.com/store/category_groups/end-user-computing/fast_track_turnkey)

Disclaimer: The partner product/solution reference in this article is a software and/or hardware module that is developed and supported by a partner. Use of this partner product/solution is also governed by the end user license agreement of the partner. You must obtain the application, support, and licensing for using this product/solution from the partner.

## All Listings

<b>Partner Name</b>	Aberdeen LLC
<b>Product</b>	AberVDI
<b>Product Model</b>	Stirling 287
<b>Server</b>	Stirling 287 (Qty: 0)
<b>CPU</b>	Intel Xeon E5-2600-v4 Series (Qty: 0)
<b>RAM</b>	256GB DDR4 ECC (Qty: 0)
<b>NIC</b>	Intel X540 10G (Qty: 0)
<b>Storage</b>	XDAS GX22m (Qty: 0)
<b>Desktop Type</b>	Linked Clone (Qty: 47)
<b>View Version(s)</b>	Horizon 7.8,Horizon 7.7,Horizon 7.6,Horizon 7.5,Horizon 7.4,Horizon 7.3.2,Horizon 7.2,Horizon 7.1,Horizon 7.0

<b>Partner Name</b>	DELL
<b>Product</b>	Wyse Datacenter Appliance XC for Horizon View
<b>Product Model</b>	XC720xd-B5
<b>Server</b>	Dell Poweredge R720 XD
<b>CPU</b>	Intel Xeon CPU E5-2650 v2 2.60GHz (Qty: 2)
<b>RAM</b>	384 GB (32 X 16GB DIMMS @ 1333 MHz)
<b>NIC</b>	Intel(R) 2P X520/2P I350 rNDC
<b>Storage</b>	PERC H310 Mini (Qty: 1),LSI 9207-8i (Qty: 1)
<b>Desktop Type</b>	Full Clone Desktop (Qty: 50)
<b>View Version(s)</b>	Horizon 7.8,Horizon 7.7,Horizon 7.6,Horizon 7.5,Horizon 7.4,Horizon 7.3.2,Horizon 7.2,Horizon 7.1,Horizon 7.0,Horizon 6.2,Horizon 6.1.1,Horizon 6.1,Horizon 6.0

<b>Partner Name</b>	Hewlett Packard Enterprise
<b>Product</b>	HPE SimpliVity 2600 Gen10 170
<b>Product Model</b>	HPE SimpliVity 2600 Gen10 170
<b>Server</b>	SimpliVity 2600 Gen10 170 (Qty: 1)
<b>CPU</b>	Intel Xeon Gold 6152 2.1 GHz (Qty: 0)
<b>RAM</b>	512 (Qty: 0)
<b>NIC</b>	2-port 368FLR-MMT (Qty: 2),2-port 530SFP+ (Qty: 2)
<b>Storage</b>	SimpliVity 2600 Gen10 170 (Qty: 1)
<b>Desktop Type</b>	Linked Clone (Qty: 999)
<b>View Version(s)</b>	Horizon 7.8,Horizon 7.7,Horizon 7.6,Horizon 7.5,Horizon 7.4

<b>Partner Name</b>	Hewlett Packard Enterprise
<b>Product</b>	HPE SimpliVity 380 Gen10
<b>Product Model</b>	HPE SimpliVity 380 Gen10 Small
<b>Server</b>	SimpliVity 380 Gen10 Small (Qty: 1)
<b>CPU</b>	Intel Xeon Gold 6150 CPU (Qty: 0)
<b>RAM</b>	699 (Qty: 0)
<b>NIC</b>	10 GbE (Qty: 1)
<b>Storage</b>	SimpliVity 380 Gen10 Small (Qty: 1)
<b>Desktop Type</b>	Linked Clone (Qty: 1500)
<b>View Version(s)</b>	Horizon 7.4

<b>Partner Name</b>	Hitachi Vantara
<b>Product</b>	Hitachi Unified Compute Platform HC V225G [ All Flash ] - With NVIDIA Tesla M60 GPU
<b>Product Model</b>	Hitachi Unified Compute Platform HC V225G [ All Flash ] - With NVIDIA Tesla M60 GPU
<b>Server</b>	Hitachi Advanced Server DS225 (Qty: 1)
<b>CPU</b>	Intel® Xeon® Gold 6154 CPU (18C, 3.0GHz, 200W) (Qty: 0)
<b>RAM</b>	32 GB (Qty: 0)
<b>NIC</b>	ConnectX-4 Lx EN, 10/25GbE, dual port SFP28 (Qty: 1)
<b>Storage</b>	Intel DC S4500 Series (1.9TB, 2.5-inch) (Qty: 1),Samsung SATA SSD PM863a Series (1.9TB, 2.5-inch) (Qty: 1)
<b>Desktop Type</b>	Instant Clone (Qty: 123)
<b>View Version(s)</b>	Horizon 7.8,Horizon 7.7,Horizon 7.6,Horizon 7.5

<b>Partner Name</b>	Hitachi Vantara
<b>Product</b>	Hitachi Unified Compute Platform HC V225G [ All Flash ] - With NVIDIA Tesla P40 GPU
<b>Product Model</b>	Hitachi Advanced Server DS225
<b>Server</b>	Hitachi Advanced Server DS225 (Qty: 1)
<b>CPU</b>	Intel® Xeon® Gold 6154 CPU (18C, 3.0GHz, 200W) (Qty: 0)
<b>RAM</b>	32 GB (Qty: 0)
<b>NIC</b>	ConnectX-4 Lx EN, 10/25GbE, dual port SFP28 (Qty: 1)
<b>Storage</b>	Intel DC S4500 Series (1.9TB, 2.5-inch) (Qty: 1),Samsung SATA SSD PM863a Series (1.9TB, 2.5-inch) (Qty: 1)
<b>Desktop Type</b>	Instant Clone (Qty: 95)
<b>View Version(s)</b>	Horizon 7.8,Horizon 7.7,Horizon 7.6,Horizon 7.5

<b>Partner Name</b>	Hitachi Vantara
<b>Product</b>	Hitachi Unified Compute Platform HC V225G [ All Flash ] - With NVIDIA Tesla M10 GPU
<b>Product Model</b>	Hitachi Advanced Server DS225
<b>Server</b>	Hitachi Advanced Server DS225 (Qty: 1)
<b>CPU</b>	Intel® Xeon® Gold 6154 CPU (18C, 3.0GHz, 200W) (Qty: 0)
<b>RAM</b>	32 GB (Qty: 0)
<b>NIC</b>	ConnectX-4 Lx EN, 10/25GbE, dual port SFP28 (Qty: 1)
<b>Storage</b>	Samsung SATA SSD PM863a Series (1.9TB, 2.5-inch) (Qty: 1),Intel DC S4500 Series (1.9TB, 2.5-inch) (Qty: 1)
<b>Desktop Type</b>	Instant Clone (Qty: 251)
<b>View Version(s)</b>	Horizon 7.8,Horizon 7.7,Horizon 7.6,Horizon 7.5

<b>Partner Name</b>	Hitachi Vantara
<b>Product</b>	Hitachi Unified Compute Platform HC V120F [ All Flash ]
<b>Product Model</b>	Hitachi Advanced Server DS120
<b>Server</b>	Hitachi Advanced Server DS120 (Qty: 4)
<b>CPU</b>	Intel Xeon Gold 6100/5100, Silver 4100, Bronze 3100 (Skylake-SP) Series (Qty: 0)
<b>RAM</b>	256 GB (Qty: 4)
<b>NIC</b>	ConnectX-4 Lx EN, 10/25GbE, dual port SFP28 (Qty: 1)
<b>Storage</b>	SATA SSD PM863a Series MZ7LM960HMJP-00005(1.92TB, 2.5-inch) (Qty: 12),Intel SSD DC P3600 Series SSDPE2ME016T4 (960GB, 2.5-inch) (Qty: 1)
<b>Desktop Type</b>	Instant Clone (Qty: 399)
<b>View Version(s)</b>	Horizon 7.8,Horizon 7.7,Horizon 7.6,Horizon 7.5,Horizon 7.4

<b>Partner Name</b>	Nutanix
<b>Product</b>	Nutanix Complete Cluster
<b>Product Model</b>	NX-1065-G5
<b>Server</b>	NX-1065 (Qty: 1)
<b>CPU</b>	Intel Xeon E5-2600-v4 Series (Qty: 0)
<b>RAM</b>	256 (Qty: 0)
<b>NIC</b>	Intel I350 (Qty: 2),Intel 82599 (Qty: 1)
<b>Storage</b>	NX-3000 (Qty: 0),NX-3000 (Qty: 1)
<b>Desktop Type</b>	Instant Clone (Qty: 100)
<b>View Version(s)</b>	Horizon 7.8,Horizon 7.7,Horizon 7.6,Horizon 7.5,Horizon 7.4,Horizon 7.3.2,Horizon 7.2,Horizon 7.1,Horizon 7.0

<b>Partner Name</b>	Nutanix
<b>Product</b>	Nutanix Complete Cluster
<b>Product Model</b>	NX-3460-G5
<b>Server</b>	NX (Qty: 0)
<b>CPU</b>	Intel Xeon E5-2600-v4 Series (Qty: 0)
<b>RAM</b>	512 GB (Qty: 0)
<b>NIC</b>	Intel Dual 10 GbE (Qty: 0)
<b>Storage</b>	NX-3000 (Qty: 0)
<b>Desktop Type</b>	Linked Clone (Qty: 656)
<b>View Version(s)</b>	Horizon 7.8,Horizon 7.7,Horizon 7.6,Horizon 7.5,Horizon 7.4,Horizon 7.3.2,Horizon 7.2,Horizon 7.1,Horizon 7.0

<b>Partner Name</b>	Pivot3
<b>Product</b>	Acuity Datacenter Series Hybrid HCI
<b>Product Model</b>	Acuity 2.X
<b>Server</b>	Dell R730 X 3 nodes (Qty: 1)
<b>CPU</b>	18 Cores (Qty: 2)
<b>RAM</b>	768 GB (Qty: 0)
<b>NIC</b>	Broadcom NetXtreme 2x10GbE BaseT Adapter (Qty: 0)
<b>Storage</b>	Pivot3 X5-6000 running Pivot3 Acuity 2.X (Qty: 1),Pivot3 X5-2500 (Qty: 2)
<b>Desktop Type</b>	Stateless Linked Clone (Qty: 817)
<b>View Version(s)</b>	Horizon 7.8,Horizon 7.7,Horizon 7.6,Horizon 7.5,Horizon 7.4,Horizon 7.3.2,Horizon 7.2,Horizon 7.1,Horizon 7.0

<b>Partner Name</b>	Pivot3
<b>Product</b>	Acuity Datacenter Series Flash HCI
<b>Product Model</b>	Acuity 2.X
<b>Server</b>	Dell R730 X 3 nodes (Qty: 1)
<b>CPU</b>	18 Cores (Qty: 2)
<b>RAM</b>	768 GB (Qty: 0)
<b>NIC</b>	Broadcom NetXtreme 2x10GbE BaseT Adapter (Qty: 0)
<b>Storage</b>	Pivot3 X5-6000 running Pivot3 Acuity 2.X (Qty: 1), Pivot3 X5-6500 (Qty: 2)
<b>Desktop Type</b>	Stateless Linked Clone (Qty: 951)
<b>View Version(s)</b>	Horizon 7.8,Horizon 7.7,Horizon 7.6,Horizon 7.5,Horizon 7.4,Horizon 7.3.2,Horizon 7.2,Horizon 7.1,Horizon 7.0

<b>Partner Name</b>	Pivot3
<b>Product</b>	vSTAC HCI
<b>Product Model</b>	vSTAC 7.5
<b>Server</b>	System X3650 X 3 nodes (Qty: 0)
<b>CPU</b>	Intel 2 X 2640_V4 (2 X 10 Cores per node) (Qty: 0)
<b>RAM</b>	384 GB (Qty: 0)
<b>NIC</b>	Broadcom NetXtreme 2x10GbE BaseT Adapter (Qty: 0)
<b>Storage</b>	Pivot3 vSTAC (Qty: 0)
<b>Desktop Type</b>	Linked Clone (Qty: 433)
<b>View Version(s)</b>	Horizon 7.8,Horizon 7.7,Horizon 7.6,Horizon 7.5,Horizon 7.4,Horizon 7.3.2,Horizon 7.2,Horizon 7.1,Horizon 7.0

<b>Partner Name</b>	Pivot3
<b>Product</b>	vSTAC R2S (37463)
<b>Product Model</b>	vSTAC R2S
<b>Server</b>	Dell PowerEdge R720xd
<b>CPU</b>	Intel Xeon CPU E5-2650 v2 @ 2.60GHz
<b>RAM</b>	128 GB
<b>NIC</b>	10GE (Qty: 2),1GE (Qty: 2)
<b>Storage</b>	vSTAC R2S
<b>Desktop Type</b>	Stateless Linked Clone (Qty: 122)
<b>View Version(s)</b>	Horizon 7.8,Horizon 7.7,Horizon 7.6,Horizon 7.5,Horizon 7.4,Horizon 7.3.2,Horizon 7.2,Horizon 7.1,Horizon 7.0,Horizon 6.2,Horizon 6.1.1,Horizon 6.1,Horizon 6.0



<b>Partner Name</b>	SimpliVity Corporation
<b>Product</b>	OmniCube
<b>Product Model</b>	CN-2400
<b>Server</b>	OmniCube (Qty: 0)
<b>CPU</b>	Intel Xeon E5-2600-v3 Series (Qty: 0)
<b>RAM</b>	768 (Qty: 0)
<b>NIC</b>	1GbE (Qty: 2), 10GbE SFP+ (Qty: 2)
<b>Storage</b>	omnicube (Qty: 0)
<b>Desktop Type</b>	Linked Clone (Qty: 50)
<b>View Version(s)</b>	Horizon 7.8,Horizon 7.7,Horizon 7.6,Horizon 7.5,Horizon 7.4,Horizon 7.3.2,Horizon 7.2,Horizon 7.1,Horizon 7.0

## Footnotes:

None

## Disclaimer

THIS CONTENT IS PROVIDED AS IS, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, VMWARE DISCLAIMS ALL OTHER REPRESENTATIONS AND WARRANTIES, EXPRESS OR IMPLIED, REGARDING THIS CONTENT, INCLUDING THEIR FITNESS FOR A PARTICULAR PURPOSE, THEIR MERCHANTABILITY, OR THEIR NONINFRINGEMENT. VMWARE SHALL NOT BE LIABLE FOR ANY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF THIS CONTENT, INCLUDING DIRECT, INDIRECT, CONSEQUENTIAL DAMAGES, LOSS OF BUSINESS PROFITS OR SPECIAL DAMAGES, EVEN IF VMWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

THE VMWARE COMPATIBILITY GUIDE IS UPDATED FROM TIME TO TIME WITHOUT NOTICE. FOR THE LATEST VMWARE COMPATIBILITY GUIDE, PLEASE GO TO THE FOLLOWING LINK: <http://www.vmware.com/resources/compatibility>